

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Section 1: Identification

Product name : BRIGADE GRANULAR INSECTICIDE

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : Level 5, 3 Te Kahu Way, Mount Wellington
1060 Auckland
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixm)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
bifenthrin (ISO)	82657-04-3	>= 0.1 -< 0.25
Quartz (SiO ₂)	14808-60-7	>= 90 -<= 100

Section 4: First-aid measures

General advice : Do not leave the victim unattended.
Show this safety data sheet to the doctor in attendance.
Move out of dangerous area.

If inhaled : If symptoms persist, call a physician.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
If skin irritation persists, call a physician.

In case of eye contact : If eye irritation persists, consult a specialist.
Keep eye wide open while rinsing.
Protect unharmed eye.
Remove contact lenses.
Flush eyes with water as a precaution.

If swallowed : Take victim immediately to hospital.
If symptoms persist, call a physician.
Never give anything by mouth to an unconscious person.
Do not give milk or alcoholic beverages.
Keep respiratory tract clear.

Most important symptoms and effects, both acute and : May cause damage to organs if inhaled.

Version 0.0	Revision Date: 00.00.0000	SDS Number: 50000375	Date of last issue: - Date of first issue: 12.04.2024
----------------	------------------------------	-------------------------	--

delayed

Notes to physician : It may be helpful to show this safety data sheet to physician.
Treat symptomatically.

Section 5: Fire-fighting measures

Suitable extinguishing media : Dry chemical
Foam
Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Thermal decomposition can lead to release of toxic and irritating vapors.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : 2Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust.
Avoid dust formation.
Use personal protective equipment.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Avoid contact with skin and eyes.

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Do not breathe vapours/dust.
Avoid formation of respirable particles.

- Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not smoke.
When using do not eat or drink.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep container tightly closed in a dry and well-ventilated place.
- Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO ₂)	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m ³	NZ OEL
Further information: Confirmed carcinogen				
		WES-TWA (Respirable dust)	0.05 mg/m ³	NZ OEL
Further information: Confirmed carcinogen				
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH

Personal protective equipment

- Respiratory protection : In case of dust exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Tightly fitting safety goggles
Eye wash bottle with pure water
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Dust impervious protective suit

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version 0.0	Revision Date: 00.00.0000	SDS Number: 50000375	Date of last issue: - Date of first issue: 12.04.2024
----------------	------------------------------	-------------------------	--

Section 9: Physical and chemical properties

Physical state	: solid
Form	: granules
Colour	: light tan
Odour	: musty
Odour Threshold	: No data available
pH	: 6.8 - 7.1
Melting point/freezing point	: No data available
Boiling point/boiling range	: Not applicable
Flash point	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.39 lb/scf
Bulk density	: 50 - 53 lb/scf
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing

Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Carbon oxides

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Components:

bifenthrin (ISO):

Acute oral toxicity	:	LD50 (Rat, male and female): 56.7 mg/kg Symptoms: Convulsions, Tremors, ataxia LD50 (Mouse, female): 42.5 mg/kg Method: OPPTS 870.1100
Acute inhalation toxicity	:	LC50 (Rat, female): 0.6 - 1.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Convulsions LC50 (Rat, male): 1.10 mg/l

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Remarks: no mortality

Quartz (SiO₂):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : No skin irritation

Components:

bifenthrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight or no skin irritation.
GLP : yes

Quartz (SiO₂):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Components:**bifenthrin (ISO):**

Species	:	Rabbit
Result	:	Slight or no eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

Quartz (SiO₂):

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Result	:	Not a skin sensitizer.
--------	---	------------------------

Components:**bifenthrin (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.
GLP	:	yes

Quartz (SiO₂):

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
Remarks	:	Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**bifenthrin (ISO):**

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation
-----------------------	---	--

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

Quartz (SiO₂):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Components:**bifenthrin (ISO):**

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 3 mg/kg bw/day
Result : negative

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 7.6 mg/kg bw/day

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Result : positive
Symptoms : malignant tumors

Quartz (SiO₂):

Carcinogenicity - Assessment : Human carcinogen.

Reproductive toxicity

Not classified based on available information.

Components:**bifenthrin (ISO):**

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 3 mg/kg bw/day
General Toxicity F1: NOAEL: 5 mg/kg bw/day
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day
Teratogenicity: NOAEL: 2.7 mg/kg bw/day
Symptoms: Maternal effects
Result: No teratogenic effects

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
Teratogenicity: NOAEL: 2 mg/kg bw/day
Result: No teratogenic effects

Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day
Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day
Embryo-foetal toxicity: NOEL: 9.0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:**bifenthrin (ISO):**

Target Organs : Central nervous system
Assessment : Causes damage to organs.

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Components:**bifenthrin (ISO):**

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Quartz (SiO₂):

Exposure routes : Inhalation
Target Organs : Lungs
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Exposure routes : Inhalation
Target Organs : Immune system, Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity**Components:****bifenthrin (ISO):**

Species : Rat, male and female
NOEL : 100 ppm
Application Route : Oral - feed
Exposure time : 90 d
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w
Symptoms : Tremors

Quartz (SiO₂):

Species : Rat
LOAEC : 0.0025 mg/l
Application Route : Inhalation
Exposure time : 90 day
Method : OECD Test Guideline 413
Target Organs : Lungs

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:**bifenthrin (ISO):**

The substance does not have properties associated with aspiration hazard potential.

Further information**Product:**

Remarks : No data available

Section 12: Ecological information**Ecotoxicity****Components:****bifenthrin (ISO):**

Toxicity to fish	:	LC50 (Salmo gairdneri): 0.00015 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00035 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Oncorhynchus mykiss (rainbow trout)): 0.000256 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes LC50 (Pimephales promelas (fathead minnow)): 0.000234 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 0.00011 mg/l Exposure time: 48 h LC50 (Daphnia (water flea)): 0.0016 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0.822 mg/l Exposure time: 72 h
M-Factor (Acute aquatic tox-	:	1,000

SAFETY DATA SHEET



BRIGADE GRANULAR INSECTICIDE

Version 0.0	Revision Date: 00.00.0000	SDS Number: 50000375	Date of last issue: - Date of first issue: 12.04.2024
----------------	------------------------------	-------------------------	--

icity)

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0013 µg/l
Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 100,000

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): > 16 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

LD50 (Apis mellifera (bees)): 0.1 - 0.35 µg/bee
Exposure time: 24 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.1 - 0.3 µg/bee
Exposure time: 24 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

Quartz (SiO₂):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

bifenthrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Quartz (SiO₂):

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

bifenthrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 6.6

Quartz (SiO₂):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

bifenthrin (ISO):

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Other adverse effects

Product:

Additional ecological information : Very toxic to aquatic life with long lasting effects.
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13: Disposal considerations

Disposal methods

Waste from residues : Send to a licensed waste management company.
Do not contaminate ponds, waterways or ditches with chemical or used container.
The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Do not re-use empty containers.
Dispose of as unused product.
Empty remaining contents.

Section 14: Transport information

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Bifenthrin)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III

SAFETY DATA SHEET

BRIGADE GRANULAR INSECTICIDE



Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Bifenthrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Bifenthrin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Bifenthrin)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR000047

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. BIF 10 WP (v2)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
TECI	: Not in compliance with the inventory

Section 16: Other information

Revision Date	: 00.00.0000
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

BRIGADE GRANULAR INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	00.00.0000	50000375	Date of first issue: 12.04.2024

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N