

SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY

Product name	: HIGH LOOK FLOOR FINISH
Other means of identification	: Not applicable
Recommended use	: Floor care product
Restrictions on use	: Reserved for industrial and professional use.
Product dilution information	: Product is sold ready to use.
Company	: Chile ECOLAB S.A. Avenida Pedro de Valdivia 3801 Santiago, Santiago Chile (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600 sac.chile@ecolab.com
Emergency telephone	: (+56-2) 2635-3600 (CITUC) EMERGENCY PHONE
Toxicological Emergency Phone	: CITUC (+56-2) 2635-3800 (24 hours) Toxicological Emergencies

SECTION 2. HAZARDS IDENTIFICATION

Classification according to NCh 382 : Not classified according to NCh 382

Distintivo según NCh 2190 : Not classified according to NCh 382

GHS Classification

Reproductive toxicity	: Category 2
Short-term (acute) aquatic hazard	: Category 3
Long-term (chronic) aquatic hazard	: Category 3

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Suspected of damaging fertility or the unborn child.
Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

Response:

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Dipropylene glycol methyl ether	34590-94-8	1 - 5
2-(2-methoxyethoxy)ethanol	111-77-3	1 - 5
tris(2-butoxyethyl) phosphate	78-51-3	1 - 5
zinc oxide	1314-13-2	0,1 - 1

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Expected acute effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Expected chronic effects

Chronic Exposure : Suspected of damaging fertility or the unborn child.

Most important symptoms / effects

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing Agents : Use extinguishing measures that are appropriate to local

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

circumstances and the surrounding environment.

Unsuitable extinguishing agents : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Products generated in combustion and thermal degradation : Decomposition products may include the following materials:
Carbon oxides
Oxides of phosphorus

Precautions for Emergency Personnel and / or Firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Handling

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Storage

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Recommended and unsuitable packaging by supplier : Use high density plastic containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
------------	---------	------------------	---------------------------	-------

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

Dipropylene glycol methyl ether	34590-94-8	CMP	200 ppm	AR OEL
		CMP - CPT	150 ppm	AR OEL
Dipropylene glycol methyl ether	34590-94-8	STEL	150 ppm 909 mg/m3	PE OEL
		TWA	100 ppm 606 mg/m3	PE OEL
Dipropylene glycol methyl ether	34590-94-8	L-8/40	50 ppm 308 mg/m3	VE OEL
Dipropylene glycol methyl ether	34590-94-8	VLE-PPT	100 ppm	NOM-010-STPS-2014
		VLE-CT	150 ppm	NOM-010-STPS-2014
Dipropylene glycol methyl ether	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		STEL	150 ppm 900 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	OSHA Z1
zinc oxide	1314-13-2	CMP (Fumes)	5 mg/m3	AR OEL
		CMP (Dust)	10 mg/m3	AR OEL
		CMP - CPT (Fumes)	10 mg/m3	AR OEL
zinc oxide	1314-13-2	LPP (Fumes)	4,4 mg/m3	CL OEL
		LPT (Fumes)	10 mg/m3	CL OEL
zinc oxide	1314-13-2	TWA (Fumes)	2 mg/m3	PE OEL
		TWA (Dust)	10 mg/m3	PE OEL
		STEL (Fumes)	10 mg/m3	PE OEL
zinc oxide	1314-13-2	L-8/40 (Dust)	10 mg/m3	VE OEL
		L-8/40 (Fumes)	2 mg/m3	VE OEL
		LB (Fumes)	10 mg/m3	VE OEL
zinc oxide	1314-13-2	VLE-PPT (Respirable fraction)	2 mg/m3	NOM-010-STPS-2014
		VLE-CT (Respirable fraction)	10 mg/m3	NOM-010-STPS-2014
zinc oxide	1314-13-2	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		STEL (Respirable particulate matter)	10 mg/m3	ACGIH
		TWA (Dust)	5 mg/m3	NIOSH REL
		TWA (Fumes)	5 mg/m3	NIOSH REL
		STEL (Fumes)	10 mg/m3	NIOSH REL
		Ceiling (Dust)	15 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z1
		TWA (respirable)	5 mg/m3	OSHA Z1

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

		fraction)		
		TWA (Fumes)	5 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Impervious gloves, resistant to chemicals.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : opaque, white

Odor : like acrylic

pH : 8,0 - 8,6, (100 %)

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1,01 - 1,03

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Thermal decomposition : No data available

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 10 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Components

Toxicity to fish : Dipropylene glycol methyl ether
96 h LC50 Fish: > 1.000 mg/l

tris(2-butoxyethyl) phosphate
96 h LC50: 11,2 mg/l

Components

Toxicity to algae : 2-(2-methoxyethoxy)ethanol
72 h EC50: > 500 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION OF DISPOSAL

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

SECTION 14. TRANSPORT INFORMATION

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Official transport classification of the United Nations

Not dangerous goods

Sea transport (IMDG/IMO)

Official transport classification of the United Nations

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal


D.S. No. 72: Mining Safety Regulations

D. S. No. 43: reports on the storage of hazardous substances

D. S. No. 40: Reporting on exposure hazards

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 18.05.2020
Version : 1.0
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid.

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

SAFETY DATA SHEET

HIGH LOOK FLOOR FINISH

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.