

SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY

Product name	: PROSUN FPS 50
Other means of identification	: Not applicable
Recommended use	: Skin-care
Restrictions on use	: Reserved for industrial and professional use.
Product dilution information	: Product is sold ready to use.
Company	: Chile ECOLAB S.A. Avenida Pedro de Valdivia 3801 Santiago, Santiago Chile (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600 sac.chile@ecolab.com
Emergency telephone	: (+56-2) 2247-3600 (CITUC)
Toxicological Emergency Phone	: CITUC (+56-2) 2635-3800 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification according to NCH 382 : Not classified according to NCh 382

Distintivo según NCh 2190 : Not classified according to NCh 382

GHS Classification

Eye irritation	: Category 2B
Acute aquatic toxicity	: Category 2
Chronic aquatic toxicity	: Category 3

GHS label elements

Signal Word	: Warning
Hazard Statements	: Causes eye irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary Statements	: Prevention: Avoid release to the environment. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Disposal: Dispose of contents/ container to an approved waste disposal plant.
Other hazards	: None known.

SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

SAFETY DATA SHEET

PROSUN FPS 50

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
solvents /additives	119-61-9	5 - 10
white mineral oil, petroleum	8042-47-5	1 - 5
decamethylcyclopentasiloxane	541-02-6	1 - 5
titanium dioxide	13463-67-7	1 - 5
glycerin	56-81-5	1 - 5
Fattyalcohol ethoxylates > 5EO	24938-91-8	1 - 5

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Expected acute effects

Eyes : Causes eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Expected chronic effects

Chronic Exposure : Health injuries are not known or expected under normal use.

Most important symptoms / effects

Eye contact : Redness, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

SECTION 5. FIREFIGHTING MEASURES

Extinguishing Agents : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing agents : None known.

Specific hazards during fire fighting : Not flammable or combustible.

SAFETY DATA SHEET

PROSUN FPS 50

- Products generated in combustion and thermal degradation : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus
- Precautions for Emergency Personnel and / or Firefighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Wash hands thoroughly after handling.

Storage

- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Recommended and unsuitable packaging by supplier : Use high density plastic containers.
- Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	CMP (Mist)	5 mg/m ³	AR OEL
		CMP - CPT (Mist)	10 mg/m ³	AR OEL
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m ³	PE OEL

SAFETY DATA SHEET

PROSUN FPS 50

		STEL (Mist)	10 mg/m3	PE OEL
white mineral oil, petroleum	8042-47-5	L-8/40 (Mist)	5 mg/m3	VE OEL
		LB (Mist)	10 mg/m3	VE OEL
white mineral oil, petroleum	8042-47-5	VLE-PPT (Mist)	5 mg/m3	NOM-010-STPS-2014
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
titanium dioxide	13463-67-7	CMP	10 mg/m3	AR OEL
titanium dioxide	13463-67-7	TWA	10 mg/m3	PE OEL
titanium dioxide	13463-67-7	L-8/40	10 mg/m3	VE OEL
titanium dioxide	13463-67-7	VLE-PPT	10 mg/m3	NOM-010-STPS-2014
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z1
		TWA (Titanium dioxide)	10 mg/m3	ACGIH
glycerin	56-81-5	CMP (Mist)	10 mg/m3	AR OEL
glycerin	56-81-5	TWA (Mist)	10 mg/m3	PE OEL
glycerin	56-81-5	L-8/40 (Mist)	10 mg/m3	VE OEL
glycerin	56-81-5	LMPE-PPT	10 mg/m3	MX OEL
glycerin	56-81-5	TWA	10 mg/m3	ACGIH
		TWA (respirable fraction)	5 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Emulsion
 Color : milky, white
 Odor : characteristic
 pH : 5,5 - 6,5, (100 %)

SAFETY DATA SHEET

PROSUN FPS 50

Flash point	: Not applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0,975 - 1,01
Water solubility	: partly soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Product

SAFETY DATA SHEET

PROSUN FPS 50

Acute oral toxicity	: No data available
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 10 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No skin irritation
Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Ingredients

Acute oral toxicity	: solvents /additives LD50 Rat: > 10.000 mg/kg
	white mineral oil, petroleum LD50 Rat: > 5.000 mg/kg
	titanium dioxide LD50 Rat: > 25.000 mg/kg
	glycerin LD50 Rat: 18.300 mg/kg
	Fattyalcohol ethoxylates > 5EO LD50 Rat: 7.400 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
-----------------------	---

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Ingredients

Toxicity to fish	: white mineral oil, petroleum 96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l
	titanium dioxide 96 h LC50 Fish: > 1.000 mg/l

SAFETY DATA SHEET

PROSUN FPS 50

glycerin
96 h LC50 Fish: 855 mg/l

Fattyalcohol ethoxylates > 5EO
96 h LC50 Fish: 1,5 mg/l

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION OF DISPOSAL

- | | | |
|------------------------------------|---|--|
| Disposal methods | : | The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility. |
| Disposal considerations | : | Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations. |
| Disposal of contaminated packaging | : | In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste. |

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Official transport classification of the United Nations

Not dangerous goods

Air transport (IATA)

Official transport classification of the United Nations

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

Official transport classification of the United Nations

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SAFETY DATA SHEET

PROSUN FPS 50

Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal


D.S. No. 72: Mining Safety Regulations

D. S. No. 43: reports on the storage of hazardous substances

D. S. No. 40: Reporting on exposure hazards

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 13.03.2018
Version : 1.0
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.