

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Keno X-Flow 05  
Product code : L36

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial/Professional use spec  
Use of the substance/mixture : See product bulletin for detailed information

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Distributor

CID LINES NV  
Waterpoortstraat, 2  
B-8900 Ieper - Belgique  
T + 32 57 21 78 77 - F +32 57 21 78 79  
[sds@cidlines.com](mailto:sds@cidlines.com) - <http://www.cidlines.com>

#### Distributor

Meratech Rus Group  
Kazanskoe Shosse 25/2  
603087 Nizhny Novgorod - Russia  
T 8 (800) 333-58-28  
[info@meratech.ru](mailto:info@meratech.ru)

### 1.4. Emergency telephone number

| Country        | Organisation/Company                                                                          | Address                                                                           | Emergency number            | Comment |
|----------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|---------|
| Australia      | Poisons Information Centre                                                                    |                                                                                   | 13 11 26                    |         |
| New Zealand    | The National Poisons Centre                                                                   | University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin | 0800 764 766<br>0800 POISON |         |
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road<br>SE14 5ER London                                                   | +44 20 7188 7188            |         |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314  
Serious eye damage/eye irritation, Category 1 H318  
Hazardous to the aquatic environment — H400  
Acute Hazard, Category 1  
Hazardous to the aquatic environment — H412  
Chronic Hazard, Category 3  
Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05



GHS09

Signal word (CLP) : Danger  
Hazardous ingredients : sodium hydroxide; caustic soda; Sodium hypochlorite, solution  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.  
H410 - Very toxic to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P273 - Avoid release to the environment.

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER/doctor  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                           | Product identifier                                                                                     | %      | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                |
|--------------------------------|--------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------|
| sodium hydroxide; caustic soda | (CAS-No.) 1310-73-2<br>(EC-No.) 215-185-5<br>(EC Index-No.) 011-002-00-6                               | 5 - 15 | Skin Corr. 1A, H314                                                                                            |
| Sodium hypochlorite, solution  | (CAS-No.) 7681-52-9<br>(EC-No.) 231-668-3<br>(EC Index-No.) 17-011-00-1<br>(REACH-no) 01-2119488154-34 | 1 - 5  | Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |

#### Specific concentration limits:

| Name                           | Product identifier                                                       | Specific concentration limits                                                                                                                |
|--------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| sodium hydroxide; caustic soda | (CAS-No.) 1310-73-2<br>(EC-No.) 215-185-5<br>(EC Index-No.) 011-002-00-6 | ( 0.5 =<C < 2) Eye Irrit. 2, H319<br>( 0.5 =<C < 2) Skin Irrit. 2, H315<br>( 2 =<C < 5) Skin Corr. 1B, H314<br>( C >= 5) Skin Corr. 1A, H314 |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Seek medical attention immediately.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical advice (show the label where possible).

First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of vapour can cause breathing difficulties. Cough. Sore throat.

Symptoms/effects after skin contact : Redness, pain. Causes severe skin burns and eye damage.

Symptoms/effects after eye contact : Redness, pain. Blurred vision. Tears. Serious damage to eyes.

Symptoms/effects after ingestion : Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not combustible.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Corrosive vapours.

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### 5.3. Advice for firefighters

|                                |                                                                                                                                                                                                                         |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautionary measures fire    | : Wear fire/ flame resistant/retardant clothing. Eliminate all ignition sources if safe to do so.                                                                                                                       |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.                                                                                                                                                                |
| Protection during firefighting | : Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/ flame resistant/retardant clothing. Heat resistant gloves. |
| Other information              | : On exposure to high temperature, may decompose, releasing toxic gases.                                                                                                                                                |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |                                                                                                                                                                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General measures | : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.1.1. For non-emergency personnel

|                      |                                                                                                                                                                                                        |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Avoid all unnecessary exposure. Do not breathe vapours. Ensure adequate ventilation.                                                                                                                 |
| Emergency procedures | : When handling product, avoid contact with skin and eyes. Do not breathe vapours. Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene. |

#### 6.1.2. For emergency responders

|                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                            |
|-------------------------|--------------------------------------------------------------------------------------------|
| For containment         | : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers. |
| Methods for cleaning up | : Clean up any spills as soon as possible, using an absorbent material to collect it.      |

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |                                                                                                                                                                                                        |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : When handling product, avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to prevent formation of vapour. |
| Hygiene measures              | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.       |

### 7.2. Conditions for safe storage, including any incompatibilities

|                    |                                                                                                                                                                        |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage conditions | : Keep only in the original container in a cool well ventilated place. Do not store in corrodable metal. Keep container closed when not in use. Protect from freezing. |
| Storage area       | : Store away from direct sunlight or other heat sources.                                                                                                               |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Sodium hypochlorite, solution (7681-52-9) |                           |
|-------------------------------------------|---------------------------|
| DNEL/DMEL (Workers)                       |                           |
| Acute - systemic effects, dermal          | mg/kg bodyweight/day      |
| Acute - systemic effects, inhalation      | 3.1 mg/m <sup>3</sup>     |
| Acute - local effects, inhalation         | 3.1 mg/m <sup>3</sup>     |
| Long-term - local effects, dermal         | 0.5 % in mixture          |
| Long-term - systemic effects, inhalation  | 1.55 mg/m <sup>3</sup>    |
| Long-term - local effects, inhalation     | 1.55 mg/m <sup>3</sup>    |
| DNEL/DMEL (General population)            |                           |
| Acute - systemic effects, inhalation      | 3.1 mg/m <sup>3</sup>     |
| Acute - local effects, inhalation         | 3.1 mg/m <sup>3</sup>     |
| Long-term - systemic effects, oral        | 0.26 mg/kg bodyweight/day |

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

| Sodium hypochlorite, solution (7681-52-9) |                        |
|-------------------------------------------|------------------------|
| Long-term - systemic effects, inhalation  | 1.55 mg/m <sup>3</sup> |
| Long-term - local effects, dermal         | 0.5 % in mixture       |
| Long-term - local effects, inhalation     | 1.55 mg/m <sup>3</sup> |
| PNEC (Water)                              |                        |
| PNEC aqua (freshwater)                    | 0.00021 mg/l           |
| PNEC aqua (marine water)                  | 0.00042 mg/l           |
| PNEC aqua (intermittent, freshwater)      | 0.00026 mg/l           |
| PNEC (STP)                                |                        |
| PNEC sewage treatment plant               | 0.03 mg/l              |

### 8.2. Exposure controls

#### Materials for protective clothing:

| Condition        | Material | Standard             |
|------------------|----------|----------------------|
| Good resistance: |          | EN14605:2005+A1:2009 |

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

| Type            | Material                | Permeation        | Thickness (mm) | Penetration | Standard |
|-----------------|-------------------------|-------------------|----------------|-------------|----------|
| Reusable gloves | Polyvinylchloride (PVC) | 6 (> 480 minutes) | 0.5            | 2 (< 1.5)   | EN 374   |

#### Eye protection:

Chemical goggles or face shield with safety glasses

| Type                                        | Use     | Characteristics | Standard |
|---------------------------------------------|---------|-----------------|----------|
| Safety glasses, Safety goggles, Face shield | Droplet | clear, Plastic  | EN 166   |

#### Skin and body protection:

Wear suitable protective clothing

| Type | Standard             |
|------|----------------------|
|      | EN14605:2005+A1:2009 |

#### Respiratory protection:

Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material

| Device             | Filter type              | Condition                                                              | Standard       |
|--------------------|--------------------------|------------------------------------------------------------------------|----------------|
| Reusable half mask | Filter B (grey), Type P3 | Protection for Liquid particles, Vapour protection, Long term exposure | EN 143, EN 140 |

#### Personal protective equipment symbol(s):



#### Other information:

When using do not eat, drink or smoke. Provide local exhaust or general room ventilation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                            |                     |
|--------------------------------------------|---------------------|
| Physical state                             | : Liquid            |
| Colour                                     | : clear. Yellow.    |
| Odour                                      | : No data available |
| Odour threshold                            | : No data available |
| pH                                         | : ≈ 13 (1%)         |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point                              | : No data available |

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

|                                  |                      |
|----------------------------------|----------------------|
| Freezing point                   | : No data available  |
| Boiling point                    | : No data available  |
| Flash point                      | : No data available  |
| Auto-ignition temperature        | : No data available  |
| Decomposition temperature        | : No data available  |
| Flammability (solid, gas)        | : No data available  |
| Vapour pressure                  | : No data available  |
| Relative vapour density at 20 °C | : No data available  |
| Relative density                 | : No data available  |
| Density                          | : $\approx 1.2$ kg/l |
| Solubility                       | : Water: 100 %       |
| Log Pow                          | : No data available  |
| Viscosity, kinematic             | : No data available  |
| Viscosity, dynamic               | : No data available  |
| Explosive properties             | : No data available  |
| Oxidising properties             | : No data available  |
| Explosive limits                 | : No data available  |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Thermal decomposition generates toxic vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                                   |                                                                     |
|-----------------------------------|---------------------------------------------------------------------|
| Acute toxicity (oral)             | : Not classified                                                    |
| Acute toxicity (dermal)           | : Not classified                                                    |
| Acute toxicity (inhalation)       | : Not classified                                                    |
| Skin corrosion/irritation         | : Causes severe skin burns and eye damage.<br>pH: $\approx 13$ (1%) |
| Serious eye damage/irritation     | : Causes serious eye damage.<br>pH: $\approx 13$ (1%)               |
| Respiratory or skin sensitisation | : Not classified                                                    |
| Germ cell mutagenicity            | : Not classified                                                    |
| Carcinogenicity                   | : Not classified                                                    |
| Reproductive toxicity             | : Not classified                                                    |
| STOT-single exposure              | : Not classified                                                    |
| STOT-repeated exposure            | : Not classified                                                    |
| Aspiration hazard                 | : Not classified                                                    |

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

### SECTION 12: Ecological information

#### 12.1. Toxicity

- Acute aquatic toxicity : Very toxic to aquatic life.  
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

##### Sodium hypochlorite, solution (7681-52-9)

|         |       |
|---------|-------|
| Log Kow | -3.42 |
|---------|-------|

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.  
Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point. Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.  
European List of Waste (LoW) code : 07 06 01\* - aqueous washing liquids and mother liquors

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

- UN-No. (ADR) : 3266  
UN-No. (IMDG) : 3266  
UN-No. (IATA) : 3266  
UN-No. (ADN) : 3266  
UN-No. (RID) : 3266

#### 14.2. UN proper shipping name

- Proper Shipping Name (ADR) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda)  
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda)  
Proper Shipping Name (IATA) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda)  
Proper Shipping Name (ADN) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda)  
Proper Shipping Name (RID) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda)  
Transport document description (ADR) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda), 8, III, (E), ENVIRONMENTALLY HAZARDOUS  
Transport document description (IMDG) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda), 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS  
Transport document description (IATA) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda), 8, III, ENVIRONMENTALLY HAZARDOUS  
Transport document description (ADN) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda), 8, III, ENVIRONMENTALLY HAZARDOUS  
Transport document description (RID) : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, solution ; sodium hydroxide; caustic soda), 8, III, ENVIRONMENTALLY HAZARDOUS

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

**14.3. Transport hazard class(es)**

|                                   |                                                                                       |
|-----------------------------------|---------------------------------------------------------------------------------------|
| <b>ADR</b>                        |                                                                                       |
| Transport hazard class(es) (ADR)  | : 8                                                                                   |
| Danger labels (ADR)               | : 8                                                                                   |
| :                                 | :    |
| <b>IMDG</b>                       |                                                                                       |
| Transport hazard class(es) (IMDG) | : 8                                                                                   |
| Danger labels (IMDG)              | : 8                                                                                   |
| :                                 | :    |
| <b>IATA</b>                       |                                                                                       |
| Transport hazard class(es) (IATA) | : 8                                                                                   |
| Hazard labels (IATA)              | : 8                                                                                   |
| :                                 | :  |
| <b>ADN</b>                        |                                                                                       |
| Transport hazard class(es) (ADN)  | : 8                                                                                   |
| Danger labels (ADN)               | : 8                                                                                   |
| :                                 | :  |
| <b>RID</b>                        |                                                                                       |
| Transport hazard class(es) (RID)  | : 8                                                                                   |
| Danger labels (RID)               | : 8                                                                                   |
| :                                 | :  |

**14.4. Packing group**

|                      |       |
|----------------------|-------|
| Packing group (ADR)  | : III |
| Packing group (IMDG) | : III |
| Packing group (IATA) | : III |
| Packing group (ADN)  | : III |
| Packing group (RID)  | : III |

**14.5. Environmental hazards**

|                               |       |
|-------------------------------|-------|
| Dangerous for the environment | : Yes |
| Marine pollutant              | : Yes |

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)


Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

### 14.6. Special precautions for user

Special transport precautions : Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

#### - Overland transport

Classification code (ADR) : C5  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 5L  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T7  
Portable tank and bulk container special provisions (ADR) : TP1, TP28  
Tank code (ADR) : L4BN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2X  
APP code : B

#### - Transport by sea

Special provisions (IMDG) : 223, 274  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T7  
Tank special provisions (IMDG) : TP1, TP28  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : A  
Stowage and handling (IMDG) : SW2  
Segregation (IMDG) : SG35  
Properties and observations (IMDG) : Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

#### - Air transport

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y841  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 852  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 856  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8L

#### - Inland waterway transport

Classification code (ADN) : C5  
Special provisions (ADN) : 274  
Limited quantities (ADN) : 5 L



# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

|                                   |          |
|-----------------------------------|----------|
| Excepted quantities (ADN)         | : E1     |
| Carriage permitted (ADN)          | : T      |
| Equipment required (ADN)          | : PP, EP |
| Number of blue cones/lights (ADN) | : 0      |

### - Rail transport

|                                                           |                           |
|-----------------------------------------------------------|---------------------------|
| Classification code (RID)                                 | : C5                      |
| Special provisions (RID)                                  | : 274                     |
| Excepted quantities (RID)                                 | : E1                      |
| Packing instructions (RID)                                | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID)                            | : MP19                    |
| Portable tank and bulk container instructions (RID)       | : T7                      |
| Portable tank and bulk container special provisions (RID) | : TP1, TP28               |
| Tank codes for RID tanks (RID)                            | : L4BN                    |
| Transport category (RID)                                  | : 3                       |
| Special provisions for carriage – Packages (RID)          | : W12                     |
| Colis express (express parcels) (RID)                     | : CE8                     |
| Hazard identification number (RID)                        | : 80                      |

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Other information : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

|                   |                                                                                            |
|-------------------|--------------------------------------------------------------------------------------------|
| Aquatic Acute 1   | Hazardous to the aquatic environment — Acute Hazard, Category 1                            |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2                          |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3                          |
| Eye Dam. 1        | Serious eye damage/eye irritation, Category 1                                              |
| Skin Corr. 1A     | Skin corrosion/irritation, Category 1A                                                     |
| Skin Corr. 1B     | Skin corrosion/irritation, Category 1B                                                     |
| STOT SE 3         | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H314              | Causes severe skin burns and eye damage.                                                   |

# Keno X-Flow 05

## Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

|      |                                                    |
|------|----------------------------------------------------|
| H318 | Causes serious eye damage.                         |
| H335 | May cause respiratory irritation.                  |
| H400 | Very toxic to aquatic life.                        |
| H411 | Toxic to aquatic life with long lasting effects.   |
| H412 | Harmful to aquatic life with long lasting effects. |

SDSCLP3

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*