

**ASEPTOPOL EL 75****Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name : ASEPTOPOL EL 75

UFI : 4Q9F-67Q5-S20M-KVKJ

Product code : 114813E

Use of the Substance/Mixture : Cleaner and disinfectant

Substance type: : Mixture

Product dilution information : 0.5 % - 2.0 %

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Dishwash product. Manual process  
General purpose cleaner. Manual process  
Biocide. Spray and rinse manual process

Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Ecolab Limited  
Forest Park  
Mullingar Industrial Estate, Mullingar Co. Westmeath Ireland +353 1 276 3500  
infoireland@ecolab.com

Ecolab Ltd.  
PO Box 11; Winnington Avenue  
Northwich, Cheshire, United Kingdom CW8 4DX  
+353 (0)1 276 3500  
ccs@ecolab.com

**1.4 Emergency telephone number**

Poison Information Centre telephone number : Poisons Information: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)

Date of Compilation/Revision : 31.01.2022  
version : 3.4

**Section: 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

**ASEPTOPOL EL 75****Product AS SOLD**

Serious eye damage, Category 1 H318

Chronic aquatic toxicity, Category 1 H410

The classification of this product is based on toxicological assessment.

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)****Product AS SOLD**

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H318  
H410Causes serious eye damage.  
Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P273

Avoid release to the environment.

P280e

Wear eye protection/face protection.

**Response:**

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

Alcohols, C9-11, ethoxylated

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Didecyl Dimethyl Ammonium Chloride

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**2.3 Other hazards****Product AS SOLD**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Product AS SOLD****Hazardous components**

| Chemical Name    | CAS-No.<br>EC-No.<br>REACH No. | Classification<br>REGULATION (EC) No 1272/2008 | Concentration<br>: [%] |
|------------------|--------------------------------|------------------------------------------------|------------------------|
| Alcohols, C9-11, | 68439-46-3                     | Serious eye damage Category 1; H318            | >= 10 - < 20           |

**ASEPTOPOL EL 75**

|                                                |                                             |                                                                                                                                                                                                                                                                                                           |              |
|------------------------------------------------|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| ethoxylated                                    | 01-2119979533-26                            | Chronic aquatic toxicity Category 3; H412                                                                                                                                                                                                                                                                 |              |
| Cocamidopropyl Betaine                         | 61789-40-0<br>263-058-8<br>01-2120770501-61 | Serious eye damage Category 1; H318<br><br>Serious eye damage/eye irritation<br>Category 1<br>> 10 - 100 %<br>Serious eye damage/eye irritation<br>Category 2B<br>> 4 - 10 %<br>Skin corrosion/irritation Category 3<br>> 30 - 100 %                                                                      | >= 2.5 - < 3 |
| N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine | 2372-82-9<br>219-145-8<br>01-2119980592-29  | Acute toxicity Category 3; H301<br>Skin corrosion Category 1A; H314<br>Serious eye damage Category 1; H318<br>Specific target organ toxicity - repeated exposure Category 2; H373<br>Acute aquatic toxicity Category 1; H400<br>Chronic aquatic toxicity Category 1; H410<br><br>M = 10<br>M(Chronic) = 1 | >= 1 - < 2.5 |
| Didecyl Dimethyl Ammonium Chloride             | 7173-51-5<br>230-525-2<br>01-2119945987-15  | Acute toxicity Category 4; H302<br>Skin corrosion Sub-category 1B; H314<br>Serious eye damage Category 1; H318<br>Acute toxicity Category 2; H330<br>Acute aquatic toxicity Category 1; H400<br>Chronic aquatic toxicity Category 2; H411<br><br>M = 10                                                   | >= 1 - < 2.5 |
| Substances with a workplace exposure limit :   |                                             |                                                                                                                                                                                                                                                                                                           |              |
| ethanol                                        | 64-17-5<br>200-578-6<br>01-2119457610-43    | Flammable liquids Category 2; H225<br>Serious eye damage/eye irritation<br>Category 2; H319<br><br>Serious eye damage/eye irritation<br>Category 2A<br>50 - 100 %                                                                                                                                         | >= 1 - < 2.5 |
| Isopropyl Alcohol                              | 67-63-0<br>200-661-7<br>01-2119457558-25    | Flammable liquids Category 2; H225<br>Eye irritation Category 2; H319<br>Specific target organ toxicity - single exposure Category 3; H336                                                                                                                                                                | >= 0.5 - < 1 |

**Product AT USE DILUTION  
Hazardous components**

| Chemical Name                                  | CAS-No.<br>EC-No.<br>REACH No.             | Classification<br>REGULATION (EC) No 1272/2008                                                                                                                                                                                                                                                      | Concentration<br>: [%] |
|------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine | 2372-82-9<br>219-145-8<br>01-2119980592-29 | Acute toxicityCategory 3; H301<br>Skin corrosionCategory 1A; H314<br>Serious eye damageCategory 1; H318<br>Specific target organ toxicity - repeated exposureCategory 2; H373<br>Acute aquatic toxicityCategory 1; H400<br>Chronic aquatic toxicityCategory 1; H410<br><br>M = 10<br>M(Chronic) = 1 | < 0.1                  |

**ASEPTOPOL EL 75**

|                                       |                                            |                                                                                                                                                                                                                                                   |       |
|---------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Didecyl Dimethyl<br>Ammonium Chloride | 7173-51-5<br>230-525-2<br>01-2119945987-15 | Acute toxicityCategory 4; H302<br>Skin corrosionSub-category 1B; H314<br>Serious eye damageCategory 1; H318<br>Acute toxicityCategory 2; H330<br>Acute aquatic toxicityCategory 1; H400<br>Chronic aquatic toxicityCategory 2; H411<br><br>M = 10 | < 0.1 |
|---------------------------------------|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES****4.1 Description of first aid measures****Product AS SOLD**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

**Product AT USE DILUTION**

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES****Product AS SOLD****5.1 Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

- Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.

**ASEPTOPOL EL 75**

Flash back possible over considerable distance.  
Beware of vapours accumulating to form explosive concentrations.  
Vapours can accumulate in low areas.

Hazardous combustion products : Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Product AS SOLD**

Advice for non-emergency personnel : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**Product AT USE DILUTION**

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

**Product AS SOLD**

Environmental precautions : Do not allow contact with soil, surface or ground water.

**Product AT USE DILUTION**

Environmental precautions : No special environmental precautions required.

**6.3 Methods and materials for containment and cleaning up**

**Product AS SOLD**

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible

**ASEPTOPOL EL 75**

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**Product AT USE DILUTION**

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
For personal protection see section 8.  
See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Product AS SOLD**

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

**Product AT USE DILUTION**

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

**Product AS SOLD**

Requirements for storage areas and containers : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

**ASEPTOPOL EL 75****Product AT USE DILUTION**

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

**7.3 Specific end uses****Product AS SOLD**

Specific use(s) : Dishwash product. Manual process  
General purpose cleaner. Manual process  
Biocide. Spray and rinse manual process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters****Product AS SOLD****Occupational Exposure Limits**

| Components          | CAS-No. | Value type (Form of exposure)                                                                                                | Control parameters | Basis  |
|---------------------|---------|------------------------------------------------------------------------------------------------------------------------------|--------------------|--------|
| ethanol             | 64-17-5 | OELV - 15 min (STEL)                                                                                                         | 1,000 ppm          | IR_OEL |
| Isopropyl Alcohol   | 67-63-0 | OELV - 8 hrs (TWA)                                                                                                           | 200 ppm            | IR_OEL |
| Further information | Sk      | Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body |                    |        |
|                     |         | OELV - 15 min (STEL)                                                                                                         | 400 ppm            | IR_OEL |
| Further information | Sk      | Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body |                    |        |

**DNEL**

|                   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isopropyl Alcohol | : | <p>End Use: Workers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>Value: 888 mg/cm<sup>2</sup></p> <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 500 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>Value: 319 mg/cm<sup>2</sup></p> <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 89 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Ingestion<br/>Potential health effects: Long-term systemic effects<br/>Value: 26 ppm</p> |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**PNEC**

**ASEPTOPOL EL 75**

|                   |   |                                               |
|-------------------|---|-----------------------------------------------|
| Isopropyl Alcohol | : | Fresh water<br>Value: 140.9 mg/l              |
|                   |   | Marine water<br>Value: 140.9 mg/l             |
|                   |   | Intermittent use/release<br>Value: 140.9 mg/l |
|                   |   | Fresh water<br>Value: 552 mg/kg               |
|                   |   | Marine sediment<br>Value: 552 mg/kg           |
|                   |   | Soil<br>Value: 28 mg/kg                       |
|                   |   | Sewage treatment plant<br>Value: 2251 mg/l    |
|                   |   | Oral<br>Value: 160 mg/kg                      |

**8.2 Exposure controls****Product AS SOLD****Appropriate engineering controls**

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles  
Face-shield

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Product AT USE DILUTION**



**ASEPTOPOL EL 75****Appropriate engineering controls**

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

|                               | <b>Product AS SOLD</b> | <b>Product AT USE DILUTION</b> |
|-------------------------------|------------------------|--------------------------------|
| Physical state                | : liquid               | liquid                         |
| Colour                        | : clear, light green   | colourless                     |
| Odour                         | : odourless            | odourless                      |
| pH                            | : 10.5 - 11.5, 100 %   | 8.8 - 9.4                      |
| Particle characteristics      |                        |                                |
| Assessment                    | : not applicable       | not applicable                 |
| Particle size                 | : not applicable       | not applicable                 |
| Particle Size Distribution    | : not applicable       | not applicable                 |
| Dustiness                     | : not applicable       | not applicable                 |
| Specific surface area         | : not applicable       | not applicable                 |
| Surface charge/Zeta potential | : not applicable       | not applicable                 |
| Shape                         | : not applicable       | not applicable                 |
| Crystallinity                 | : not applicable       | not applicable                 |
| Surface treatment /Coatings   | : not applicable       | not applicable                 |

**ASEPTOPOL EL 75**

|                                                        |                                                            |
|--------------------------------------------------------|------------------------------------------------------------|
| Flash point                                            | : 60 °C, Does not sustain combustion.                      |
| Odour Threshold                                        | : Not applicable and/or not determined for the mixture     |
| Melting point/freezing point                           | : Not applicable and/or not determined for the mixture     |
| Boiling point, initial boiling point and boiling range | : Not applicable and/or not determined for the mixture     |
| Evaporation rate                                       | : Not applicable and/or not determined for the mixture     |
| Flammability                                           | : Not applicable and/or not determined for the mixture     |
| Upper explosion limit                                  | : Not applicable and/or not determined for the mixture     |
| Lower explosion limit                                  | : Not applicable and/or not determined for the mixture     |
| Vapour pressure                                        | : Not applicable and/or not determined for the mixture     |
| Relative vapour density                                | : Not applicable and/or not determined for the mixture     |
| Density and / or relative density                      | : 0.99 - 1.03                                              |
| Water solubility                                       | : soluble                                                  |
| Solubility in other solvents                           | : Not applicable and/or not determined for the mixture     |
| Partition coefficient: n-octanol/water (log value)     | : Not applicable and/or not determined for the mixture     |
| Auto-ignition temperature                              | : Not applicable and/or not determined for the mixture     |
| Thermal decomposition                                  | : Not applicable and/or not determined for the mixture     |
| Viscosity, kinematic                                   | : 19.838 mm <sup>2</sup> /s (40 °C)                        |
| Explosive properties                                   | : Not applicable and/or not determined for the mixture     |
| Oxidizing properties                                   | : The substance or mixture is not classified as oxidizing. |

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**Product AS SOLD**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Heat, flames and sparks.

**10.5 Incompatible materials**

**ASEPTOPOL EL 75**

None known.

**10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials:

Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Product AS SOLD**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

|                                   |                                                                                    |
|-----------------------------------|------------------------------------------------------------------------------------|
| Acute oral toxicity               | : Acute toxicity estimate : > 2,000 mg/kg                                          |
| Acute inhalation toxicity         | : There is no data available for this product.                                     |
| Acute dermal toxicity             | : There is no data available for this product.                                     |
| Skin corrosion/irritation         | : No skin irritation<br>Method: OECD Test Guideline 404<br>Test substance: Product |
| Serious eye damage/eye irritation | : There is no data available for this product.                                     |
| Respiratory or skin sensitization | : There is no data available for this product.                                     |
| Carcinogenicity                   | : There is no data available for this product.                                     |
| Reproductive effects              | : There is no data available for this product.                                     |
| Germ cell mutagenicity            | : There is no data available for this product.                                     |
| Teratogenicity                    | : There is no data available for this product.                                     |
| STOT - single exposure            | : There is no data available for this product.                                     |
| STOT - repeated exposure          | : There is no data available for this product.                                     |
| Aspiration toxicity               | : There is no data available for this product.                                     |

**Components**

|                     |                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity | : Alcohols, C9-11, ethoxylated LD50 rat: 4,044 mg/kg<br>Cocamidopropyl Betaine LD50 rat: 2,600 mg/kg<br>N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine LD50 rat: 261 mg/kg |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**ASEPTOPOL EL 75**

Didecyl Dimethyl Ammonium Chloride LD50 rat: 329 mg/kg

ethanol LD50 rat: 10,470 mg/kg

Isopropyl Alcohol LD50 rat: 5,840 mg/kg

**Components**

Acute inhalation toxicity : Didecyl Dimethyl Ammonium Chloride 4 h LC50 rat: 0.07 mg/l  
Test atmosphere: dust/mist

ethanol 4 h LC50 rat: 117 mg/l  
Test atmosphere: vapour

Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l  
Test atmosphere: vapour

**Components**

Acute dermal toxicity : Alcohols, C9-11, ethoxylated LD50 rabbit: 2,108 mg/kg  
Test substance: Information given is based on data obtained from similar substances.

Didecyl Dimethyl Ammonium Chloride LD50 rabbit: 2,930 mg/kg

ethanol LD50 rabbit: 15,800 mg/kg

Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg

**Potential Health Effects**

**Product AS SOLD**

Eyes : Causes serious eye damage.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION**

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

**Product AS SOLD**

Eye contact : Redness, Pain, Corrosion

Skin contact : No symptoms known or expected.

**ASEPTOPOL EL 75**

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**Product AT USE DILUTION**

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

**11.2 Information on other hazards**

Further information : no data available

**Section: 12. ECOLOGICAL INFORMATION****12.1 Toxicity****Product AS SOLD**

Environmental Effects : Very toxic to aquatic life with long lasting effects.

**Product AT USE DILUTION**

Environmental Effects : This product has no known ecotoxicological effects.

**Product AS SOLD  
Product**Toxicity to fish : Very toxic to aquatic life.:  
Test substance: Similar ProductToxicity to daphnia and other  
aquatic invertebrates : no data available

Toxicity to algae : no data available

Toxicity to fish (Chronic  
toxicity) : Very toxic to aquatic life with long lasting effects.:  
Test substance: Similar Product**Components**Toxicity to fish : Alcohols, C9-11, ethoxylated96 h LC50 Oncorhynchus mykiss  
(rainbow trout): 5 mg/l

Cocamidopropyl Betaine96 h LC50 Fish: 2 mg/l

Didecyl Dimethyl Ammonium Chloride96 h LC50 Fish: &gt; 1 mg/l

ethanol96 h LC50 Pimephales promelas (fathead minnow): > 100  
mg/lIsopropyl Alcohol96 h LC50 Pimephales promelas (fathead  
minnow): 9,640 mg/l**Components**Toxicity to daphnia and other  
aquatic invertebrates : Alcohols, C9-11, ethoxylated48 h EC50 Daphnia magna (Water  
flea): 2.5 mg/lDidecyl Dimethyl Ammonium Chloride48 h EC50 Daphnia magna  
(Water flea): 0.029 mg/l

**ASEPTOPOL EL 75**

ethanol 48 h EC50 Aquatic Invertebrate: 857 mg/l

Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l

**Components**

Toxicity to algae : Alcohols, C9-11, ethoxylated 96 h EC50 Pseudokirchneriella subcapitata (algae): 1.4 mg/l

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine 72 h EC50: 0.014 mg/l

Didecyl Dimethyl Ammonium Chloride 72 h EC50 Pseudokirchneriella subcapitata (algae): 0.062 mg/l

**12.2 Persistence and degradability**

**Product**

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

**Components**

Biodegradability : Alcohols, C9-11, ethoxylated Result: Readily biodegradable.

Cocamidopropyl Betaine Result: Readily biodegradable.

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine Result: Readily biodegradable.

Didecyl Dimethyl Ammonium Chloride Result: Biodegradable

ethanol Result: Readily biodegradable.

Isopropyl Alcohol Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Endocrine disrupting properties**

no data available

**ASEPTOPOL EL 75****12.7 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods****Product AS SOLD**

- |                                   |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                           | : | Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.                                                                                                                                                 |
| Contaminated packaging            | : | Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.                                                                                                                                                                                                                                                   |
| Guidance for Waste Code selection | : | Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations. |

**Product AT USE DILUTION**

- |                        |   |                                                                         |
|------------------------|---|-------------------------------------------------------------------------|
| Product                | : | Diluted product can be flushed to sanitary sewer if regulations permit. |
| Contaminated packaging | : | Dispose of in accordance with local, state, and federal regulations.    |

**Section: 14. TRANSPORT INFORMATION****Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- |                                 |   |                                                                                                 |
|---------------------------------|---|-------------------------------------------------------------------------------------------------|
| 14.1 UN number or ID number     | : | 3082                                                                                            |
| 14.2 UN proper shipping name    | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Alkylamine(s), Alkyl ammonium chloride) |
| 14.3 Transport hazard class(es) | : | 9                                                                                               |
| 14.4 Packing group              | : | III                                                                                             |
| 14.5 Environmental hazards      | : | Yes                                                                                             |

**ASEPTOPOL EL 75**

14.6 Special precautions for user : None

**Air transport (IATA)**

14.1 UN number or ID number : 3082  
14.2 UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Alkylamine(s), Alkyl ammonium chloride)  
14.3 Transport hazard class(es) : 9  
14.4 Packing group : III  
14.5 Environmental hazards : Yes  
  
14.6 Special precautions for user : None

**Sea transport (IMDG/IMO)**

14.1 UN number or ID number : 3082  
14.2 UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Alkylamine(s), Alkyl ammonium chloride)  
14.3 Transport hazard class(es) : 9  
14.4 Packing group : III  
14.5 Environmental hazards : Yes  
  
14.6 Special precautions for user : None  
14.7 Maritime transport in bulk according to IMO instruments : Not applicable.

**Section: 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture according to Detergents Regulation EC 648/2004 : 5 % or over but less than 15 %: Non-ionic surfactants  
less than 5 %: Amphoteric surfactants  
Contains: Disinfectants

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : ENVIRONMENTAL HAZARDS E1  
Lower tier : 100 t  
Upper tier : 200 t  
  
FLAMMABLE LIQUIDS P5c  
Lower tier : 5,000 t  
Upper tier : 50,000 t

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : Safety, Health and Welfare at Work Act, 2005  
European Communities (Classification, Packaging, Labelling and Notification of Dangerous Preparations) Regulations 1995. (S.I.



**ASEPTOPOL EL 75**

272 of 1995) as amended

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

**Section: 16. OTHER INFORMATION****Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

| Classification                   | Justification      |
|----------------------------------|--------------------|
| Serious eye damage 1, H318       | Calculation method |
| Chronic aquatic toxicity 1, H410 | Calculation method |

**Full text of H-Statements**

|      |                                                                    |
|------|--------------------------------------------------------------------|
| H225 | Highly flammable liquid and vapour.                                |
| H301 | Toxic if swallowed.                                                |
| H302 | Harmful if swallowed.                                              |
| H314 | Causes severe skin burns and eye damage.                           |
| H318 | Causes serious eye damage.                                         |
| H319 | Causes serious eye irritation.                                     |
| H330 | Fatal if inhaled.                                                  |
| H336 | May cause drowsiness or dizziness.                                 |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                        |
| H410 | Very toxic to aquatic life with long lasting effects.              |
| H411 | Toxic to aquatic life with long lasting effects.                   |
| H412 | Harmful to aquatic life with long lasting effects.                 |

**Full text of other abbreviations**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition

**ASEPTOPOL EL 75**

Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.