

**SAFETY DATA SHEET****ECOSTAR LTL 150****SECTION 1. GENERAL INFORMATION**

Issuing date : 08.03.2017

Revision Date : 08.03.2017

Prepared by : Regulatory Affairs

Company : Ecolab, S. DE R.L DE C.V.
Industrial Avenue #28
Industrial Fractionation, Cuamatla, Cuautitlan Izcalli, Mexico State
Mexico 54730
+52 800 ECO 2000 (+52 800 326 2000)

Emergency telephone : +52 800 837 2998 (Request Assistance in Spanish)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Product name : ECOSTAR LTL 150

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

SECTION 3. HAZARDS IDENTIFICATION

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
benzenesulfonic acid, dodecyl-, compd. with 2-aminoethanol (1:1)	26836-07-7	10 - 30
Alcohol Ethoxylate	Proprietary Ingredient	10 - 30
Anionic surfactants	61788-47-4	10 - 30
2-methylpentane-2,4-diol	107-41-5	10 - 30
monoethanolamine	141-43-5	1 - 5
N,N-dimethyldodecylamine N-oxide	1643-20-5	1 - 5

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
2-methylpentane-2,4-diol	107-41-5	P	25 ppm 125 mg/m3	MX OEL
		VLE-P	25 ppm	NOM-010-STPS-2014
2-methylpentane-2,4-diol	107-41-5	P	25 ppm 125 mg/m3	MX OEL
		VLE-P	25 ppm	NOM-010-STPS-2014
2-methylpentane-2,4-diol	107-41-5	C	25 ppm	ACGIH
		Ceiling	25 ppm 125 mg/m3	NIOSH REL
monoethanolamine	141-43-5	LMPE-PPT	3 ppm	MX OEL

SAFETY DATA SHEET

ECOSTAR LTL 150


			8 mg/m3	
		LMPE-CT	6 ppm 15 mg/m3	MX OEL
		VLE-PPT	3 ppm	NOM-010-STPS-2014
		VLE-CT	6 ppm	NOM-010-STPS-2014
monoethanolamine	141-43-5	LMPE-PPT	3 ppm 8 mg/m3	MX OEL
		LMPE-CT	6 ppm 15 mg/m3	MX OEL
		VLE-PPT	3 ppm	NOM-010-STPS-2014
		VLE-CT	6 ppm	NOM-010-STPS-2014
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1
2-methylpentane-2,4-diol	107-41-5	P	25 ppm 125 mg/m3	MX OEL
		VLE-P	25 ppm	NOM-010-STPS-2014
2-methylpentane-2,4-diol	107-41-5	P	25 ppm 125 mg/m3	MX OEL
		VLE-P	25 ppm	NOM-010-STPS-2014
2-methylpentane-2,4-diol	107-41-5	C	25 ppm	ACGIH
		Ceiling	25 ppm 125 mg/m3	NIOSH REL
monoethanolamine	141-43-5	LMPE-PPT	3 ppm 8 mg/m3	MX OEL
		LMPE-CT	6 ppm 15 mg/m3	MX OEL
		VLE-PPT	3 ppm	NOM-010-STPS-2014
		VLE-CT	6 ppm	NOM-010-STPS-2014
monoethanolamine	141-43-5	LMPE-PPT	3 ppm 8 mg/m3	MX OEL
		LMPE-CT	6 ppm 15 mg/m3	MX OEL
		VLE-PPT	3 ppm	NOM-010-STPS-2014
		VLE-CT	6 ppm	NOM-010-STPS-2014
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL

SAFETY DATA SHEET

ECOSTAR LTL 150

		TWA	3 ppm 6 mg/m3	OSHA Z1
2-methylpentane-2,4-diol	107-41-5	P	25 ppm 125 mg/m3	MX OEL
		VLE-P	25 ppm	NOM-010-STPS-2014
2-methylpentane-2,4-diol	107-41-5	P	25 ppm 125 mg/m3	MX OEL
		VLE-P	25 ppm	NOM-010-STPS-2014
2-methylpentane-2,4-diol	107-41-5	C	25 ppm	ACGIH
		Ceiling	25 ppm 125 mg/m3	NIOSH REL
monoethanolamine	141-43-5	LMPE-PPT	3 ppm 8 mg/m3	MX OEL
		LMPE-CT	6 ppm 15 mg/m3	MX OEL
		VLE-PPT	3 ppm	NOM-010-STPS-2014
		VLE-CT	6 ppm	NOM-010-STPS-2014
monoethanolamine	141-43-5	LMPE-PPT	3 ppm 8 mg/m3	MX OEL
		LMPE-CT	6 ppm 15 mg/m3	MX OEL
		VLE-PPT	3 ppm	NOM-010-STPS-2014
		VLE-CT	6 ppm	NOM-010-STPS-2014
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

SECTION 4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

SAFETY DATA SHEET

ECOSTAR LTL 150

Color	: clear, amber
Odor	: slight
pH	: 6.0 - 8.0, 100 %
Flash point	: Not applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.03 - 1.05
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 192.654 mm ² /s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus
Special protective equipment	: Use personal protective equipment.

SAFETY DATA SHEET

ECOSTAR LTL 150

for fire-fighters

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus

SECTION 7. FIRST AID MEASURES

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes skin irritation.

Ingestion : Harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Irritation

Ingestion : No information available.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : 759.12 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 10 mg/l

SAFETY DATA SHEET

ECOSTAR LTL 150

Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

First aid

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

SECTION 8. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with

SAFETY DATA SHEET

ECOSTAR LTL 150

water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 9. PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety goggles
Face-shield
- Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

SECTION 10. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (MX_DG)

Not dangerous goods

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 11. ECOLOGICAL INFORMATION

SAFETY DATA SHEET

ECOSTAR LTL 150

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Ingredients

Toxicity to fish : Alcohol Ethoxylate
96 h LC50 Fish: 5 mg/l

Ingredients

Toxicity to daphnia and other aquatic invertebrates : 2-methylpentane-2,4-diol
48 h EC50 Daphnia: 2,800 mg/l

monoethanolamine
48 h EC50 Daphnia: 65 mg/l

N,N-dimethyldodecylamine N-oxide
48 h LC50 Daphnia: 1.1 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 12. SPECIAL PRECAUTIONS

Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 15 °C to 40 °C

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :
On TSCA Inventory

SAFETY DATA SHEET

ECOSTAR LTL 150

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

not determined

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :

not determined

Issuing date	: 08.03.2017
Version	: 1.0
Prepared by	: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the MSDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.