



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : ANIOS LUB
Product code : 883000.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubrication by soaking of articulated instrumentation.
For further information on product indication, please see the label.

1.3. Details of the supplier of the safety data sheet

Registered company name : Laboratoires ANIOS.
Address : PAVE DU MOULIN .59260.LILLE - HELLEMES.FRANCE.
Telephone : + 33 (0)3 20 67 67 67. Fax : + 33 (0)3 20 67 67 68.
e:mail : fds@anios.com
www.anios.com

1.4. Emergency telephone number : + 33(0)1 45 42 59 59.

Association/Organisation : INRS.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).
May produce an allergic reaction (EUH208).
Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).
This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Detergent mixture (see section 15).
This mixture being intended for professional use only, the labelling for contents under detergent regulation does not appear on the label but is resumed in section 15

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

GHS09

Signal Word :

WARNING

Additional labeling :

EUH208

Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

Hazard statements :

H319

Causes serious eye irritation.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements - General :

P102

Keep out of reach of children.

Precautionary statements - Prevention :

P273

Avoid release to the environment.

P280 Wear protective gloves.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - Disposal :

P501 Dispose of unused product and its container as hazardous waste.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

No other hazard identified in the current state of knowledge.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

Title for H and EUH statements: see § 16.

3.2. Mixtures**Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 61791-26-2 AMINES, TALLOW ALKYL, ETHOXYLATED	GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		$0 \leq x \% < 2.5$
CAS: 7173-51-5 EC: 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Skin Corr. 1B, H314 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1		$0 \leq x \% < 2.5$
CAS: 55965-84-9 REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLI N-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1, H317 Acute Tox. 3, H331 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1		$0 \leq x \% < 2.5$

Information on ingredients :

CAS: 67-63-0 EC: 200-661-7	PROPAN-2-OL
CAS: 64-17-5 EC: 200-578-6	ETHYL ALCOHOL
CAS: 64-17-5 REACH: 01-2119457610-43 : GHS02 GHS07 Dgr Flam. Liq. 2: H225 ; Eye Irrit. 2: H319 [1]	
CAS: 67-63-0 REACH: 01-2119457558-25 : GHS02, GHS07 Dgr Flam. Liq. 2 : H225 ; Eye Irrit. 2 : H319 ; STOT SE 3 : H336	[1]

$x \% < 1$

[1] Substance for which there are exposure limits in the workplace.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

Move the person away from the place of exposure and take him/her outside.

In the event of splashes or contact with eyes :

If applicable, remove contact lenses.

Wash thoroughly with soft clean water for 15 minutes, holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist. Show this container or label.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

Remove all contaminated or stained clothing immediately. Do not use them again until they have been decontaminated.

Rinse immediately and thoroughly with water.

In the event of skin irritation, seek medical advice. Show this container or label.

In the event of swallowing :

Rinse out the mouth, do not induce vomiting, keep the person calm and take him/her to a clinic or a doctor's. Show the container or label.

4.2. Most important symptoms and effects, both acute and delayed

Cf. § 11

4.3. Indication of any immediate medical attention and special treatment needed

Refer to the recommendation of the doctor.

SECTION 5 : FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable methods of extinction

Any extinguishing agents are authorized: foam, sand, carbon dioxide, water, powder.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

5.3. Advice for firefighters

Use autonomous insulating breathing apparatus and a full protective suit.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Avoid all contact with skin or eyes.

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Do not get rid in natural spaces (waterways, ground and vegetations...)

6.3. Methods and material for containment and cleaning up

Absorb any spilled product with absorbent non-combustible materials, and sweep away or remove with a shovel. Put any waste in drums for disposal. Do not mix with any other waste. Wash the contaminated surface thoroughly with water.

Do not put any spilt product back into its original container with the intention of re-use.

Do not get rid in natural spaces.

6.4. Reference to other sections

Disposal considerations: see section 13.

SECTION 7 : HANDLING AND STORAGE

7.1. Precautions for safe handling

Product for external use - do not swallow.

Avoid all contact with skin or eyes.

Handle in accordance with user instructions on label

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

Water source nearby.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed

Store ONLY in the original package.

Store between + 5 °C and + 35 °C in a dry, well ventilated place

Do not use after the expiry date mentioned on the packaging.

Keep out of the reach of children

7.3. Specific end use(s)

For professional use only

Refer to paragraph 1 for product indication

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this chapter refers to the product specifically described in this document. If the product is handled and/or exposed simultaneously with other chemical agents, these must be taken into consideration when choosing personal safety equipment.

The Exposure Threshold Limit Value and the Average Exposure Value given below are quoted by the CAS number of the substance. Paragraph 3 details the chemical name corresponding to the CAS number.

8.1. Control parameters**Occupational exposure limits :**

- Switzerland (SUVA 2015) :

CAS	VME	VLE	Valeur plafond	Notations		
64-17-5	960	500	1920	1000	4x15	-
67-63-0	500	200	1000	400	4x15	B

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME :	VME :	Excess	Notes	
64-17-5	500 ml/m3	960 mg/m3	2(II)	DFG. Y	
67-63-0	200 ml/m3	500 mg/m3	2(II)	DFG, Y	

- Slovakia (Regulation No. 300/2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	500 ppm	960 mg/m3	II..1		
67-63-0	200 ppm	500 mg/m3	II..1		

- Czech Republic (Regulation No. 361/2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 mg/m3	3000 mg/m3	-	-	-
67-63-0	500 mg/m3	1000 mg/m3	-	-	-

- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), Mayo 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm	-	-	-	-
67-63-0	400 ppm	500 ppm	-	-	-

- Poland (2014) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1900 mg/m3	-	-	-	-
67-63-0	900 mg/m3	1200 mg/m3	-	-	-

- Belgium (Order of 19/05/2009, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm	-	-	-	-
67-63-0	400 ppm	500 ppm	-	-	-

- France (INRS - ED984 :2012) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
64-17-5	1000	1900	5000	9500	-	84
67-63-0	-	-	400	980	-	84

8.2. Exposure controls**Appropriate engineering controls**

Ensure the rooms are well-ventilated. Atmospheric concentrations at the workplace must not exceed the limit values given for normal conditions of use.

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Water source nearby.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

When handling this product, wear suitable gloves.

Nitrile, latex or vinyl gloves.

Gloves must be replaced immediately if they show signs of wear and tear.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

In case of insufficient ventilation, with the risk of exceeding the TLVs (Threshold Limit values), wear suitable breathing apparatus (mask which filters organic vapours - type A protection)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****General information :**

Physical state :	Fluid liquid.
Odour:	Weak
Colour:	yellowish

Important health, safety and environmental information

pH :	8.30 .
	Slightly basic.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	+/- 1.0
Water solubility :	Soluble.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

No hazardous reaction if the instructions/indications for storage and handling are respected.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

Cf. § 10.1 and 10.2

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

Do not mix with other products.

10.6. Hazardous decomposition products

At high temperatures, dangerous decomposition products may be produced, such as fumes, carbon dioxide and carbon monoxide, nitrogen oxide.

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

11.1.1. Substances

Not specified

11.1.2. Mixture

The toxicological data of the mixture (resulting from studies or in accordance with conventional methods) are outlined below.

Acute toxicity :

Acute toxicity estimate (ATE)* :

Oral ATE : > 2000 mg/kg

* according to the method of calculation describe in the CLP regulation (Classification, Labelling, Packaging) Part 3 Chapter 3.1 based on the data of the different components present in the product.

Ingestion may lead to irritation of the digestive system, abdominal pain, headaches and nausea.

Skin corrosion/skin irritation :

Possibility of itching with light to moderate local redness.

Serious damage to eyes/eye irritation :

Ocular irritation: notably redness of the conjunctiva and lacrimation.

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

Germ cell mutagenicity :

Product not classified in this hazard category.

Carcinogenicity :

Product not classified in this hazard category.

Reproductive toxicant :

Product not classified in this hazard category.

Specific target organ systemic toxicity - single exposure :

Product not classified in this hazard category.

Specific target organ systemic toxicity - repeated exposure :

Product not classified in this hazard category.

Aspiration hazard :

Product not classified in this hazard category.

SECTION 12 : ECOLOGICAL INFORMATION

Following information is based on data from the compounds.

Avoid any product release into waterways.

12.1. Toxicity

12.1.1. Substances

Not specified

12.1.2. Mixtures

Chronic toxicity:

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

The packages must not be reused.

Do not pour into waterways.

13.1. Waste treatment methods

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :

18 01 06 * chemicals consisting of or containing dangerous substances

For information :

The waste code is given for indicative purposes.

The waste code must be determined by the user, according to the application of the product.

18 = Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(didecyltrimethylammonium chloride, amines, tallow alkyl, ethoxylated)

14.3. Transport hazard class(es)

- Classification :



9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	-

*Not subject to this regulation if Q ≤ 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	9	-	III	5 L	F-A,S-F	274 335 969	E1

*Not subject to this regulation if Q ≤ 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158 A197	E1
	9	-	III	Y964	30 kg G	-	-	A97 A158 A197	E1

*Not subject to this regulation if Q ≤ 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

Regulation (EC) No. 1272/2008 and its amendments.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5 % : cationic surfactants
- 5 % or over but less than 15 % : nonionic surfactants

Preservation agent(s):

- Methylchloroisothiazolinone, Methylisothiazolinone

15.2. Chemical safety assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture.

It is recommended that the information contained in this safety data sheet is provided to the users, if necessary in an appropriate form.

This information relates to the specifically designated product and may not be valid in combination with any another product. The product must not be used for applications other than those specified in heading 1 without having first obtained written handling instructions.

UPDATES SINCE PREVIOUS VERSION

- § 3
- § 11
- § 15
- Implementation of Regulation (EC) no. 2016/918

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS07 : Exclamation mark

GHS09 : Environment