

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ホロリット L
HOROLITH L

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab G.K.
1-8-11 Harumi, Chuo-ku, Tokyo 104-6137

0120-103-144 (Institutional Division)

0120-103-145 (Food & Beverage Division)

Emergency telephone number : 0120-756-005 (Toll Free)

Issuing date : 2021.07.28

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Skin corrosion/irritation : Sub-category 1A
Serious eye damage/eye irritation : Category 1
Acute aquatic toxicity : Category 3

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.
Harmful to aquatic life.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe dusts or mists.
Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

SAFETY DATA SHEET

HOROLITH L

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name

Nitric acid

CAS-No.

7697-37-2

Concentration: (%)

65

Section: 4. FIRST AID MEASURES

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SAFETY DATA SHEET

HOROLITH L

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
- Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : Refer to product label or ask your local Sales Representative.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Nitric acid	7697-37-2	OEL-M	2 ppm 5.2 mg/m ³	JP OEL JSOH

Engineering measures

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety goggles
Face-shield

SAFETY DATA SHEET

HOROLITH L

Hand protection	: Wear the following personal protective equipment: Nitrile Laminate film Unsupported neoprene PVC Natural rubber Neoprene/natural rubber blend Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, light yellow
Odour	: pungent
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Flammability	: (solid, gas): Not applicable. (liquid): Does not sustain combustion.
Lower and upper explosion limit/flammability limit	: no data available
Flash point	: Not applicable., Does not sustain combustion.
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
pH	: 1.0, (100 %)
Viscosity, kinematic	: no data available
Solubility	: soluble (water)
Partition coefficient: n-octanol/water	: no data available
Vapour pressure	: no data available
Relative density	: 1.37 - 1.41
Relative vapour density	: no data available
Particle characteristics	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.

SAFETY DATA SHEET

HOROLITH L

Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Bases Metals Organic materials
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available

SAFETY DATA SHEET

HOROLITH L

STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : no data available
Toxicity to daphnia and other aquatic invertebrates : no data available
Toxicity to algae : no data available

Components

Toxicity to fish : Nitric acid
96 h LC50: 72 mg/l

Persistence and degradability

Not applicable - inorganic

Bioaccumulative potential

no data available

Mobility in soil

no data available

Hazard to the ozone layer

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Information on safe and environmentally desirable disposal or recycling of the chemical (waste from residues), contaminated containers and packaging to which the chemicals are attached

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 2031
Proper shipping name : NITRIC ACID
Class : 8
Packing group : II

SAFETY DATA SHEET

HOROLITH L

Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 2031
Proper shipping name : NITRIC ACID
Class : 8
Packing group : II
Marine pollutant : Not applicable

Regulatory information in case there are domestic regulations:

Land transportation: Follow the transportation methods stipulated in the Fire Service Law, Poisonous and Deleterious Substances Control Law, Industrial Safety and Health Law, etc.

Sea transportation: Follow the transportation method stipulated in the Ship Safety Law.

Air transportation: Follow the transportation method stipulated in the Aviation Law.

Section: 15. REGULATORY INFORMATION

National regulatory information

Industrial Safety and Health Law

Publication of Technical Guidelines Article 28 (3)

Not applicable.

Mutagenic existing chemical substances

Not applicable.

Mutagenic new chemical substances

Not applicable.

Hazardous Substances Requiring Notification SDS Table 9

Article 57-2 (Enforcement Order Table 9)

Chemical Name	Concentration: (%)
Nitric acid	60 - 70

Hazardous Substances Subject to Labeling Requirements

Article 57 (Enforcement Order Article 18)

Chemical Name
Nitric acid

Ordinance on Prevention of Specified Chemical Substances Hazards - Group 3 Substance

Chemical Name
Nitric acid

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable.

Enforcement Order of the Industrial Safety and Health Law: Dangerous Substances

Not applicable.

SAFETY DATA SHEET

HOROLITH L

Poisonous and Deleterious Substances Control Law

Chemical Name	Classification	Concentration: (%)
Nitric acid	Deleterious substance	65

Law concerning Pollutant Release and Transfer Register (PRTR Law)

Not applicable.

Information of the other applicable regulations name and regulations based on its regulation.

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Water Pollution Control Law

Hazardous substance (Law Art. 2, Enforcement Order Art. 2, Cabinet Order Art. 1)

Chemical Name
Ammonia, ammonium compounds, nitrite compounds and nitrate compounds

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date : 2021.07.28
Date of first issue : 2015.08.11
version : 1.0
Prepared by : Regulatory Affairs

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.