

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ストリップ ア ウェイ
STRIP-A-WAY

Other means of identification : Not applicable.

Recommended use : Delimer

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab G.K.
1-8-11 Harumi, Chuo-ku, Tokyo 104-6137

0120-103-144 (Institutional Division)

0120-103-145 (Food & Beverage Division)

Emergency telephone number : 0120-756-005 (Toll Free)

Issuing date : 2021.12.09

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Corrosive to metals : Category 1
Acute toxicity (Inhalation) : Category 4
Skin corrosion/irritation : Sub-category 1B
Serious eye damage/eye irritation : Category 1

GHS Label element

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
Harmful if inhaled.

Precautionary Statements : **Prevention:**
Keep only in original packaging. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/

SAFETY DATA SHEET

STRIP-A-WAY

physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in a corrosion resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Phosphoric acid	7664-38-2	20 - 30
Nitric acid	7697-37-2	1 - 10
Nonionic surfactant	Proprietary Ingredient	1 - 5

Section: 4. FIRST AID MEASURES

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.

SAFETY DATA SHEET

STRIP-A-WAY

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : Refer to product label or ask your local Sales Representative.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	OEL-M	1 mg/m ³	JP OEL JSOH
Nitric acid	7697-37-2	OEL-M	2 ppm 5.2 mg/m ³	JP OEL JSOH

Engineering measures

SAFETY DATA SHEET

STRIP-A-WAY

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection	: Safety goggles Face-shield
Hand protection	: Wear the following personal protective equipment: Standard glove type. Nitrile rubber Unsupported neoprene butyl-rubber Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless
Odour	: slight
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Flammability	: (solid, gas): Not applicable. (liquid): Does not sustain combustion.
Lower and upper explosion limit/flammability limit	: no data available
Flash point	: Not applicable., Does not sustain combustion.
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
pH	: 1.2 - 2.2, (1 %)
Viscosity	: no data available
Solubility	: insoluble (water)
Partition coefficient: n-octanol/water	: no data available
Vapour pressure	: no data available
Relative density	: 1.15 - 1.184
Relative vapour density	: no data available
Particle characteristics	: no data available

SAFETY DATA SHEET

STRIP-A-WAY

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Bases Metals Organic materials
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx) Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: 4 h Acute toxicity estimate : 3.99 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available

SAFETY DATA SHEET

STRIP-A-WAY

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute oral toxicity : Phosphoric acid
LD50 rat: > 2,600 mg/kg

Components

Acute dermal toxicity : Phosphoric acid
LD50 rabbit: > 2,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Nitric acid
96 h LC50: 72 mg/l

Nonionic surfactant
96 h LC50 Fish: > 100 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : Phosphoric acid
48 h EC50 Daphnia magna (Water flea): > 100 mg/l

Components

Toxicity to algae : Phosphoric acid
72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

no data available

SAFETY DATA SHEET

STRIP-A-WAY

Mobility in soil

no data available

Hazard to the ozone layer

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Information on safe and environmentally desirable disposal or recycling of the chemical (waste from residues), contaminated containers and packaging to which the chemicals are attached

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 3264
Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(Phosphoric acid, Nitric acid)
Class : 8
Packing group : II
Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 3264
Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(Phosphoric acid, Nitric acid)
Class : 8
Packing group : II
Marine pollutant : Not applicable

Regulatory information in case there are domestic regulations:

Land transportation: Follow the transportation methods stipulated in the Fire Service Law, Poisonous and Deleterious Substances Control Law, Industrial Safety and Health Law, etc.

Sea transportation: Follow the transportation method stipulated in the Ship Safety Law.

Air transportation: Follow the transportation method stipulated in the Aviation Law.

Section: 15. REGULATORY INFORMATION

National regulatory information

Industrial Safety and Health Law

Publication of Technical Guidelines Article 28 (3)

Not applicable.

SAFETY DATA SHEET

STRIP-A-WAY

Mutagenic existing chemical substances

Not applicable.

Mutagenic new chemical substances

Not applicable.

Hazardous Substances Requiring Notification SDS Table 9

Article 57-2 (Enforcement Order Table 9)

Chemical Name	Concentration: (%)
Phosphoric acid	20 - 30
Nitric acid	< 10

Hazardous Substances Subject to Labeling Requirements

Article 57 (Enforcement Order Article 18)

Chemical Name
Phosphoric acid
Nitric acid

Ordinance on Prevention of Specified Chemical Substances Hazards - Group 3 Substance

Chemical Name
Nitric acid

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable.

Enforcement Order of the Industrial Safety and Health Law: Dangerous Substances

Not applicable.

Poisonous and Deleterious Substances Control Law

Not applicable.

Law concerning Pollutant Release and Transfer Register (PRTR Law)

Not applicable.

Information of the other applicable regulations name and regulations based on its regulation.

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Water Pollution Control Law

Hazardous substance (Law Art. 2, Enforcement Order Art. 2, Cabinet Order Art. 1)

Chemical Name
Ammonia, ammonium compounds, nitrite compounds and nitrate compounds

Section: 16. OTHER INFORMATION

SAFETY DATA SHEET

STRIP-A-WAY

Sources of key data used to compile the Safety Data Sheet
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date	: 2021.12.09
Date of first issue	: 2015.07.29
version	: 1.1
Prepared by	: Regulatory Affairs

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.