

SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY

Product name : STABILON LT

Other means of identification : Not applicable

Recommended use : Bottle wash additive

Product dilution information : 0,3 % - 0,5 %

Company : Chile ECOLAB S.A.
 Avenida Pedro de Valdivia 3801
 Santiago, Santiago Chile
 (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600
 sac.chile@ecolab.com

Emergency telephone : (+56-2) 2635-3600 (CITUC) EMERGENCY PHONE

Toxicological Emergency Phone : CITUC (+56-2) 2635-3800 (24 hours) Toxicological Emergencies

SECTION 2. HAZARDS IDENTIFICATION

Classification according to NCH 382 : Not classified according to NCh 382

Distintivo según NCh 2190 : Not classified according to NCh 382

GHS Classification
Product AS SOLD

Eye irritation : Category 2A

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**
 Wash skin thoroughly after handling. Wear eye protection/ face protection.
Response:
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

SAFETY DATA SHEET

STABILON LT

irritation persists: Get medical advice/ attention.

Product AT USE DILUTION

Precautionary Statements : **Prevention:**
Wash hands thoroughly after handling.
Response:
Get medical advice/ attention if you feel unwell.
Storage:
Store in accordance with local regulations.

Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
gluconic acid, d-	526-95-4	10 - 30
citric acid	77-92-9	5 - 10
alanine, n,n-bis(carboxymethyl)-, trisodium salt	164462-16-2	1 - 5
Sodiumcumenesulphonate	28348-53-0	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Product AS SOLD

Expected acute effects

SAFETY DATA SHEET

STABILON LT

Eyes	: Causes serious eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.

Expected chronic effects

Chronic Exposure	: Health injuries are not known or expected under normal use.
------------------	---

Product AT USE DILUTION

Expected acute effects

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.

Expected chronic effects

Chronic Exposure	: Health injuries are not known or expected under normal use.
------------------	---

Most important symptoms / effects

Product AS SOLD

Eye contact	: Redness, Pain, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

SECTION 5. FIREFIGHTING MEASURES

Product AS SOLD

Extinguishing Agents	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing agents	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Products generated in combustion and thermal	: Decomposition products may include the following materials: Carbon oxides

SAFETY DATA SHEET

STABILON LT

degradation Nitrogen oxides (NO_x)
 Sulfur oxides
 Oxides of phosphorus

Precautions for Emergency : Use personal protective equipment.
Personnel and / or
Firefighters

Specific extinguishing : Fire residues and contaminated fire extinguishing water must be
methods disposed of in accordance with local regulations.

SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

Product AS SOLD

Personal precautions, : Ensure clean-up is conducted by trained personnel only. Refer to
protective equipment and protective measures listed.
emergency procedures

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for : Stop leak if safe to do so. Contain spillage, and then collect with non-
containment and cleaning up combustible absorbent material, (e.g. sand, earth, diatomaceous
 earth, vermiculite) and place in container for disposal according to
 local / national regulations (see section 13). Flush away traces with
 water. For large spills, dike spilled material or otherwise contain
 material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, : Refer to protective measures listed.
protective equipment and
emergency procedures

Environmental precautions : No special environmental precautions required.

Methods and materials for : Stop leak if safe to do so. Contain spillage, and then collect with non-
containment and cleaning up combustible absorbent material, (e.g. sand, earth, diatomaceous
 earth, vermiculite) and place in container for disposal according to
 local / national regulations (see section 13). Flush away traces with
 water. For large spills, dike spilled material or otherwise contain
 material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Handling

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after
 handling. Do not mix with bleach or other chlorinated products – will
 cause chlorine gas.

Storage

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Recommended and : Use high density plastic containers.
unsuitable packaging by
supplier

Storage temperature : 5 °C to 45 °C

Product AT USE DILUTION

SAFETY DATA SHEET

STABILON LT

Handling

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Storage

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Recommended and unsuitable packaging by supplier : Use high density plastic containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: transparent, yellow	colorless
Odor	: characteristic	not significant
pH	: 2,0 - 3,0, (100 %)	2,8 - 2,9
Flash point	: Not applicable	

SAFETY DATA SHEET

STABILON LT

Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,1 - 1,2
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

SAFETY DATA SHEET

STABILON LT

Product AS SOLD

Product

Acute oral toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute inhalation toxicity	: Sodiumcumenesulphonate 4 h LC50 Rat: > 770 mg/l Test atmosphere: dust/mist
---------------------------	--

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
-----------------------	---

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: citric acid 96 h LC50 Fish: > 100 mg/l alanine, n,n-bis(carboxymethyl)-, trisodium salt 96 h LC50: > 200 mg/l Sodiumcumenesulphonate 96 h LC50 Fish: > 450 mg/l
------------------	--

Components

Toxicity to daphnia and other aquatic invertebrates	: gluconic acid, d- 48 h EC50 Daphnia: > 1.000 mg/l
---	--

Persistence and degradability

SAFETY DATA SHEET

STABILON LT

Product AS SOLD

No data available

Product AT USE DILUTION

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION OF DISPOSAL

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Official transport classification of the United Nations

Not dangerous goods

Air transport (IATA)

Official transport classification of the United Nations

Contact Regulatory for air freight eligibility

SAFETY DATA SHEET

STABILON LT

Sea transport (IMDG/IMO)

Official transport classification of the United Nations

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal

D.S. No. 72: Mining Safety Regulations


D. S. No. 43: reports on the storage of hazardous substances

D. S. No. 40: Reporting on exposure hazards

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:




HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 14.02.2019
Version : 1.0
Prepared by : Regulatory Affairs

SAFETY DATA SHEET

STABILON LT

While there is no change in the formula or hazard classifications, this SDS remains valid.

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.