

PRÉCAUTIONS : GARDER HORS DE LA PORTÉE DES ENFANTS, DES ANIMAUX DE COMPAGNIE ET DES ANIMAUX D'ÉLEVAGE. Peut-être nocif ou létal si ingéré ou absorbé par la peau. Porter une chemise à manches longues, un pantalon long des gants résistants aux produits chimiques, des chaussures et des chaussettes lors de la manipulation du produit et de l'élimination des carcasses de rongeurs, des appareils inutilisés et des contenants vides. Éviter tout contact avec les yeux, la peau et les vêtements. Se laver les mains avant de manger, de boire, de mâcher de la gomme, de fumer ou d'aller aux toilettes. Laver soigneusement la peau avec de l'eau et du savon après avoir manipulé ce produit. Laver les vêtements contaminés séparément du reste de la lessive à l'eau et au savon avant de les réutiliser. TENIR À L'ÉCART DES ALIMENTS DESTINÉS À LA CONSOMMATION HUMAINE OU ANIMALE.

PREMIERS SOINS :

EN CAS D'INGESTION :

Appeler un centre antipoison ou un médecin immédiatement pour obtenir des conseils sur le traitement. Faire boire un verre d'eau à petites gorgées si la personne empoisonnée est capable d'avaler. Ne pas faire vomir à moins d'avoir reçu le conseil de procéder ainsi par le centre antipoison ou le médecin. Ne rien administrer par la bouche à une personne inconsciente.

EN CAS DE CONTACT AVEC LA PEAU OU LES VÊTEMENTS :

Enlever tous les vêtements contaminés. Rincer immédiatement la peau à grande eau pendant 15 à 20 minutes. Appeler un centre antipoison ou un médecin pour obtenir des conseils sur le traitement.

EN CAS D'INHALATION :

Déplacer la personne vers une source d'air frais. Si la personne ne respire pas, appeler le 911 ou une ambulance, puis pratiquer la respiration artificielle, de préférence la bouche-à-bouche, si possible. Appeler un centre antipoison ou un médecin pour obtenir des conseils sur le traitement.

EN CAS DE CONTACT AVEC LES YEUX :

Garder les paupières écartées et rincer doucement et lentement avec de l'eau pendant 15 à 20 minutes. Le cas échéant, retirer les lentilles cornéennes au bout de 5 minutes et continuer de rincer l'œil. Appeler un centre antipoison ou un médecin pour obtenir des conseils sur le traitement.

Signaler immédiatement à un médecin ou à un centre antipoison tout cas d'ingestion par des êtres humains. Prévenir immédiatement un vétérinaire lorsque l'empoisonnement d'un animal de compagnie ou d'élevage est soupçonné. Emporter le contenant, l'étiquette ou prendre note du nom et du numéro d'homologation du produit lorsqu'on cherche à obtenir une aide médicale.

INFORMATION TOXICOLOGIQUE : La vitamine K₁ par injection, intramusculaire ou sous-cutanée ou par voie orale est conseillée comme traitement curatif de l'empoisonnement par anticoagulant. La gravité du cas, telle que mesurée par l'établissement du temps de prothrombine prolongé (PT), déterminera la thérapie appropriée. La surveillance du temps de prothrombine indiquera si des traitements répétés s'imposent.

RISQUES ENVIRONNEMENTAUX : Ce produit est toxique pour les poissons et la faune. Tenir à l'écart de tout plan d'eau (lac, ruisseaux, étangs).

MODE D'EMPLOI : Consulter l'étiquette de l'emballage extérieur pour obtenir des DIRECTIVES SUR L'UTILISATION, LES RESTRICTIONS D'UTILISATION, LE CHOIX DES ZONES À TRAITER, LA PRÉPARATION ET L'APPLICATION.

LIQUA-TOX™ II FC

RODENTICIDE

**KILLS RATS AND MICE
TUE LES RATS ET LES SOURIS**

*Mix contents of pouch with 1 liter of water
Mélanger le contenu d'un sachet avec un litre d'eau*

REG. NO:
NO. D'HOM.:

31122
COMMERCIAL

P.C.P. ACT
L.P.A.

**WARNING
POISON**



**AVERTISSEMENT
POISON**

GUARANTEE / GARANTIE :

Sodium Salt of Diphacinone 0.106%
Sel de sodium de diphacinone 0.106%

**KEEP OUT OF REACH OF CHILDREN
GARDER HORS DE LA PORTÉE DES ENFANTS**

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

Usage réservé uniquement aux spécialistes accrédités de la lutte antiparasitaire, aux producteurs agricoles et aux personnes autorisées dans le cadre d'un programme de lutte antiparasitaire reconnu par l'administration publique.

NET CONTENTS: 50 ml / CONTENU NET : 50 ml

Manufactured by/Fabrique par:



3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.
Tel / Tél : 608-241-0202
www.belllabs.com

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

FIRST AID:

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (PT) will determine appropriate therapy. Monitoring PT will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE: See outer package label for DIRECTIONS FOR USE, USE LIMITATIONS, SELECTION OF TREATMENT AREAS, MIXING DIRECTIONS, and APPLICATION DIRECTIONS.

022018/02-14

2446-3

(OUTER LABEL)

LIQUA-TOX II FC RODENTICIDE

Mix contents of pouch with 1 liter of water

KILLS RATS AND MICE

REG. NO: 31122 P.C.P. ACT

COMMERCIAL



WARNING

POISON

GUARANTEE:

Sodium Salt of Diphacinone.....0.106%

READ THE LABEL BEFORE USING

(see back panel for additional precautionary statements)

KEEP OUT OF REACH OF CHILDREN

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

NET CONTENTS: 50mL x 8 pouches, 50mL x 32 pouches, and 50mL x 50 pouches

Manufactured by: Bell Laboratories, Inc., 3699 Kinsman Blvd., Madison, WI 53704 USA
Tel: 608-241-0202

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

FIRST AID:

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Field Code Changed

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE: Use bait to control the Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*) and House mouse (*Mus musculus*) indoors.

USE LIMITATIONS: For indoor use only. Do not use in areas accessible to children, pets, and non-target wildlife. Liquid bait **MUST** be placed in tamper-resistant bait stations. Do not use in homes or other residential settings. Product may be used in farm buildings, food service establishments (non-food areas), granary bins (empty), processing plants (feed, food, in non-food areas), storage areas (non-food), warehouses, and port or terminal buildings,. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Bait stations (tier 3) used for the placement of bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection molded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have internal structure which prevents bait from being shaken loose or spilled; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, "WARNING POISON", and the skull and crossbones symbol.

Bait stations (tier 2) used for the placement of bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations: (1) resistant to destruction by non-target animals; and (2) have an entrance designed so that non-target animals cannot reach the bait.

Liqua-Tox II FC RODENTICIDE must be used with a liquid metering dispenser (e.g. rodenticide dispenser, chick fount) which will fit securely inside the bait station. **The bait station must be secured so that it cannot be moved or lifted by children, pets and non-target animals.** The bait station can be secured by affixing it to a weighted or permanent surface in such a way that prevents the bait from being spilled.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and drink the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove any spoiled or contaminated bait promptly. Food Processing, Food Manufacturing, Food Storage and Food Service Areas: For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

MIXING DIRECTIONS: Using scissors, cut one pouch where indicated and pour its contents into 1 liter of water. Mix LIQUA-TOX II FC RODENTICIDE and water thoroughly.

APPLICATION DIRECTIONS

RATS: Place 500 ml of diluted liquid bait into each dispenser. If the infested area is large, or if the rat population appears to be high, place the loaded bait stations at intervals of 4.5 to 9 metres. Refill the bait station as needed to ensure that bait is exposed in all infested areas where it can be used without putting non-target organisms at risk.

HOUSE MICE: Place 250 ml of diluted liquid bait into each dispenser. If infested area is large, or if the mouse population appears to be high, place the loaded bait stations at intervals of 2.5 to 4 metres. Refill the bait station as needed to ensure that bait is exposed in all infested areas where it can be used without putting non-target organisms at risk.

RATS/MICE: Replace contaminated or spoiled bait immediately. Dispose of unused or spoiled bait and rodents in accordance with local requirements. Continue placements as long as target species are being controlled by bait and non-target species are not at risk.

DISPOSAL: Dispose of unused or spoiled bait in accordance with local requirements. Dispose of empty packaging in accordance with provincial requirements. For more information of the disposal of unused, unwanted product and cleanup of spills, contact the provincial regulatory agency or the Manufacturer.

Rodent Disposal: Dispose of dead rodents in garbage or by burying.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

(INNER LABEL-Pouch)

LIQUA-TOX II FC RODENTICIDE

Mix contents of pouch with 1 liter of water

KILLS RATS AND MICE

REG. NO: 31122 P.C.P. ACT

COMMERCIAL



WARNING

POISON

GUARANTEE:

Sodium Salt of Diphacinone.....0.106%

KEEP OUT OF REACH OF CHILDREN

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

NET CONTENTS: 50ml

Manufactured by: Bell Laboratories, Inc., 3699 Kinsman Blvd., Madison, WI 53704 USA
Tel: 608-241-0202

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.
May be harmful or fatal if swallowed or absorbed through the skin. Wear a long-sleeved

shirt, long pants, chemical-resistant gloves, socks and shoes when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

FIRST AID:

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Field Code Changed

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE: See outer package label for DIRECTIONS FOR USE, USE LIMITATIONS, SELECTION OF TREATMENT AREAS, MIXING DIRECTIONS, and APPLICATION DIRECTIONS.

