



Safety Data Sheet

Section 1: Identification

Product identifier

Product Name

- **Zoecon Zenprox Aerosol**

Synonyms

- 100505269; EPA Reg. No.: 2724-675; Premium Roach Spray

Product Description

- White liquid aerosol spray.

Relevant identified uses of the substance or mixture and uses advised against**Recommended use**

- Insecticide.

Restrictions on use

- Keep out of the reach of children. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and flame. Use in well ventilated area.

Details of the supplier of the safety data sheet**Manufacturer**

- Wellmark International
1501 E. Woodfield Road, Suite 200W
Schaumburg, IL 60173
United States
www.zoecon.com

Emergency telephone number**Manufacturer**

- 1-800-248-7763

Manufacturer (Transportation) • 1-800-424-9300 - CHEMTREC**Manufacturer (Transportation)** • 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture**OSHA HCS 2012**

- Aspiration 1
Flammable Aerosols 2
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Eye Mild Irritation 2B

Label elements**OSHA HCS 2012****DANGER**

- Hazard statements** • Flammable aerosol
May cause drowsiness or dizziness
May be fatal if swallowed and enters airways
Causes eye irritation

Precautionary statements

- Prevention** • Use only outdoors or in a well-ventilated area.
Avoid breathing dust, fume, gas, mist, vapors and/or spray.
Do not spray on an open flame or other ignition source.
Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
Pressurized container: Do not pierce or burn, even after use.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
- Response** • IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor if you feel unwell.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
- Storage/Disposal** • Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Other hazards**OSHA HCS 2012**

- This product is extremely toxic to aquatic organisms, including fish and invertebrates. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients**Substances**

- Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Mixtures

Composition		
Chemical Name	Identifiers	%
Etofenprox	CAS:80844-07-1	1%
Tetramethrin	CAS:7696-12-0	0.5%
Piperonyl butoxide	CAS:51-03-6	1.5%
Pyrethrins	CAS:8003-34-7	0.15%
Distillates (petroleum), hydrotreated light	CAS:64742-47-8	10.6%
Propane	CAS:74-98-6	7.34%
Butane	CAS:106-97-8	7.16%
Other ingredients	NDA	71.75%

Section 4: First-Aid Measures

Description of first aid measures

- Inhalation**
- IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- Skin**
- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms occur.
- Eye**
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or doctor for treatment advice.
- Ingestion**
- IF SWALLOWED: Aspiration hazard - do NOT induce vomiting. Call a poison control center or doctor immediately for treatment advice.

Most important symptoms and effects, both acute and delayed

- Aspiration hazard, may cause dizziness or drowsiness if inhaled, causes eye irritation. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media**
- LARGE FIRE: Water spray, fog or regular foam.
 - SMALL FIRES: Dry chemical, CO₂, water spray or regular foam.
- Unsuitable Extinguishing Media**
- Avoid heavy hose streams.
- Firefighting Procedures**
- Flammable aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.
 - As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.

Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- At temperatures above 130°F, container may rupture.
 - Flammable aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.
- Hazardous Combustion Products**
- Thermal degradation may produce oxides of carbon, oxides of nitrogen and/or volatile hydrocarbon vapors.

Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- Approach leaking or punctured pressurized containers cautiously. Isolate leaking container from all sources of ignition. Avoid breathing fumes. Ventilate enclosed areas.
- Emergency Procedures**
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid unnecessary personnel and equipment traffic in the spill area. Turn off electric power to area. As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Stay upwind. Ventilate closed spaces before entering.

Environmental precautions

- Avoid run off to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Keep away from fire, sparks and heated surfaces.
SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not smoke while using this product. Do not allow product to freeze. Contents under pressure, do not crush, puncture or incinerate. Avoid breathing fumes.

Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry place. Keep out of reach of children. Keep away from sources of ignition – No Smoking. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep at a temperature not exceeding 120 F. Keep from freezing. NFPA Aerosol Classification: Level 1.

Incompatible Materials or Ignition Sources

- Heat, sparks, open flame.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Pyrethrins (8003-34-7)	TWAs	5 mg/m3 TWA	5 mg/m3 TWA	5 mg/m3 TWA
Butane (106-97-8)	STELs	1000 ppm STEL	Not established	Not established
	TWAs	Not established	800 ppm TWA; 1900 mg/m3 TWA	Not established
Propane (74-98-6)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA; 1800 mg/m3 TWA

Exposure controls

Engineering Measures/Controls

- Use adequate ventilation to remove vapors (fumes, dust etc)

Personal Protective Equipment

Pictograms



Respiratory

- In case of insufficient ventilation, use NIOSH approved respiratory protection.

Eye/Face

- Wear safety goggles.

Hands

- Wear appropriate gloves.

Skin/Body

- If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

Environmental Exposure Controls

- No data available

Other Information

- See product label for specific use PPE instructions.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Aerosol	Appearance/Description	Aerosol spray.
Color	White	Odor	Solvent
Aerosol Type	Spray	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	Heat of Decomposition	No data available
pH	Not relevant	Specific Gravity/Relative Density	No data available
Water Solubility	Insoluble	Viscosity	No data available
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	14.5 %
VOC (Vol.)	No data available		
Flammability			
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Heat of Combustion (ΔH_c)	7.21 kJ/g
Flame Extension	0 in	Flammability (solid, gas)	Flammable aerosol.
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

- No data available

Chemical stability

- No data available

Possibility of hazardous reactions

- Flammable, aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.

Conditions to avoid

- Heat, sparks, open flame. Excess heat.

Incompatible materials

- Heat, strong acids, strong bases and oxidizing agents.

Hazardous decomposition products

- Hazardous decomposition may occur when heated producing oxides of carbon and nitrogen, volatile hydrocarbon vapors.

Section 11 - Toxicological Information

Information on toxicological effects

	CAS	
--	-----	--

Zoecon Zenprox Aerosol	NDA	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Inhalation-Rat LC50 • >2.06 mg/L 4 Hour(s); Skin-Rat LD50 • >5000 mg/kg; Irritation: Eye-Rabbit • Mild irritation; Skin-Rabbit • Mild irritation
------------------------	-----	--

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
Aspiration Hazard	OSHA HCS 2012 • Aspiration 1
Carcinogenicity	OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	OSHA HCS 2012 • Classification criteria not met
Skin sensitization	OSHA HCS 2012 • Classification criteria not met
STOT-RE	OSHA HCS 2012 • Classification criteria not met
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Mild Irritation 2B

Potential Health Effects

Inhalation

- Acute (Immediate)** • May cause drowsiness and dizziness.
- Chronic (Delayed)** • No data available

Skin

- Acute (Immediate)** • May cause mild irritation.
- Chronic (Delayed)** • Repeated exposure to etofenprox can cause skin irritation.

Eye

- Acute (Immediate)** • May cause mild irritation.
- Chronic (Delayed)** • No data available

Ingestion

- Acute (Immediate)** • Aspiration Hazard - may be fatal if swallowed and enters airways.
- Chronic (Delayed)** • No data available

Section 12 - Ecological Information

Toxicity

Component	CAS	Data
Etofenprox (1%)	80844-07-1	Crustacea: 96 Hour(s) LC50 Crustacea <i>Mysid shrimp</i> 0.0000188 mg/L ; 48 Hour(s) LC50 Water Flea <i>Daphnia magna</i> 0.0008 mg/L ; NOEC Water Flea <i>Daphnia magna</i> 0.00017 mg/L ; Fish: 96 Hour(s) LC50 Fish <i>Sheepshead minnow</i> >0.0165 mg/L ; 96 Hour(s) LC50 Fish <i>Rainbow Trout</i> 0.0027 mg/L
Tetramethrin (0.5%)	7696-12-0	Crustacea: 48 Hour(s) LC50 Crustacea <i>Daphnia magna</i> 0.11 mg/L [Acute]; Fish: 96 Hour(s) LC50 Fish <i>Rainbow trout</i> 0.0037 mg/L [Acute]; 96 Hour(s) LC50 Fish <i>Blue gill</i> 0.016 mg/L [Acute]
		Crustacea: LC50 Crustacea <i>Gammarus fasciatus (amphipod)</i> 0.51 mg/L [Acute]; LC50 Crustacea <i>Mysid</i>

Piperonyl butoxide (1.5%)	51-03-6	<i>shrimp</i> 0.49 mg/L [Acute]; NOEC Crustacea <i>Daphnia magna</i> 0.03 mg/L [Chronic]; Fish: LC50 Fish <i>Rainbow Trout</i> 1.9 mg/L [Acute]; LC50 Fish <i>Sheephead minnow</i> 3.94 mg/L [Acute]; NOEC Fish <i>Fathead minnow</i> 0.04 mg/L [Chronic]
Pyrethrins (0.15%)	8003-34-7	Crustacea: NOEC Crustacea <i>Daphnia magna</i> 0.00086 mg/L [Chronic]; NOEC Crustacea <i>Mysid shrimp</i> 0.0001 mg/L [Estimated chronic]; 96 Hour(s) LC50 Crustacea <i>Mysid Shrimp</i> 0.0014 mg/L [Acute]; 48 Hour(s) LC50 Water Flea <i>Daphnia magna</i> 0.0116 mg/L [Acute]; Fish: 96 Hour(s) LC50 Fish <i>Rainbow trout</i> 0.0051 mg/L [Acute]; 96 Hour(s) LC50 Fish <i>Sheepshead minnow</i> 0.016 mg/L [Acute]; NOEC Fish <i>Fathead minnow</i> 0.0019 mg/L [Chronic]; NOEC Fish <i>Sheepshead minnow</i> 0.0059 mg/L [estimated chronic]

Persistence and degradability

- No data available

Bioaccumulative potential

- No data available

Mobility in Soil

- No data available

Other adverse effects

Potential Environmental Effects

- Extremely toxic to fish and aquatic invertebrates.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Do not allow entry into storm drains, drainage ditches, gutters or surface waters.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Do not puncture or incinerate. Nonrefillable container. Do not reuse or refill container. See product label for container disposal instructions.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	None	Consumer Commodity	ORM-D	None	Not Applicable
	UN1950	Aerosols (contains Etofenprox)	2.1	None	Not Applicable
IMO/IMDG	UN1950	Aerosols, (contains Etofenprox)	2.1	None	Marine Pollutant
IATA/ICAO	UN1950	Aerosols, flammable	2.1	None	Acute Aquatic Toxicity

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • No data available

Other information

DOT • Environmental Hazards: RQ (Pyrethrins = 1 lb).

IMO/IMDG • No data available

IATA/ICAO • No data available

Key to abbreviations

= N/A = Not applicable.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • SARA Title III Section 313

FIFRA – Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • KEEP OUT OF THE REACH OF CHILDREN.

Hazards to Humans and Domestic Animals • CAUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Repeated exposure to etofenprox can cause skin irritation. Personal Protective Equipment (PPE): Applicators and other handlers must wear • Long-sleeve shirt, • Long pants, • Shoes and socks User Safety Requirements Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

First Aid • IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

Environmental Hazards • This product is extremely toxic to aquatic organisms including fish and aquatic invertebrates. Do not contaminate water when disposing of equipment washwaters or rinsate. See directions for use for additional precautions and requirements.

Physical or Chemical Hazards • Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130° F may cause bursting.

Inventory		
Component	CAS	TSCA
Butane	106-97-8	Yes
Distillates (petroleum), hydrotreated light	64742-47-8	Yes
Etofenprox	80844-07-1	No
Piperonyl butoxide	51-03-6	Yes
Propane	74-98-6	Yes
Pyrethrins	8003-34-7	No
Tetramethrin	7696-12-0	No

United States

Environment

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Propane	74-98-6	Not Listed
• Butane	106-97-8	Not Listed
• Pyrethrins	8003-34-7	1 lb final RQ (listed under Pyrethrins); 0.454 kg final RQ (listed under Pyrethrins)
• Etofenprox	80844-07-1	Not Listed
• Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
• Piperonyl butoxide	51-03-6	Not Listed
• Tetramethrin	7696-12-0	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Propane	74-98-6	Not Listed
• Butane	106-97-8	Not Listed
• Pyrethrins	8003-34-7	Not Listed
• Etofenprox	80844-07-1	Not Listed
• Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
• Piperonyl butoxide	51-03-6	1.0 % de minimis concentration
• Tetramethrin	7696-12-0	1.0 % de minimis concentration

Section 16 - Other Information

Last Revision Date	• 20/July/2015
Preparation Date	• 20/July/2015
Disclaimer/Statement of Liability	• The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.