

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TOPAX 12NK

Other means of identification : Not applicable

Recommended use : Cleaning product

Product dilution information : 2,0 % - 3,0 %

Company : ECOLAB Química Ltda.  
Avenida Gupe, 10933  
Jd. Belval - Barueri – SP, Brazil Cep.: 06422-120  
0800 704 1409  
sac.brasil@ecolab.com

Emergency telephone : 0800 701 0450 (Planitox) – Medical Emergency.  
0800 110 8270 (ABIQUIM / PROQUIMICA)

Issuing date : 23.04.2021

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Skin corrosion : Category 1  
Serious eye damage : Category 1  
Short-term (acute) aquatic hazard : Category 2

**Product AT USE DILUTION**

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

**GHS label elements**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.  
Toxic to aquatic life.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## SAFETY DATA SHEET

### TOPAX 12NK

Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

#### Product AT USE DILUTION

Precautionary Statements

**Prevention:**

Wash hands thoroughly after handling.

**Response:**

Get medical advice/ attention if you feel unwell.

**Storage:**

Store in accordance with local regulations.

#### Product AS SOLD

Other hazards

: None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Product AS SOLD

Pure substance/mixture

: Mixture

| Chemical name                               | CAS-No.    | Concentration (%) |
|---------------------------------------------|------------|-------------------|
| triposphoric acid, pentasodium salt         | 7758-29-4  | 5 - 10            |
| Paraffin oils, sulfochlorinated, saponified | 68188-18-1 | 5 - 10            |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5   | 1 - 5             |
| Dodecyldimethylamine oxide                  | 1643-20-5  | 1 - 5             |

#### Product AT USE DILUTION

No hazardous ingredients

### SECTION 4. FIRST AID MEASURES

#### Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and : See Section 11 for more detailed information on health effects and symptoms.

## SAFETY DATA SHEET

### TOPAX 12NK

delayed

#### Product AT USE DILUTION

|                         |                                                         |
|-------------------------|---------------------------------------------------------|
| In case of eye contact  | : Rinse with plenty of water.                           |
| In case of skin contact | : Rinse with plenty of water.                           |
| If swallowed            | : Rinse mouth. Get medical attention if symptoms occur. |
| If inhaled              | : Get medical attention if symptoms occur.              |

### SECTION 5. FIRE-FIGHTING MEASURES

#### Product AS SOLD

|                                                |                                                                                                                                                                                                                                                                                    |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                          |
| Unsuitable extinguishing media                 | : None known.                                                                                                                                                                                                                                                                      |
| Specific hazards during fire fighting          | : Not flammable or combustible.                                                                                                                                                                                                                                                    |
| Hazardous combustion products                  | : Decomposition products may include the following materials:<br>Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Sulfur oxides<br>Oxides of phosphorus                                                                                                                      |
| Special protective equipment for fire-fighters | : Use personal protective equipment.                                                                                                                                                                                                                                               |
| Specific extinguishing methods                 | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes. |

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.                                                      |
| Environmental precautions                                           | : Do not allow contact with soil, surface or ground water.                                                                                                                                                                                                                                                                                                                                                    |
| Methods and materials for containment and cleaning up               | : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |

#### Product AT USE DILUTION

|                       |                                        |
|-----------------------|----------------------------------------|
| Personal precautions, | : Refer to protective measures listed. |
|-----------------------|----------------------------------------|

## SAFETY DATA SHEET

### TOPAX 12NK

protective equipment and  
emergency procedures

Environmental precautions : No special environmental precautions required.

Methods and materials for  
containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 15 °C to 40 °C

#### Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Ingredients with workplace control parameters

| Components                | CAS-No.  | Form of exposure                      | Permissible concentration | Basis |
|---------------------------|----------|---------------------------------------|---------------------------|-------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | TWA<br>(Inhalable fraction and vapor) | 10 ppm                    | ACGIH |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

## SAFETY DATA SHEET

### TOPAX 12NK

|                        |                                                                                                                                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin protection        | : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing                                                                                                                                                                                                       |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.                                                                                                                                                                                                   |
| Hygiene measures       | : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. |

#### Product AT USE DILUTION

|                      |                                                                                                      |
|----------------------|------------------------------------------------------------------------------------------------------|
| Engineering measures | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------|------------------------------------------------------------------------------------------------------|

#### Personal protective equipment

|                        |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Eye protection         | : No special protective equipment required.                       |
| Hand protection        | : No special protective equipment required.                       |
| Skin protection        | : No special protective equipment required.                       |
| Respiratory protection | : No personal respiratory protective equipment normally required. |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         | Product AS SOLD        | Product AT USE DILUTION |
|-----------------------------------------|------------------------|-------------------------|
| Appearance                              | : liquid               | liquid                  |
| Color                                   | : clear, amber         | colorless               |
| Odor                                    | : characteristic       | odorless                |
| pH                                      | : 12,0 - 14,0, (100 %) | 9,0 - 13,0              |
| Flash point                             | : Not applicable       |                         |
| Odor Threshold                          | : No data available    |                         |
| Melting point/freezing point            | : No data available    |                         |
| Initial boiling point and boiling range | : > 100 °C             |                         |
| Evaporation rate                        | : No data available    |                         |
| Flammability (solid, gas)               | : Not applicable       |                         |
| Upper explosion limit                   | : No data available    |                         |
| Lower explosion limit                   | : No data available    |                         |
| Vapor pressure                          | : No data available    |                         |
| Relative vapor density                  | : No data available    |                         |
| Relative density                        | : 1,06 - 1,08          |                         |
| Water solubility                        | : soluble              |                         |
| Solubility in other solvents            | : No data available    |                         |
| Partition coefficient: n-octanol/water  | : No data available    |                         |

## SAFETY DATA SHEET

### TOPAX 12NK

|                          |                     |
|--------------------------|---------------------|
| Autoignition temperature | : No data available |
| Thermal decomposition    | : No data available |
| Viscosity, kinematic     | : No data available |
| Explosive properties     | : No data available |
| Oxidizing properties     | : No data available |
| Molecular weight         | : No data available |
| VOC                      | : No data available |

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

|                                    |                                                                                                                                                                             |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                                                                                               |
| Chemical stability                 | : Stable under normal conditions.                                                                                                                                           |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                                                                                               |
| Conditions to avoid                | : None known.                                                                                                                                                               |
| Incompatible materials             | : Acids                                                                                                                                                                     |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Sulfur oxides<br>Oxides of phosphorus |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Causes serious eye damage.                                  |
| Skin             | : Causes severe skin burns.                                   |
| Ingestion        | : Causes digestive tract burns.                               |
| Inhalation       | : May cause nose, throat, and lung irritation.                |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

#### Product AT USE DILUTION

|            |                                                               |
|------------|---------------------------------------------------------------|
| Eyes       | : Health injuries are not known or expected under normal use. |
| Skin       | : Health injuries are not known or expected under normal use. |
| Ingestion  | : Health injuries are not known or expected under normal use. |
| Inhalation | : Health injuries are not known or expected under normal use. |

## SAFETY DATA SHEET

### TOPAX 12NK

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

##### Product AS SOLD

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

##### Product AT USE DILUTION

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD Product

Acute oral toxicity : Acute toxicity estimate : > 5.000 mg/kg  
Acute inhalation toxicity : No data available  
Acute dermal toxicity : Acute toxicity estimate : > 5.000 mg/kg  
Skin corrosion/irritation : No data available  
Serious eye damage/eye irritation : No data available  
Respiratory or skin sensitization : No data available  
Carcinogenicity : No data available  
Reproductive effects : No data available  
Germ cell mutagenicity : No data available  
Teratogenicity : No data available  
STOT-single exposure : No data available  
STOT-repeated exposure : No data available  
Aspiration toxicity : No data available

### SECTION 12. ECOLOGICAL INFORMATION

##### Product AS SOLD Ecotoxicity

Environmental Effects : Toxic to aquatic life.

##### Product

Toxicity to fish : No data available

## SAFETY DATA SHEET

### TOPAX 12NK

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Components

Toxicity to fish : triphosphoric acid, pentasodium salt  
24 h LC50 Danio rerio (zebra fish): > 1.850 mg/l

2-(2-butoxyethoxy)ethanol  
96 h LC50 Fish: 1.300 mg/l

Dodecyldimethylamine oxide  
96 h LC50 Lepomis macrochirus (Bluegill sunfish): 31,8 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : triphosphoric acid, pentasodium salt  
48 h EC50 Aquatic Invertebrate: > 100 mg/l

Dodecyldimethylamine oxide  
48 h EC50 Daphnia magna (Water flea): 3,9 mg/l

#### Persistence and degradability

##### Product AS SOLD

Readily biodegradable.

##### Product AT USE DILUTION

Readily biodegradable.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

##### Product AS SOLD

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and



# SAFETY DATA SHEET

## TOPAX 12NK

federal regulations.

### Product AT USE DILUTION

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose.

Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

## SECTION 14. TRANSPORT INFORMATION

### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (ANTT 5.232)

Not dangerous goods

### Air transport (IATA)

Contact Regulatory for air freight eligibility

### Sea transport (IMDG/IMO)

Not dangerous goods

## SECTION 15. REGULATORY INFORMATION


### NATIONAL REGULATIONS, BRAZIL

Brazil: Our FISPQ complies with the Brazilian Rule ABNT NBR 14725.

## SECTION 16. OTHER INFORMATION

### Product AS SOLD

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |


0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

# SAFETY DATA SHEET

## TOPAX 12NK

### Product AT USE DILUTION

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 0 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 23.04.2021  
Version : 1.0  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.