

SAFETY DATA SHEET

CORE SHELL™ 71307

Section: 1. IDENTIFICATION

Product name : CORE SHELL™ 71307

Other means of identification : Not applicable.

Recommended use : FLOCCULANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Canada ULC
1055 Truman Street
Burlington, Ontario L7R 3Y9
Canada
TEL: (905) 633-1000

Emergency telephone number : (800) 463-3216 (24 Hours) CHEMTREC

Issuing date : 2020/07/20

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2B

GHS Label element

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Other hazards : Mix thoroughly before use. If swallowed a jelly mass may form which in digestion may cause blockage. Water in contact with the product will cause slippery floor conditions.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name/Common Name/Synonyms	CAS-No.	Concentration: (%) (w/w) *
Hydrotreated Light Distillate (petroleum)	64742-47-8	10 - 30
Alcohols, C12-15, ethoxylated	68131-39-5	1 - 5

* Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

SAFETY DATA SHEET

CORE SHELL™ 71307

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically. If swallowed a jelly mass may form which in digestion may cause blockage.
- Most important symptoms and effects, both acute and delayed :

Potential Health Effects

- Eyes : Causes eye irritation.
- Skin : Health injuries are not known or expected under normal use.
- Ingestion : If swallowed a jelly mass may form which in digestion may cause blockage.
- Inhalation : Health injuries are not known or expected under normal use.
- Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

- Eye contact : Redness, Irritation
- Skin contact : No symptoms known or expected.
- Ingestion : No symptoms known or expected.
- Inhalation : No symptoms known or expected.

Additional information on delayed, immediate or chronic effects from short or long term exposure is not available.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not use water unless flooding amounts are available.

SAFETY DATA SHEET

CORE SHELL™ 71307

- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Hydrogen chloride
- Special protective equipment and precautions for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Spills of this product are very slippery. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Wash hands thoroughly after handling. Use only with adequate ventilation. Stir well prior to use.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers. Store separately from oxidizers.
- Suitable material : Keep in properly labelled containers.
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrotreated Light Distillate (petroleum)	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as	ACGIH

SAFETY DATA SHEET

CORE SHELL™ 71307

			total hydrocarbon vapor)	
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
Hydrotreated Light Distillate (petroleum)	64742-47-8	TWA	525 mg/m3	CA ON OEL
		TWA (Mist)	5 mg/m3	CAD AB OEL
		STEL (Mist)	10 mg/m3	CAD AB OEL
		VME (Mist)	5 mg/m3	OEL (QUE)
		STEV (Mist)	10 mg/m3	OEL (QUE)
		TWA	200 mg/m3 (as total hydrocarbon vapor)	CAD BC OEL
		TWA	200 mg/m3 (as total hydrocarbon vapor)	CAD AB OEL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety goggles

Hand protection : Wear protective gloves.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Human Exposure Characterization :

Based on our recommended product application and personal protective equipment, the potential human exposure is: Low

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Emulsion

Colour : light brown

Odour : hydrocarbon-like

SAFETY DATA SHEET

CORE SHELL™ 71307

Flash point	: 135 °C, Method: ASTM D 92, Cleveland open cup
pH	: 4.0 - 5.0,(100 %)
Odour Threshold	: no data available
Melting point/freezing point	: Freezing Point: , No data available.
Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.995 - 1.078, (25 °C),
Density	: 0.99 - 1.08 g/cm ³ , 8.30 - 9.00 lb/gal
Water solubility	: emulsifiable
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: 400 - 1,500 mPa.s (22 °C)
Viscosity, kinematic	: 402 mm ² /s (22 °C) 265.3 mm ² /s (40 °C)
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Addition of water results in gelling. Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.
Hazardous decomposition	: In case of fire, hazardous decomposition products may be produced such as:

SAFETY DATA SHEET

CORE SHELL™ 71307

products	Carbon oxides nitrogen oxides (NOx) Hydrogen chloride
----------	---

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: If swallowed a jelly mass may form which in digestion may cause blockage.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: Result: Mild eye irritation
Respiratory or skin sensitization	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available

SAFETY DATA SHEET

CORE SHELL™ 71307

Aspiration toxicity : no data available

Further information : Additional information on delayed, immediate or chronic effects from short or long term exposure is not available.

Components

Acute oral toxicity : Hydrotreated Light Distillate (petroleum)
LD50 rat: > 5,000 mg/kg

Alcohols, C12-15, ethoxylated
LD50 rat: > 5,000 mg/kg

Components

Acute dermal toxicity : Alcohols, C12-15, ethoxylated
LD50 rat: > 2,000 mg/kg

Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: Moderate

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Brachydanio rerio (zebrafish): > > 1 - 10 mg/l
Exposure time: 96 hrs
Test substance: Representative polymer tested in water with DOC

LC50 Inland Silverside: 185.14 mg/l
Exposure time: 96 hrs
Test substance: Product

LC50 Oncorhynchus mykiss (rainbow trout): 0.51 mg/l
Exposure time: 96 hrs
Test substance: Product

NOEC Inland Silverside: 125 mg/l
Exposure time: 96 hrs
Test substance: Product

NOEC Oncorhynchus mykiss (rainbow trout): 0.25 mg/l
Exposure time: 96 hrs
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Daphnia magna (Water flea): 10 - 100 mg/l
Exposure time: 48 hrs
Test substance: Representative polymer tested in water with DOC

LC50 Daphnia magna (Water flea): 6.09 mg/l
Exposure time: 48 hrs
Test substance: Product

SAFETY DATA SHEET

CORE SHELL™ 71307

LC50 Mysid Shrimp (*Mysidopsis bahia*): 3.38 mg/l
Exposure time: 96 hrs
Test substance: Product

NOEC *Daphnia magna* (Water flea): 5 mg/l
Exposure time: 48 hrs
Test substance: Product

NOEC Mysid Shrimp (*Mysidopsis bahia*): 2.5 mg/l
Exposure time: 96 hrs
Test substance: Product

Toxicity to algae : no data available

Toxicity to fish (Chronic toxicity) : EC25 / IC25: > 10 mg/l
Exposure time: 7 Days
Species: Topsmelt
Test substance: Similar Product

EC25 / IC25: 1.55 mg/l
Exposure time: 7 Days
Species: Fathead Minnow
Test substance: Similar Product

LOEC: > 10 mg/l
Exposure time: 7 Days
Species: Topsmelt
Test substance: Similar Product

LOEC: 2.5 mg/l
Exposure time: 7 Days
Species: Fathead Minnow
Test substance: Similar Product

NOEC: 1 mg/l
Exposure time: 7 Days
Species: Topsmelt
Test substance: Similar Product

NOEC: 1.25 mg/l
Exposure time: 7 Days
Species: Fathead Minnow
Test substance: Similar Product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC: 0.313 mg/l
Exposure time: 7 Days
Species: *Ceriodaphnia dubia*
Test substance: Similar Product
Test Type: 3 Brood

EC25 / IC25: 0.25 mg/l
Exposure time: 7 Days
Species: *Ceriodaphnia dubia*
Test substance: Similar Product
Test Type: 3 Brood

SAFETY DATA SHEET

CORE SHELL™ 71307

NOEC: 0.156 mg/l
Exposure time: 7 Days
Species: Ceriodaphnia dubia
Test substance: Similar Product
Test Type: 3 Brood

Components

Toxicity to algae : Hydrotreated Light Distillate (petroleum)
EC50 : > 1,000 mg/l
Exposure time: 72 h

Alcohols, C12-15, ethoxylated
EC50 Pseudokirchneriella subcapitata (green algae): 0.75 mg/l
Exposure time: 72 h

Components

Toxicity to bacteria : Hydrotreated Light Distillate (petroleum)
> 1,000 mg/l
Exposure time: 48 h

Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%
Water : 10 - 30%
Soil : 70 - 90%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

SAFETY DATA SHEET

CORE SHELL™ 71307

Based on our hazard characterization, the potential environmental hazard is: High

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: Moderate

Section: 13. DISPOSAL CONSIDERATIONS

In Ontario, the waste class under Regulation 347 is: 233L

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

NPRI Components : Sulfuric Acid

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :


The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

SAFETY DATA SHEET

CORE SHELL™ 71307

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

* The human risk is: Low

* The environmental risk is: Moderate

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

Revision Date : 2020/07/20
Version Number : 1.2
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.