

SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY

Product name : MIKROKLENE

Other means of identification : Not applicable

Recommended use : Sanitizer

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Chile ECOLAB S.A.
Avenida Pedro de Valdivia 3801
Santiago, Santiago Chile
(2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600
sac.chile@ecolab.com

Emergency telephone : (+56-2) 2247-3600 (CITUC)

Toxicological Emergency Phone : CITUC (+56-2) 2635-3800 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification according to NCH 382 : Class: Class 8 Corrosives

Distintivo según NCh 2190 :


GHS Classification

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1
Acute aquatic toxicity : Category 3

Not a hazardous substance or mixture.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Harmful if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
Harmful to aquatic life.

SAFETY DATA SHEET

MIKROKLENE

Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements : **Prevention:**
Wash hands thoroughly after handling.
Response:
Get medical advice/ attention if you feel unwell.
Storage:
Store in accordance with local regulations.

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Alkylethoxy-propoxylates	9038-95-3	10 - 30
Phosphoric acid	7664-38-2	5 - 10
iodine	7553-56-2	1 - 5
2-butoxyethanol	111-76-2	1 - 5
sodium iodide	7681-82-5	0,1 - 1

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

SAFETY DATA SHEET

MIKROKLENE

protective equipment.

Notes to physician : Treat symptomatically.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Expected acute effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Expected chronic effects

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Expected acute effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Expected chronic effects

Chronic Exposure : Health injuries are not known or expected under normal use.

Most important symptoms / effects

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

SECTION 5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

MIKROKLENE

Extinguishing Agents	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing agents	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Products generated in combustion and thermal degradation	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Precautions for Emergency Personnel and / or Firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed.
Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

MIKROKLENE

Handling

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Storage

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Recommended and unsuitable packaging by supplier : Use high density plastic containers.

Storage temperature : 0 °C to 40 °C

Product AT USE DILUTION

Handling

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Storage

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Recommended and unsuitable packaging by supplier : Use high density plastic containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	CMP	1 mg/m3	AR OEL
		CMP - CPT	3 mg/m3	AR OEL
Phosphoric acid	7664-38-2	TWA	1 mg/m3	PE OEL
		STEL	3 mg/m3	PE OEL
Phosphoric acid	7664-38-2	L-8/40	1 mg/m3	VE OEL
		LB	3 mg/m3	VE OEL
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		STEL	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
iodine	7553-56-2	CMP-C	0,1 ppm	AR OEL
iodine	7553-56-2	LPA	0,1 ppm 1 mg/m3	CL OEL
iodine	7553-56-2	CEIL	0,1 ppm 1 mg/m3	PE OEL
iodine	7553-56-2	L-8/40	0,01 ppm	VE OEL
		LB	0,1 ppm	VE OEL

SAFETY DATA SHEET

MIKROKLENE

iodine	7553-56-2	P	0,1 ppm 1 mg/m3	MX OEL
		VLE-PPT (Inhalable fraction and vapour)	0,01 ppm	NOM-010-STPS- 2014
		VLE-CT (Vapour and aerosol)	0,1 ppm	NOM-010-STPS- 2014
iodine	7553-56-2	TWA (Inhalable fraction and vapor)	0,01 ppm	ACGIH
		Ceiling	0,1 ppm 1 mg/m3	NIOSH REL
		C	0,1 ppm 1 mg/m3	OSHA Z1
		STEL (Vapor and aerosol)	0,1 ppm	ACGIH
2-butoxyethanol	111-76-2	CMP	20 ppm	AR OEL
2-butoxyethanol	111-76-2	LT	39 ppm 190 mg/m3	BR OEL
2-butoxyethanol	111-76-2	LPP	18 ppm 85 mg/m3	CL OEL
2-butoxyethanol	111-76-2	TWA	20 ppm 97 mg/m3	PE OEL
		STEL	50 ppm 242 mg/m3	PE OEL
2-butoxyethanol	111-76-2	L-8/40	20 ppm	VE OEL
2-butoxyethanol	111-76-2	LMPE-PPT	26 ppm 120 mg/m3	MX OEL
		LMPE-CT	75 ppm 360 mg/m3	MX OEL
		VLE-PPT	20 ppm	NOM-010-STPS- 2014
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z1
sodium iodide	7681-82-5	TWA (Inhalable fraction and vapor)	0,01 ppm (iodine)	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Impervious gloves, resistant to chemicals.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

SAFETY DATA SHEET

MIKROKLENE

Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing Wear closed shoes. Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing Wear closed shoes.
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
----------------------	--

Personal protective equipment

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: dark brown
Odor	: slight
pH	: 1,75, (100 %)
Flash point	: closed cupNot applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,077
Water solubility	: No data available

SAFETY DATA SHEET

MIKROKLENE

Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Bases Metals Organic materials
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity	: No data available
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: Corrosive
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available

SAFETY DATA SHEET

MIKROKLENE

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

Ingredients

Acute oral toxicity : Alkylethoxy-propoxylates
LD50 Rat: 4.640 mg/kg

Phosphoric acid
LD50 Rat: > 2.600 mg/kg

2-butoxyethanol
LD50 Rat: 1.500 mg/kg

sodium iodide
LD50 Rat: 4.340 mg/kg

Ingredients

Acute inhalation toxicity : Alkylethoxy-propoxylates
4 h LC50 Rat: 0,106 mg/l Test atmosphere: dust/mist

Phosphoric acid
4 h LC50 Rat: 0,962 mg/l Test atmosphere: dust/mist

iodine
4 h LC50 Rat: > 4,588 mg/l Test atmosphere: dust/mist

Ingredients

Acute dermal toxicity : Alkylethoxy-propoxylates
LD50 Rabbit: 14.400 mg/kg

Phosphoric acid
LD50 Rabbit: > 2.000 mg/kg

iodine
LD50 Rabbit: 1.425 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life. Harmful to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : 48 h LC50 Daphnia magna (Water flea): 22 mg/l

Toxicity to algae : No data available

Ingredients

Toxicity to fish : Alkylethoxy-propoxylates
96 h LC50: > 100 mg/l

2-butoxyethanol

SAFETY DATA SHEET

MIKROKLENE

96 h LC50: 1.474 mg/l

Ingredients

Toxicity to algae : Phosphoric acid
72 h EC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l

iodine
72 h EC50: 0,13 mg/l

2-butoxyethanol
72 h EC50: 911 mg/l

Persistence and degradability

No data available

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION OF DISPOSAL

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

SAFETY DATA SHEET

MIKROKLENE

Land transport

Official transport classification of the United Nations

UN number	:	1805
Description of the goods	:	PHOSPHORIC ACID, SOLUTION
Class	:	8
Packing group	:	III
Environmentally hazardous	:	no

Air transport (IATA)

Official transport classification of the United Nations

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

Official transport classification of the United Nations

UN number	:	1805
Description of the goods	:	PHOSPHORIC ACID SOLUTION
Class	:	8
Packing group	:	III
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	:	Not applicable
Marine pollutant	:	no

SECTION 15. REGULATORY INFORMATION

Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal

D.S. No. 72: Mining Safety Regulations

D. S. No. 43: reports on the storage of hazardous substances


D. S. No. 40: Reporting on exposure hazards

SECTION 16. OTHER INFORMATION

SAFETY DATA SHEET

MIKROKLENE

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 25.10.2017
Version : 1.1
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.