

SAFETY DATA SHEET: CRICKOFF PRO Advanced

1. IDENTIFICATION

Product Name: CRICKOFF PRO Advanced
Other names: -
Use: Black field cricket bait
Supplier: Key Industries Ltd
Address: P.O. Box 65070, Mairangi Bay, Auckland 0754
Telephone: 09 917 1791
Emergency Phone: 0800 CHEMCALL (0800 243 622) 24 hours
National Poisons Centre: 0800 POISON (0800 764 766)

2. HAZARD IDENTIFICATION

Product is classified as hazardous according to Hazardous Substances (Hazard Classification) Notice 2020 of the HSNO Act, 1996.

HSNO Approval: HSR100407
Hazard Classifications: Skin sensitisation Category 1, Reproductive toxicity Category 2, Target organ systemic toxicity (repeated) Category 2, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1, Hazardous to terrestrial invertebrates.

Pictograms:



Signal word: WARNING

Hazard Statements:

H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Hazardous to terrestrial invertebrates.

Prevention Statements:

P103 Read label before use.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment (except in accordance with use as approved on label).
P280 Wear protective gloves.
P281 Use personal protective equipment as required.

Response Statements:

P314 Get medical advice/attention if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice.
P363 Wash contaminated clothing before use.
P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage Statements:

P405 Store locked up.

EMERGENCY PHONE: 0800 CHEMCALL (0800 243 622) 24 hours

Date of Issue: 7 February 2024

Date for Revision: February 2029

SAFETY DATA SHEET: CRICKOFF PRO Advanced

Disposal Statements:

P501 Dispose of product and containers in accordance with local regulations.

Additional label information requirements according to Hazardous Substances (Labelling) Notice 2017 of the HSNO Act 1996.

- Product is an organophosphate-containing product.
- Treated wheat must not be left in areas accessible to birds.
- Treated wheat must not be used for human or animal consumption.
- Product must only be used by a person with the required qualified, or someone under the direct supervision of a person with the required qualifications.
- Stock must not graze pasture within 7 days of applying.

3. COMPOSITION: INFORMATION ON INGREDIENTS

Ingredients	CAS Number	Concentration (%w/w)
Malathion	121-75-5	<1.6
Wheat	Not applicable	97
Other ingredients	Trade secret	To balance

*other chemical name methyl 2-aminobenzoate

4. FIRST AID MEASURES

Consult the National Poisons Information Centre 0800 POISON (0800 764 766) or a doctor in every case of suspected chemical poisoning, if person feels unwell, or is exposed or concerned. Have product label or Safety Data Sheet at hand.

INGESTION: Do NOT induce vomiting. Rinse mouth. Call POISON CENTRE or doctor for advice.

SKIN CONTACT: Wash with soap and water. If irritation or rash occurs, obtain medical advice.

EYE CONTACT: Flush with running water for at least 15 minutes. Remove contact lenses if present, and easy to do after 5 minutes before continuing rinsing. If irritation persists, get medical advice.

INHALATION: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If person is experiencing respiratory problems, get medical advice.

First Aid facilities: Provide eye baths and safety showers close to areas where exposure may occur.

Advice to Doctor: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flashpoint: Non-flammable.

Suitable extinguishing media: Alcohol resistant foam, dry chemical, carbon dioxide, water spray or water fog. Contain runoff.

Hazards from combustion products: Thermal decomposition may produce toxic/harmful compounds including oxides of carbon, nitrogen, phosphorous and sulphur, mercaptan and dimethyl sulfide.

Precautions for fire fighters and special protective equipment: Self-contained breathing apparatus with full face-piece and protective clothing. Cool fire exposed containers with water spray.

Hazchem Code: 22

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Wear appropriate personal protection equipment to prevent skin and eye exposure.

Methods and materials for containment

In the event of a spill, isolate area and take all practicable steps to prevent product from entering streams and waterways. Contain and collect spillage. Collect up spill into labelled container for recovery or disposal. Clean up and report spills immediately. In event of spillage contaminating a watercourse, notify the Police, local Health Protection Officer and Council.

EMERGENCY PHONE: 0800 CHEMCALL (0800 243 622) 24 hours

Date of Issue: 7 February 2024

Date for Revision: February 2029

SAFETY DATA SHEET: CRICKOFF PRO Advanced

7. HANDLING AND STORAGE

Precautions for safe handling: Restricted to workplaces only. Keep out of reach of children. Read label before use. Comply with application controls.

Avoid contact with skin or eyes. Observe good personal hygiene practices and recommended procedures including wearing of personal protection equipment. Wash hands thoroughly with soap and water after handling.

Conditions for safe storage: Keep out of reach of children, domestic animals (e.g. dogs, cats, sheep, cattle) and birds. Store locked up and in original bag so that treated wheat product remains air-tight. Store out of direct sunlight in a cool well-ventilated area, and away from food or animal feedstuffs. Avoid contamination of and with other products.

Stores containing more than 100 kg are subject to requirements for signage, secondary containment and emergency response plans.

Incompatible materials: Not specified.

Other: Changing out of work clothing and showering recommended at the end of each work shift. Wash work clothes separately from other household clothing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Health Exposure Standards: A Workplace Exposure Standard (WES), have been set by Worksafe (ed. 13, November, 2023) for this substance.

Malathion WES-TWA 1 g/m³ (skin absorption, skin sensitization, inhalable fraction)

Biological limit values: None established

Engineering Controls:

Ventilation: Use in well-ventilated area.

Personal Protective Equipment:

Respiratory Protection: Wear a dust mask. Additional respiratory protection may be necessary under certain use conditions, e.g. confined space. Under such conditions, an approved respirator with a particulate filter according to local standards, should be worn.

Eye Protection: Wear safety goggles to avoid contact with eyes.

Skin/ Body Protection: Wear gloves, e.g. rubber, PVC or equivalent) and overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Green coloured wheat
Odour	Faint sulphurous odour
Odour threshold	Not determined
pH	5.0 – 7.0
Melting/Freezing point °C	Not determined
Boiling Point/Range °C	Not applicable
Flash Point °C	Not applicable
Flammability (solid, gas)	Non flammable
Upper/lower flammability limits	Not determined
Vapour Pressure mm Hg @ 20°C	Not determined
Vapour Density kPa @ 20°C	Not determined
Relative density	Not available
Solubilities	Not applicable
Partition coefficient: n-octanol/water	Not determined
Autoignition Temperature °C	Not determined
Decomposition Temperature °C	Not determined
Kinematic viscosity	Not determined
Particle characteristics	Not determined

EMERGENCY PHONE: 0800 CHEMCALL (0800 243 622) 24 hours

Date of Issue: 7 February 2024

Date for Revision: February 2029

SAFETY DATA SHEET: CRICKOFF PRO Advanced

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of storage and use.
Conditions to avoid: --
Incompatible materials: Oxidizing agents, strong acids, alkalis.
Hazardous decomposition products: Thermal decomposition may produce toxic or harmful compounds including oxides of carbon, nitrogen, phosphorous and sulphur, mercaptan and dimethyl sulfide.
Hazardous reactions: None specified.

11. TOXICOLOGICAL INFORMATION

Toxicity classifications are determined by assessment of the components in the formulated mixture.

Acute toxicity: Not classified as acutely toxic.
Aspiration hazard: Not classified as an aspiration hazard.
Respiratory irritation: Not classified.
Skin corrosion/irritation: Not classified.
Serious eye damage/irritation: Not classified.
Respiratory or skin sensitization: Not classified as a respiratory sensitizer.
Germ cell mutagenicity: Not classified.
Carcinogenicity: Not classified.
Reproductive toxicity: Malathion is suspected of damaging fertility or the unborn child.
Specific organ toxicity: Malathion may cause damage to organs or systems.
Narcotic effects: Not classified.
Toxicological Information:
Malathion
Rat, oral, LD₅₀ >1778 mg/kg
Rat, dermal, LD₅₀ 2000 mg/kg
Rat, inhalation, LC₅₀ (4 hr) >5.0 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity: This mixture is classified as toxic to aquatic life and with long lasting effects. Hazardous to terrestrial invertebrates. Do not contaminate waterways, sewers, or drains when disposing of product or packaging.
Persistence and degradability: Expected to rapidly degrade. Malathion DT₅₀ (typical) 0.17 days, DT₅₀ (field) 1 day.
Potential to be bioaccumulative: Bio-concentration factor (BCF) 103 kg⁻¹, which is a threshold of concern.
Mobility in soil: No information available on treated wheat.
Other adverse effects: No information available on treated wheat.

Ecotoxicological Information:
Malathion
Fish (*Oncorhynchus mykiss*) LC₅₀ (96 hr) 0.08 mg/L
Aquatic invertebrate (*Daphnia magna*) EC₅₀ (48 hr) 0.0007 mg/L
Algae (*Rapidocelis subcapitata*) EC₅₀ (72 hr) growth 13 mg/L
Earthworm (*Eisenia foetida*) EC₅₀ (14 d) 306 mg/kg
Bird (*Colinus virginianus*) LD₅₀ 359 mg/kg b.w.
Honey bee (*Apis mellifera*) LD₅₀ oral 0.40 µg/bee; LD₅₀ contact 0.16 µg/bee

Environmental Exposure Limits (EEL's): Not set.

13. DISPOSAL CONSIDERATIONS

Disposal Methods: Crush and dispose of empty containers. Containers may contain residue. Do NOT use for storage of other products. Dispose of unused wheat according to product label to a hazardous waste facility. Dispose in accordance with all local and national regulations.

EMERGENCY PHONE: 0800 CHEMCALL (0800 243 622) 24 hours

Date of Issue: 7 February 2024
Date for Revision: February 2029

SAFETY DATA SHEET: CRICKOFF PRO Advanced

14. TRANSPORT INFORMATION

Road and Rail Transport		Marine Transport		Air Transport	
UN No.	3077	UN No.	3077	UN No.	3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE , SOLID, N.O.S (MALATHION-TREATED WHEAT)	Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE , SOLID, N.O.S (MALATHION-TREATED WHEAT)	Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE , SOLID, N.O.S (MALATHION-TREATED WHEAT)
DG Class	9	DG Class	9	DG Class	9
Sub. Risk	-	Sub. Risk	-	Sub. Risk	-
Pack Group	III	Pack Group	III	Pack Group	III
Hazchem	2Z	Hazchem	2Z		

Dangerous Goods Segregation

This product is classified as a Dangerous Good Class 9 for Transport.

Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:2020 Transport of Dangerous Goods on Land for information.

15. REGULATORY INFORMATION

HSNO Act 1996

Approval Code: HSR100407 Malathion-treated wheat

HSNO Controls: Refer to www.epa.govt.nz and www.worksafe.govt.nz for information on controls and HS Notices.

Safety Data Sheet:

Restricted to workplace only:

Quantity that requires management in accordance with HSW HS Regulations:

Quantity for secondary containment and emergency response plan:

Quantity for signage:

Record of use if more than 3 kg applied to area within 24 hour period

Qualified handler required

Any quantity

Yes

100 kg

100 kg

100 kg

No

In addition to clause 64 of the Hazardous Property Controls Notice, a person who applies this substance by a ground-based application method that is not listed in Table 2 of Schedule 10 must have one of the qualifications listed in column 1 of the last row of Table 2 (Hazardous Substances (Hazardous Property Controls) notice 2017

No

No

Location compliance certificate

Tracking

Additional Controls:

Label information.

- Product is an organophosphate-containing product.
- Treated wheat must not be left in areas accessible to birds.
- Treated wheat must not be used for human or animal consumption.
- Product must only be used by a person with the required qualified, or someone under the direct supervision of a person with the required qualifications.
- Stock must not graze pasture within 7 days of applying.

Use restrictions.

Malathion-treated wheat:

EMERGENCY PHONE: 0800 CHEMCALL (0800 243 622) 24 hours

Date of Issue: 7 February 2024

Date for Revision: February 2029

SAFETY DATA SHEET: CRICKOFF PRO Advanced

- Must not be left in areas accessible to birds.
- Must not be used for human or animal consumption.
- Must be dye blue or green.

Withholding period

- A withholding period applies to Malathion-treated wheat such that stock must not graze pasture within 7 days of applying.

ACVM Act 1997

Registration Number: P7974

Refer to www.foodsafety.govt.nz

Montreal Protocol, Stockholm Convention, Rotterdam Convention: Methyl anthranilate not listed.

16. OTHER INFORMATION

Date of Issue: 7th February 2024
Reasons for Issue: New SDS for distributor
Replaces: Not applicable

Abbreviations:

EPA	New Zealand Environmental Protection Authority
GHS	Global Harmonised System
HSIS	Hazardous Substance Information System
HSNO	Hazardous Substances and New Organisms
NZIoC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit (15 minute exposure period)
TWA	Time-Weighted Average (8 hours exposure period)
WES	Workplace Exposure Standard

References:

EPA www.epa.govt.nz
New Zealand Food Safety Authority www.foodsafety.govt.nz
Supplier Safety Data Sheets

Other:

-

The information contained herein is given in good faith but no warranty, expressed or implied is made.

End of safety data sheet

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the supplier's knowledge. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Key Industries Limited.