



SAFETY DATA SHEET

INSPEXX 150

SECTION 1. PRODUCT IDENTIFICATION

Product name : INSPEXX 150

Other means of identification : Not applicable

Recommended use : Sanitizer - Food contact surface

Product dilution information : 0,59 % - 1,18 %

Company : Manufactured or Distributed in Costa Rica by:
ECOLAB Costa Rica SRL, Zona Franca BES, El Coyoil 7 Km al Oeste
Aeropuerto Juan Santamaría,
Alajuela, Costa Rica, Código Postal: Apdo109-4003.

Product Distributed in Honduras by:
ECOLAB Ofibodega Premier, bodega No.8 en el Boulervar del este a
30 mts de la caseta de peaje, San Pedro Sula, Honduras

Product Distributed in Panama by:
ECOLAB ALBROOK COMERCIAL PARK, L. D14, CALLE RUBEN
DARIO, CURUNDU, PANAMÁ

Product Distributed in El Salvador by:
ECOLAB, S.A, de C.V. 12 Calle Poniente y 23 Avenida Sur #700 San
Salvador, El Salvador Colonia Cucumayan.

Product Distributed in Guatemala by:
ECOLAB S.A. ECOLAB 42 CALLE 23-00 ZONA 12, BODEGA 8

Product Distributed in Nicaragua by:
ECOLAB C.C.R.L . ECOLAB KM. 16.7 CARRETERA A
TICUANTEPE, 200 MTS A COMUNIDAD SAN PEDRO,
TICUANTEPE. - MANAGUA, NICARAGUA

Emergency telephone : Costa Rica: For medical emergency information, call 911 and (506)
2436-3900 in Costa Rica. National Center of Intoxication in Costa
Rica: (506) 2223-1028
El Salvador: National Center of Intoxication in EL SALVADOR TEL.
(503) 22319262
Guatemala: TOXICOLOGICAL INFORMATION CENTER OF
GUATEMALA CIAT (502) 2230 0807
Nicaragua: National Center of Intoxication in NICARAGUA Nº Tel
(505) 2897150
Honduras: HOSPITAL ESCUELA DE TEGUCIGALPA HONDURAS
(504) 2232-2322
Panama: SYSTEM OF EMERGENCY MANAGEMENT OF THE
REPUBLIC OF PANAMA (SUME) - TEL. 911

Issuing date : 05.03.2020

SECTION 2. HAZARD OR HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Oxidizing liquids, Category 3

H272

Organic peroxides, Type F

H242

SAFETY DATA SHEET

INSPEXX 150

Acute toxicity (Oral), Category 4	H302
Acute toxicity (Inhalation), Category 5	H333
Skin corrosion/irritation, Sub-category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335
Short-term (acute) aquatic hazard, Category 2	H401

Product AT USE DILUTION

Short-term (acute) aquatic hazard, Category 3	H402
---	------

GHS label elements

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : H242 Heating may cause a fire.
H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H401 Toxic to aquatic life.

Precautionary Statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220 Keep away from clothing and other combustible materials.
P234 Keep only in original packaging.
P235 Keep cool.
P240 Ground and bond container and receiving equipment.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SAFETY DATA SHEET

INSPEXX 150

P363	Immediately call a POISON CENTER/doctor.
P370 + P378	Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410	Protect from sunlight.
P420	Store separately.
Disposal:	
P501	Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard Statements	: H402	Harmful to aquatic life.
Precautionary Statements	: Prevention: P273	Avoid release to the environment.
	: Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

SECTION 3. COMPOSITION / INFORMATION OF HAZARDOUS INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Acetic acid	64-19-7	30 - 50
Peroxyacetic acid, type F, stabilized	79-21-0	10 - 30
Hydrogen peroxide	7722-84-1	10 - 30

Product AT USE DILUTION

Chemical name	CAS-No.	Concentration (%)
Peroxyacetic acid, type F, stabilized	79-21-0	0,1 - 0,25

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

SAFETY DATA SHEET

INSPEXX 150

Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Harmful if swallowed. Causes digestive tract burns.
Inhalation	: May cause respiratory tract irritation. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Special protective equipment for fire-fighters Oxidizer. Contact with other material may cause fire. Oxidizer; material is an oxidizer which may readily react with other materials, especially upon heating.
Hazardous combustion	: Decomposition products may include the following materials:

SAFETY DATA SHEET

INSPEXX 150

products Carbon oxides
 Nitrogen oxides (NOx)
 Sulfur oxides
 Oxides of phosphorus

Special protective equipment for fire-fighters : In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION : once diluted, neutralize with a suitable alkali such as sodium bicarbonate. Combustible materials exposed to this product should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

SAFETY DATA SHEET

INSPEXX 150

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to gas evolution if the container is not adequately vented.

Storage temperature : -10 °C to 50 °C

Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Acetic acid	64-19-7	TWA	10 ppm	CR OEL
		STEL	15 ppm	CR OEL
Acetic acid	64-19-7	CPT	10 ppm 25 mg/m3	PA OEL
		CCT	15 ppm 37 mg/m3	PA OEL
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peroxyacetic acid, type F, stabilized	79-21-0	STEL (Inhalable fraction and vapour)	0,4 ppm	CR OEL
Peroxyacetic acid, type F, stabilized	79-21-0	STEL (Inhalable fraction and vapor)	0,4 ppm	ACGIH
Hydrogen peroxide	7722-84-1	TWA	1 ppm	CR OEL
Hydrogen peroxide	7722-84-1	TLV-TWA	1 ppm	DO OEL
Hydrogen peroxide	7722-84-1	CCT	2 ppm 3 mg/m3	PA OEL
		CPT	1 ppm 1,5 mg/m3	PA OEL
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH

SAFETY DATA SHEET

INSPEXX 150

		TWA	1 ppm 1,4 mg/m ³	NIOSH REL
		TWA	1 ppm 1,4 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Physical State	liquid	liquid
Color	colorless	colorless
Odor	vinegar-like	slight
pH	1,8, (100 %)	2,9 - 7,5
Flash point	96 °C closed cup, Does not sustain combustion.	
Odor Threshold	No data available	
Melting point/freezing point	No data available	
Initial boiling point and	> 100 °C	

SAFETY DATA SHEET

INSPEXX 150

boiling range

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1,114

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Thermal decomposition : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : pressure build-up
Contamination may result in dangerous pressure increases - closed containers may rupture.

Possibility of hazardous reactions : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions to avoid : Direct sources of heat.
Exposure to sunlight.

Incompatible materials : Metals
Bases
Organic materials

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

SAFETY DATA SHEET

INSPEXX 150

Experience with human exposure

Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity	: Acute toxicity estimate : 1.500 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : 9,05 mg/l Test atmosphere: dust/mist 4 h Acute toxicity estimate : > 40 mg/l Test atmosphere: vapor
Acute dermal toxicity	: LD50 : 6.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects	: Toxic to aquatic life.
-----------------------	--------------------------

Product

SAFETY DATA SHEET

INSPEXX 150

- Toxicity to fish : 96 h LC50: 10,3 mg/l
- Toxicity to daphnia and other aquatic invertebrates : 48 h LC50 Daphnia magna (Water flea): 4,36 mg/l
- Toxicity to algae : No data available

Components

- Toxicity to algae : Acetic acid
72 h EC50 Skeletonema costatum (marine diatom): > 1.000 mg/l
- Peroxyacetic acid, type F, stabilized
72 h EC50: 0,7 mg/l
- Hydrogen peroxide
72 h EC50: 1,38 mg/l

Persistence and degradability

Product AS SOLD

Readily biodegradable.

Product AT USE DILUTION

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION REGARDING THE DISPOSAL OF PRODUCTS

Product AS SOLD

- Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.
- Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

Product AT USE DILUTION

- Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.
- Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

SAFETY DATA SHEET

INSPEXX 150

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 3109
Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID
(Peroxyacetic acid, type F, stabilized)
Class : 5.2 (8)
Environmentally hazardous : yes

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 3109
Description of the goods : ORGANIC PEROXIDE TYPE F, LIQUID
(Peroxyacetic acid, type F, stabilized)
Class : 5.2 (8)
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable
Marine pollutant : no


SECTION 15. REGULATORY INFORMATION

Our Safety Data Sheet (SDS) complies with Decree n ° 40705-S

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	1


0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

SAFETY DATA SHEET

INSPEXX 150

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 05.03.2020
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.