

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Exelerate TUFSOIL

Other means of identification : Not applicable.

Recommended use : Degreaser

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB INTERNATIONAL SDN. BHD.  
Suite 12-01, 12-02 & 12-03A, Level 12, The Pinnacle, Persiaran  
Lagoon, Bandar Sunway  
46150 Petaling Jaya, Selangor Malaysia  
603-7628 5200

Emergency telephone number : 1800 181 880

Issuing date : 21.02.2022

**Section: 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Corrosive to metals : Category 1

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

**GHS Label element**

Hazard pictograms :




Signal Word : Danger

Hazard Statements : May be corrosive to metals.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.

Precautionary Statements : **Prevention:**  
Keep only in original container. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a

## SAFETY DATA SHEET

### Exelerate TUFSOIL

POISON CENTER or doctor/ physician if you feel unwell. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a corrosion resistant container with a resistant inner liner.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical Name       | CAS-No.   | Concentration: (%) |
|---------------------|-----------|--------------------|
| monoethanolamine    | 141-43-5  | 5 - 10             |
| potassium hydroxide | 1310-58-3 | 5 - 10             |
| sodium hydroxide    | 1310-73-2 | 1 - 5              |

### Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.

## SAFETY DATA SHEET

### Exelerate TUF SOIL

- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 5 °C to 50 °C

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

| Components          | CAS-No.   | Form of exposure | Permissible concentration      | Basis  |
|---------------------|-----------|------------------|--------------------------------|--------|
| monoethanolamine    | 141-43-5  | TWA              | 3 ppm<br>7.5 mg/m <sup>3</sup> | MY OEL |
| potassium hydroxide | 1310-58-3 | CEIL             | 2 mg/m <sup>3</sup>            | MY OEL |
| sodium hydroxide    | 1310-73-2 | CEIL             | 2 mg/m <sup>3</sup>            | MY OEL |

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

## SAFETY DATA SHEET

### Exelerate TUF SOIL

#### Personal protective equipment

|                        |                                                                                                                                                                                                                                                                                                                            |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye protection         | : Safety goggles<br>Face-shield                                                                                                                                                                                                                                                                                            |
| Hand protection        | : Wear the following personal protective equipment:<br>Standard glove type.<br>Nitrile rubber<br>Unsupported neoprene<br>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.                                                                                       |
| Skin protection        | : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing                                                                                                                                                                                                             |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.<br>Combined particulates, ammonia/amines and inorganic gas/vapour type                                                                                                                                  |
| Hygiene measures       | : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.<br>Wash face, hands and any exposed skin thoroughly after handling.<br>Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. |

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         |                                                            |
|-----------------------------------------|------------------------------------------------------------|
| Appearance                              | : gel                                                      |
| Colour                                  | : clear, greenish-yellow                                   |
| Odour                                   | : odourless                                                |
| pH                                      | : 11.6 - 12.5, (1 %)                                       |
| Flash point                             | : closed cup Not applicable., Does not sustain combustion. |
| Odour Threshold                         | : no data available                                        |
| Melting point/freezing point            | : no data available                                        |
| Initial boiling point and boiling range | : no data available                                        |
| Evaporation rate                        | : no data available                                        |
| Flammability (solid, gas)               | : Not applicable.                                          |
| Upper explosion limit                   | : no data available                                        |
| Lower explosion limit                   | : no data available                                        |
| Vapour pressure                         | : no data available                                        |
| Relative vapour density                 | : no data available                                        |
| Relative density                        | : 1.06 - 1.16                                              |
| Water solubility                        | : soluble                                                  |
| Solubility in other solvents            | : no data available                                        |
| Partition coefficient: n-octanol/water  | : no data available                                        |
| Auto-ignition temperature               | : no data available                                        |

## SAFETY DATA SHEET

### Exelerate TUFSOIL

|                       |                     |
|-----------------------|---------------------|
| Thermal decomposition | : no data available |
| Viscosity, kinematic  | : no data available |
| Explosive properties  | : no data available |
| Oxidizing properties  | : no data available |
| Molecular weight      | : no data available |
| VOC                   | : no data available |

#### Section: 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                         |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                                                           |
| Chemical stability                 | : Stable under normal conditions.                                                                                                       |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                                                           |
| Conditions to avoid                | : None known.                                                                                                                           |
| Incompatible materials             | : None known.                                                                                                                           |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>nitrogen oxides (NOx)<br>Sulphur oxides |

#### Section: 11. TOXICOLOGICAL INFORMATION

|                                          |                                         |
|------------------------------------------|-----------------------------------------|
| Information on likely routes of exposure | : Inhalation, Eye contact, Skin contact |
|------------------------------------------|-----------------------------------------|

##### Potential Health Effects

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Causes serious eye damage.                                  |
| Skin             | : Causes severe skin burns.                                   |
| Ingestion        | : Causes digestive tract burns.                               |
| Inhalation       | : May cause respiratory tract irritation.                     |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

##### Experience with human exposure

|              |                                 |
|--------------|---------------------------------|
| Eye contact  | : Redness, Pain, Corrosion      |
| Skin contact | : Redness, Pain, Corrosion      |
| Ingestion    | : Corrosion, Abdominal pain     |
| Inhalation   | : Respiratory irritation, Cough |

##### Toxicity

##### Product

## SAFETY DATA SHEET

### Exelerate TUFSOIL

|                                   |                     |
|-----------------------------------|---------------------|
| Acute oral toxicity               | : no data available |
| Acute inhalation toxicity         | : no data available |
| Acute dermal toxicity             | : no data available |
| Skin corrosion/irritation         | : no data available |
| Serious eye damage/eye irritation | : no data available |
| Respiratory or skin sensitization | : no data available |
| Carcinogenicity                   | : no data available |
| Reproductive effects              | : no data available |
| Germ cell mutagenicity            | : no data available |
| Teratogenicity                    | : no data available |
| STOT - single exposure            | : no data available |
| STOT - repeated exposure          | : no data available |
| Aspiration toxicity               | : no data available |

#### Components

|                     |                                             |
|---------------------|---------------------------------------------|
| Acute oral toxicity | : monoethanolamine<br>LD50 rat: 1,089 mg/kg |
|                     | potassium hydroxide<br>LD50 rat: 333 mg/kg  |

#### Components

|                           |                                                                              |
|---------------------------|------------------------------------------------------------------------------|
| Acute inhalation toxicity | : monoethanolamine<br>4 h LC50 rat: > 1.6 mg/l<br>Test atmosphere: dust/mist |
|---------------------------|------------------------------------------------------------------------------|

#### Components

|                       |                                                |
|-----------------------|------------------------------------------------|
| Acute dermal toxicity | : monoethanolamine<br>LD50 rabbit: 1,025 mg/kg |
|-----------------------|------------------------------------------------|

## Section: 12. ECOLOGICAL INFORMATION

#### Toxicity

|                       |                                                       |
|-----------------------|-------------------------------------------------------|
| Environmental Effects | : This product has no known ecotoxicological effects. |
|-----------------------|-------------------------------------------------------|

#### Product

|                                                     |                                                  |
|-----------------------------------------------------|--------------------------------------------------|
| Toxicity to fish                                    | : no data available                              |
| Toxicity to daphnia and other aquatic invertebrates | : 48 h LC50 Daphnia magna (Water flea): 925 mg/l |
| Toxicity to algae                                   | : no data available                              |

#### Persistence and degradability

Biodegradable

#### Bioaccumulative potential

no data available

#### Mobility in soil

## SAFETY DATA SHEET

### Exelerate TUF SOIL

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

- UN number : 1814
- Proper shipping name : POTASSIUM HYDROXIDE SOLUTION
- Class : 8
- Packing group : II
- Hazchem Code : 2R
- Environmentally hazardous : No

#### Sea transport (IMDG/IMO)

- UN number : 1814
- Proper shipping name : POTASSIUM HYDROXIDE SOLUTION
- Class : 8
- Packing group : II
- Marine pollutant : No

### Section: 15. REGULATORY INFORMATION

#### National Regulations

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulation 2013  
Occupational Safety and Health Act 1994  
Environmental Quality Act 1974

The components of this product are reported in the following inventories:

#### United States TSCA Inventory :

On the inventory, or in compliance with the inventory

#### Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

## SAFETY DATA SHEET

### Exelerate TUFSOIL

**Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :**

On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**

not determined

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**

not determined

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

On the inventory, or in compliance with the inventory

**China Inventory of Existing Chemical Substances :**

not determined

**Taiwan Chemical Substance Inventory :**

On the inventory, or in compliance with the inventory

### Section: 16. OTHER INFORMATION

Issuing date : 21.02.2022  
version : 1.4  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.