

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SUMILARV[®]

INSECT GROWTH REGULATOR

ACTIVE CONSTITUENT: 20 g/L PYRIPROXYFEN

GROUP **7C** INSECTICIDE

TO BE USED BY LICENSED COMMERCIAL, PEST CONTROL OPERATORS ONLY

For use with an adulticide to control cockroaches and fleas in domestic, industrial and public health situations as per the DIRECTIONS FOR USE table. Breaks the breeding cycle.

GENERAL INSTRUCTIONS

INSECTICIDE RESISTANCE WARNING

GROUP **7C** INSECTICIDE

For insecticide resistance management Sumilarv Insect Growth Regulator is a Group 7C insecticide. Some naturally occurring insect biotypes resistant to Sumilarv and other Group 7C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Sumilarv or other Group 7C insecticides are used repeatedly. The effectiveness of Sumilarv on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant insects. Sumilarv may be subject to specific resistance management strategies. For further information contact your local supplier, Sumitomo Chemical Australia Pty Ltd representative or local agricultural department agronomist.

Where to Apply

Cockroaches – areas where cockroaches harbour, paying particular attention to cracks and crevices.

Fleas – skirting boards, floors and carpets and adjacent wall area.

Do not spray the moving parts of any machinery, electric motors or switch gear with the water-based product.

PRECAUTIONS

AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED.

BEFORE USE – REMOVE OR COVER ALL EXPOSED FOODSTUFFS. COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED.

AFTER USE – THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic life. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia Tel. 131126; New Zealand 0800 764 766.

MSDS

Additional information is listed in the Material Safety Data Sheet (MSDS).

EXCLUSION OF LIABILITY

Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required.

Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

® Sumilarv and Sumiguard are Registered Trademarks of Sumitomo Chemical Co., Japan

APVMA Approval No.: 45923/500mL/1008

In a Transport Emergency
Dial 000
Police or Fire Brigade

SPECIALIST ADVICE
IN EMERGENCY ONLY
1800 024 973
ALL HOURS - AUSTRALIA WIDE

DIRECTIONS FOR USE

SITUATION	PEST	RATE	CRITICAL COMMENTS
Houses, flats, factories, shops, warehouses, restaurants, public buildings	Fleas	<u>Initial treatment</u> 25 mL/5 L water applied as a tank mix with the label rate of registered adulticide such as Sumiguard®. <u>Maintenance treatments</u> 25 mL/5 L water applied alone.	Apply as a coarse spray at the rate of 5 L/100 m ² or to the point of run off which will vary with the nature of the surface being treated.
	Cockroaches	50 mL/5 L water applied as a tank mix with the label rate of a registered adulticide such as Sumiguard®.	Re-apply when signs of infestation reappear.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS
AUTHORISED UNDER APPROPRIATE LEGISLATION.**