

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CAT-FLOC™ 8103 PLUS

Other means of identification : Not applicable.

Recommended use : WATER TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Canada ULC
1055 Truman Street
Burlington, Ontario L7R 3Y9
Canada
TEL: (905)633-1000

Emergency telephone number : (800)463-3216 (24 Hours)
For Transportation Emergencies call CANUTEC 613-996-6666 (24 hours)

Issuing date : 2016/10/20

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Precautionary Statements : **Prevention:**
Wash hands thoroughly after handling.
Response:
Get medical advice/ attention if you feel unwell.
Storage:
Store in accordance with local regulations.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

No hazardous ingredients

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: HDPE (high density polyethylene), Neoprene, Brass, Buna-N, Polyurethane, PVC, Polypropylene, Polyethylene, Stainless Steel 304, EPDM, Epoxy phenolic resin, 100% phenolic resin liner, Chlorosulfonated polyethylene rubber, Fluoroelastomer

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Viscous liquid

Colour : yellow

Odour : slight

Flash point : > 93.3 °C

pH : 5.0 - 8.0, 100 %, (25 °C)

Odour Threshold : no data available

Melting point/freezing point : FREEZING POINT: -9.9 °C, ASTM D-1177

Initial boiling point and boiling range : > 100 °C

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : similar to water

Relative vapour density : Same as water

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

Relative density	: 1.018 - 1.058, (25 °C),
Density	: 1.019 - 1.056 g/cm ³ , 8.50 - 8.81 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: < 1,050 mPa.s (25 °C)
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Avoid extremes of temperature.
Incompatible materials	: Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NO _x) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

Experience with human exposure

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product

Acute oral toxicity	: LD50 rat: 25,500 mg/kg Test substance: Similar Product
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: LD50 rabbit: > 20,000 mg/kg Test substance: 40% Active Ingredient
Skin corrosion/irritation	: Species: Rabbit Result: 1.0 Method: Draize Test Test substance: Similar Product
Serious eye damage/eye irritation	: Species: rabbit Result: 8.0 Method: Draize Test Test substance: Similar Product
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: Low
Low

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: Harmful to aquatic life with long lasting effects.
-----------------------	--

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

Product

Toxicity to fish	: LC50 Oncorhynchus mykiss (rainbow trout): 0.85 mg/l Exposure time: 96 hrs Test substance: Similar product tested in clean water
	LC50 Inland Silverside: > 5,000 mg/l Exposure time: 96 hrs Test substance: Product tested in synthetic sea water
	LC50 Pimephales promelas (fathead minnow): 3.29 mg/l Exposure time: 96 hrs Test substance: Product tested in clean water
	NOEC Inland Silverside: 5,000 mg/l Exposure time: 96 hrs Test substance: Product tested in synthetic sea water
	NOEC Pimephales promelas (fathead minnow): 1.25 mg/l Exposure time: 96 hrs Test substance: Product tested in clean water
Toxicity to daphnia and other aquatic invertebrates	: LC50 Daphnia magna (Water flea): 2.06 mg/l Exposure time: 48 hrs Test substance: Similar product tested in clean water
	LC50 Ceriodaphnia dubia: 2.5 mg/l Exposure time: 48 hrs Test substance: Product tested in clean water
	NOEC Ceriodaphnia dubia: 1.25 mg/l Exposure time: 48 hrs Test substance: Product tested in clean water
Toxicity to algae	: no data available
Toxicity to fish (Chronic toxicity)	: EC25 / IC25: 1.4 mg/l Exposure time: 7 d Species: Fathead Minnow Test substance: Product
	LOEC: 2.5 mg/l Exposure time: 7 d Species: Fathead Minnow Test substance: Product
	NOEC: 1.3 mg/l Exposure time: 7 d Species: Fathead Minnow Test substance: Product
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC25 / IC25: 1.6 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia Test substance: Product

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

LOEC: 2.5 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia
Test substance: Product

NOEC: 1.3 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia
Test substance: Product

Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5%
Water	: 30 - 50%
Soil	: 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

The hazard characterization is based on the tests or potential hazard in the clean water.

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: High Moderate

Section: 13. DISPOSAL CONSIDERATIONS

In Ontario, the waste class under Regulation 347 is: 233L

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

TDG

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION


This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 2016/10/20
Version Number : 1.0
Prepared By : Regulatory Affairs (905)633-1000

SAFETY DATA SHEET

CAT-FLOC™ 8103 PLUS

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.