

SAFETY DATA SHEET

NALMET™ 8154

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALMET™ 8154

Other means of identification : Not applicable.

Recommended use : HEAVY METAL PRECIPITANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Canada ULC
1055 Truman Street
Burlington, Ontario L7R 3Y9
Canada
TEL: (905)633-1000

Emergency telephone number : (800)463-3216 (24 Hours)
For Transportation Emergencies call CANUTEC 613-996-6666 (24 hours)

Issuing date : 2018/07/05

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 3

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.
Toxic if inhaled.

Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage:

SAFETY DATA SHEET

NALMET™ 8154

Store locked up.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%) (w/w) *
Sodium Dimethyldithiocarbamate	128-04-1	30 - 60

* Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Carbon oxides

Special protective equipment : Use personal protective equipment.

SAFETY DATA SHEET

NALMET™ 8154

for firefighters

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Fibre glass, Hypalon, Neoprene, PVC, Polyethylene, Stainless Steel 304, Teflon, Viton

Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Aluminum, Brass, Copper, Mild steel

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

This product does not contain any substance that has an established exposure limit.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.

SAFETY DATA SHEET

NALMET™ 8154

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Human Exposure Characterization :

Based on our recommended product application and personal protective equipment, the potential human exposure is: Moderate

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid
- Colour : green
- Odour : amine-like
- Flash point : does not flash
- pH : 12.2 - 12.8, (100 %)
- Odour Threshold : no data available
- Melting point/freezing point : Freezing Point: 0 °C
- Initial boiling point and boiling range : > 100 °C
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Relative density : 1.15 - 1.21, (25 °C),
- Density : no data available
- Water solubility : completely soluble
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available
- Auto-ignition temperature : no data available
- Thermal decomposition : no data available
- Viscosity, dynamic : no data available

SAFETY DATA SHEET

NALMET™ 8154

Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : Freezing temperatures.
Incompatible materials : Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors.
Hazardous decomposition products : Oxides of carbon
Oxides of nitrogen
Oxides of sulfur

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.
Skin : Causes severe skin burns.
Ingestion : Causes digestive tract burns.
Inhalation : Toxic if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion
Skin contact : Redness, Pain, Corrosion
Ingestion : Corrosion, Abdominal pain
Inhalation : Respiratory irritation, Cough

Toxicity

Product

SAFETY DATA SHEET

NALMET™ 8154

Acute oral toxicity	: rat: 2,500 mg/kg Test substance: Product Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity	: rat: 3.93 mg/l Exposure time: 1 hrs Test substance: Product Acute toxicity estimate: 7.5 mg/l Exposure time: 4 h
Acute dermal toxicity	: rabbit: 1,150 mg/kg Test substance: Product Acute toxicity estimate: > 5,000 mg/kg
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Very toxic to aquatic life.

Product

Toxicity to fish : LC50 *Lepomis macrochirus* (Bluegill sunfish): 3.30 mg/l
Exposure time: 96 hrs
Test substance: Product (Static Results)

LC50 *Oncorhynchus mykiss* (rainbow trout): 0.85 mg/l
Exposure time: 96 hrs
Test substance: Product (Static Results)

LC50 *Oncorhynchus mykiss* (rainbow trout): 16.75 mg/l
Exposure time: 96 hrs
Test substance: Product (Flow Through Results)

LC50 *Lepomis macrochirus* (Bluegill sunfish): 96.25 mg/l
Exposure time: 96 hrs
Test substance: Product (Flow Through Results)

SAFETY DATA SHEET

NALMET™ 8154

LC50 Cyprinodon variegatus (sheepshead minnow): 150.25 mg/l

Exposure time: 96 hrs

Test substance: Product (Flow Through Results)

Toxicity to daphnia and other : LC50 Daphnia magna (Water flea): 1.50 mg/l

aquatic invertebrates

Exposure time: 48 hrs

Test substance: Product (Static Results)

LC50 Daphnia magna (Water flea): 0.175 mg/l

Exposure time: 48 hrs

Test substance: Product (Flow Through Results)

LC50 Mysid Shrimp (Mysidopsis bahia): 0.22 mg/l

Exposure time: 96 hrs

Test substance: Product (Flow Through Results)

Toxicity to algae : no data available

Persistence and degradability

Chemical Oxygen Demand (COD): 460,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period

Value

Test Descriptor

700 mg/l

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%

Water : 30 - 50%

Soil : 50 - 70%

Bioaccumulative potential

no data available

Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

SAFETY DATA SHEET

NALMET™ 8154

Based on our hazard characterization, the potential environmental hazard is:

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: Low

Section: 13. DISPOSAL CONSIDERATIONS

In Ontario, the waste class under Regulation 347 is: 263C

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name(s) : SODIUM DIMETHYLDITHIOCARBAMATE
UN/ID No. : UN 3082
Transport hazard class(es) : 9
Packing group : III

Air transport (IATA)

- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name(s) : SODIUM DIMETHYLDITHIOCARBAMATE
UN/ID No. : UN 3082
Transport hazard class(es) : 9
Packing group : III

Sea transport (IMDG/IMO)

- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name(s) : SODIUM DIMETHYLDITHIOCARBAMATE
UN/ID No. : UN 3082
Transport hazard class(es) : 9
Packing group : III

Section: 15. REGULATORY INFORMATION

- NPRI Components : Dimethylamine

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

SAFETY DATA SHEET


NALMET™ 8154

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

* The human risk is: Low

* The environmental risk is: Low

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

Revision Date : 2018/07/05
Version Number : 1.2
Prepared By : Regulatory Affairs (905)633-1000

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.