

SAFETY DATA SHEET

NALCO® EC6818A

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® EC6818A

Other means of identification : Not applicable.

Recommended use : ODOR CONTROL, Non-Biocide Application Only

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Canada ULC
1055 Truman Street
Burlington, Ontario L7R 3Y9
Canada
TEL: (905)633-1000

Emergency telephone number : (800)463-3216 (24 Hours)
For Transportation Emergencies call CANUTEC 613-996-6666 (24 hours)

Issuing date : 2016/07/07

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing liquids : Category 3

Skin corrosion : Category 1

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May intensify fire; oxidiser.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

Precautionary Statements : **Prevention:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SAFETY DATA SHEET

NALCO® EC6818A

Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%) (w/w)
Acetic Acid	64-19-7	30 - 60
Peroxyacetic Acid	79-21-0	10 - 30
Hydrogen Peroxide	7722-84-1	10 - 30

Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during firefighting	: Special protective equipment for firefighters Oxidizer. Contact with other material may cause fire. Oxidizer; material is an oxidizer which may readily react with other materials, especially upon heating.

SAFETY DATA SHEET

NALCO® EC6818A

- Hazardous combustion products : Decomposition products may include the following materials: Carbon oxides
- Special protective equipment for firefighters : In case of fire, wear a full face positive-pressure self contained breathing apparatus and protective suit.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Never soak up spilled or leaked acids and bases with sawdust, wood chips or similar materials. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer.
*NEUTRALIZATION : once diluted, neutralize with a suitable alkali such as sodium bicarbonate.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
- Conditions for safe storage : Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Containers require venting. Pressure bursts may occur due to gas evolution if the container is not adequately vented. Store in suitable labeled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.
- Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

SAFETY DATA SHEET

NALCO® EC6818A

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Acetic Acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peroxyacetic Acid	79-21-0	STEL (Inhalable fraction and vapor)	0.4 ppm	ACGIH
Hydrogen Peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear protective gloves.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Human Exposure Characterization :

Based on our recommended product application and personal protective equipment, the potential human exposure is: Moderate

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : Clear, Colorless
Odour : Amine
Flash point : 96.0 °C, Method: closed cup

SAFETY DATA SHEET

NALCO® EC6818A

pH	: 1.8, 100 %
Odour Threshold	: no data available
Melting point/freezing point	: FREEZING POINT: -45 °C
Initial boiling point and boiling range	: > 100.0 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.11, (20.0 °C),
Density	: 1.10 g/cm ³ , 9.2 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition temperature	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: 46.6 %

Section: 10. STABILITY AND REACTIVITY

Chemical stability	: pressure build-up
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: Direct sources of heat. Exposure to sunlight.
Incompatible materials	: Strong bases Metals
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

SAFETY DATA SHEET

NALCO® EC6818A

exposure

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause respiratory tract irritation. May cause nose, throat, and lung irritation. Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough, Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate: 2,390 mg/kg
Acute inhalation toxicity	: Acute toxicity estimate: 8.93 mg/l Exposure time: 4 h
Acute dermal toxicity	: Acute toxicity estimate: 2,240 mg/kg
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: High

SAFETY DATA SHEET

NALCO® EC6818A

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : LC50 Rainbow Trout: 8.4 mg/l
Exposure time: 96 h
Test substance: Product

NOEC Rainbow Trout: 5.0 mg/l
Exposure time: 96 h
Test substance: Product

LC50 Inland Silverside: 1.3 mg/l
Exposure time: 96 h
Test substance: Product

NOEC Inland Silverside: 4.2 mg/l
Exposure time: 96 h
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Ceriodaphnia dubia: 2.9 mg/l
Exposure time: 48 h
Test substance: Product

NOEC Ceriodaphnia dubia: 1.3 mg/l
Exposure time: 48 h
Test substance: Product

LC50 Mysid Shrimp (Mysidopsis bahia): 10.0 mg/l
Exposure time: 96 h
Test substance: Product

NOEC Mysid Shrimp (Mysidopsis bahia): 5.0 mg/l
Exposure time: 96 h
Test substance: Product

Toxicity to algae : EC50 Pseudokirchneriella subcapitata (green algae): 15.29 mg/l
Exposure time: 96 h
Test substance: Product

IC50 Pseudokirchneriella subcapitata (green algae): 8.78 mg/l
Exposure time: 96 h
Test substance: Product

NOEC Pseudokirchneriella subcapitata (green algae): 3 mg/l
Exposure time: 96 h
Test substance: Product

SAFETY DATA SHEET

NALCO® EC6818A

Components

Toxicity to bacteria : Peroxyacetic Acid
5.1 mg/l

Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%
Water : 30 - 50%
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Moderate

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: Low

Section: 13. DISPOSAL CONSIDERATIONS

In Ontario, the waste class under Regulation 347 is: 263C

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

SAFETY DATA SHEET

NALCO® EC6818A

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

TDG

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID
Technical name(s) :
UN/ID No. : UN3109
Transport hazard class(es) : 5.2, 8
Packing group :

Air transport (IATA)

Proper shipping name : Transport FORBIDDEN

Sea transport (IMDG/IMO)

Proper shipping name : ORGANIC PEROXIDE TYPE F, LIQUID
Technical name(s) : Peroxyacetic Acid
UN/ID No. : UN 3109
Transport hazard class(es) : 5.2, 8
Packing group :

Section: 15. REGULATORY INFORMATION

NPRI Components : Peroxyacetic Acid

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :


The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

SAFETY DATA SHEET

NALCO® EC6818A

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

* The human risk is: Moderate

* The environmental risk is: Low

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

Revision Date : 2016/07/07
Version Number : 1.0
Prepared By : Regulatory Affairs (905)633-1000

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.