

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : RADIANCE

Other means of identification : Not applicable

Recommended use : Furniture Polish

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB ECUADOR CIA LTDA
S. Moreno OE1-195 y Francisco Garcia
Quito, Pichincha, Ecuador
TEL: 593-2500 1073

Emergency telephone : CISPROQUIM® (24 horas) Teléfono: 1800-59-3005 (Ecuador)

Issuing date : 14.12.2021

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification

Aerosols : Category 2

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

GHS label elements

Hazard pictograms :




Signal Word : Warning

Hazard Statements : Flammable aerosol.
Pressurised container: May burst if heated.
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing mist. Use only outdoors or in a well-ventilated area. Intentional misuse by deliberate inhalation may be harmful or fatal.

Response:
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

Storage:
Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SAFETY DATA SHEET

RADIANCE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
distillates (petroleum), hydrotreated light	64742-47-8	10 - 30
Butane	106-97-8	5 - 10
propane	74-98-6	5 - 10

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Toxicological emergency telephone contact : 1800 VENENO, 1800 836366 A NIVEL NACIONAL EN ECUADOR

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Pressurised container: May burst if heated.
Flammable aerosols

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed.

SAFETY DATA SHEET

RADIANCE

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	CMP (Mist)	5 mg/m ³	AR OEL
		CMP - CPT (Mist)	10 mg/m ³	AR OEL
distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m ³	PE OEL
		STEL (Mist)	10 mg/m ³	PE OEL
distillates (petroleum), hydrotreated light	64742-47-8	L-8/40 (Mist)	5 mg/m ³	VE OEL
		LB (Mist)	10 mg/m ³	VE OEL
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2.000 mg/m ³	OSHA Z1
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA Z1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		STEL (Mist)	10 mg/m ³	NIOSH REL
Butane	106-97-8	CMP	800 ppm	AR OEL
Butane	106-97-8	LT	470 ppm 1.090 mg/m ³	BR OEL
Butane	106-97-8	TWA	800 ppm 1.902 mg/m ³	PE OEL
Butane	106-97-8	L-8/40 (gas)	1.000 ppm	VE OEL
Butane	106-97-8	VLE-PPT	1.000 ppm	NOM-010-STPS-2014
Butane	106-97-8	TWA	800 ppm 1.900 mg/m ³	NIOSH REL
		STEL	1.000 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

SAFETY DATA SHEET

RADIANCE

below occupational exposure standards.

Personal protective equipment

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: aerosol
Color	: clear, off-white
Odor	: citrus
pH	: 7,0, (100 %)
Flash point	: Not applicable, Sustains combustion
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0,8714 - 0,8716
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 3900,000 mm ² /s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available

SAFETY DATA SHEET

RADIANCE

VOC : No data available
Heat of combustion : 10,49 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : None known.
Incompatible materials : None known.
Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact

Skin contact

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.
Skin : Health injuries are not known or expected under normal use.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Inhalation may cause central nervous system effects. Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.
Skin contact : No symptoms known or expected.
Ingestion : No symptoms known or expected.
Inhalation : Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : No data available
Acute inhalation toxicity : No data available

SAFETY DATA SHEET

RADIANCE

Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects. May cause drowsiness or dizziness.
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute oral toxicity	: distillates (petroleum), hydrotreated light LD50 Rat: > 5.000 mg/kg
---------------------	--

Components

Acute inhalation toxicity	: Butane 4 h LC50 Rat: 280000 ppm Test atmosphere: gas
---------------------------	--

Components

Acute dermal toxicity	: distillates (petroleum), hydrotreated light LD50 Rabbit: > 5.000 mg/kg
-----------------------	---

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
-----------------------	---

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: distillates (petroleum), hydrotreated light 96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1.000 mg/l Butane 96 h LC50 Fish: 22,03 mg/l
------------------	--

Components

Toxicity to daphnia and other aquatic invertebrates	: distillates (petroleum), hydrotreated light 48 h EC50 Daphnia magna (Water flea): > 1.000 mg/l
---	---

SAFETY DATA SHEET

RADIANCE

Components

Toxicity to algae : distillates (petroleum), hydrotreated light
72 h EC50 *Pseudokirchneriella subcapitata* (green algae): > 1.000 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport: generally applicable for transport in Ecuador.

UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1 (8)
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 1950
Proper shipping name : AEROSOLS
Class : 2.1
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION


Ecuador: Our MSDS complies with the requirements established by Ecuadorian Technical Regulation INEN 2266:2013

SAFETY DATA SHEET

RADIANCE

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 14.12.2021
Version : 1.2
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.