

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

Other means of identification : Not applicable.

Recommended use : Air Freshener

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB INTERNATIONAL SDN. BHD.
Suite 12-01, 12-02 & 12-03A, Level 12, The Pinnacle, Persiaran
Lagoon, Bandar Sunway
46150 Petaling Jaya, Selangor Malaysia
603-7628 5200

Emergency telephone number : 1800 181 880

Issuing date : 10.02.2022

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable aerosols : Category 1

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3 (Central Nervous System)

Hazardous to the aquatic environment - chronic hazard : Category 2

GHS Label element

Hazard pictograms :





Signal Word : Danger

Hazard Statements : Extremely flammable aerosol.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist.
Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

of the workplace. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/ physician if you feel unwell. If eye irritation persists: If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethanol	64-17-5	10 - 30
propane	74-98-6	10 - 30
2-methylpentane-2,4-diol	107-41-5	10 - 30
butane	106-97-8	5 - 10
Limonene	5989-27-5	1 - 5
Cucumber Melon Fragrance		1 - 5
Orchard Fields MB3000		1 - 5
Summer Linen Fragrance		1 - 5
2,6-ditert-butyl-p-cresol	128-37-0	0.1 - 1

Section: 4. FIRST AID MEASURES

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Extremely flammable aerosol.
Pressurized container: May burst if heated.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing.
- Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 5 °C to 45 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	MY OEL
propane	74-98-6	TWA	2,500 ppm	MY OEL
2-methylpentane-2,4-diol	107-41-5	CEIL	25 ppm 121 mg/m ³	MY OEL
Butane	106-97-8	TWA	800 ppm	MY OEL

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

			1,900 mg/m3	
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	MY OEL
2,6-ditert-butyl-p-cresol	128-37-0	TWA	10 mg/m3	MY OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Nitrile rubber
Unsupported neoprene
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
The cartridges to be used will be for organic vapors.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aerosol.

Colour : clear

Odour : Perfumes, fragrances

pH : (100 %)Not applicable.

Flash point : Not applicable., Sustains combustion

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : Not applicable.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Relative density : no data available

Water solubility : no data available

Solubility in other solvents : no data available

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact, Skin contact, Inhalation

Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation. May cause allergic skin reaction.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation, Allergic reactions, Pain
Ingestion	: No symptoms known or expected.
Inhalation	: Dizziness, Drowsiness

Toxicity

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

Product

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Components

Acute oral toxicity	: ethanol LD50 rat: 10,470 mg/kg
	2-methylpentane-2,4-diol LD50 rat: > 2,000 mg/kg
	Limonene LD50 rat: 4,400 mg/kg
	2,6-ditert-butyl-p-cresol LD50 rat: > 6,000 mg/kg

Components

Acute inhalation toxicity	: ethanol 4 h LC50 rat: 117 mg/l Test atmosphere: vapour
---------------------------	--

Components

Acute dermal toxicity	: ethanol LD50 rabbit: 15,800 mg/kg
	Limonene LD50 rabbit: > 5,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects	: Toxic to aquatic life with long lasting effects.
-----------------------	--

Product

Toxicity to fish	: no data available
Toxicity to daphnia and other	: no data available

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : ethanol
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

2-methylpentane-2,4-diol
96 h LC50 Fish: 8,510 mg/l

2,6-ditert-butyl-p-cresol
96 h LC50 Danio rerio (zebra fish): > 0.57 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : ethanol
48 h EC50 Aquatic Invertebrate: 857 mg/l

2-methylpentane-2,4-diol
48 h EC50 Daphnia magna (Water flea): 2,800 mg/l

Limonene
48 h EC50 Daphnia magna (Water flea): 0.307 mg/l

2,6-ditert-butyl-p-cresol
48 h EC50 Daphnia magna (Water flea): 0.48 mg/l

Components

Toxicity to algae : 2-methylpentane-2,4-diol
72 h EC50 Pseudokirchneriella subcapitata (green algae): > 490 mg/l

Limonene
72 h EC50 Pseudokirchneriella subcapitata (algae): 0.32 mg/l

2,6-ditert-butyl-p-cresol
72 h EC50 Desmodesmus subspicatus (green algae): > 0.40 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 1950
Proper shipping name : AEROSOLS
Class : 2.1
Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 1950
Proper shipping name : AEROSOLS
Class : 2.1
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

National Regulations

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulation 2013
Occupational Safety and Health Act 1994
Environmental Quality Act 1974

The components of this product are reported in the following inventories:

United States TSCA Inventory :
not determined

Canadian Domestic Substances List (DSL) :
This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :
not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :
not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
not determined

China Inventory of Existing Chemical Substances :
not determined

SAFETY DATA SHEET

FIRST IMPRESSION MICRO AEROSOL VARIETY PACK

Taiwan Chemical Substance Inventory :
not determined

Section: 16. OTHER INFORMATION

Issuing date : 10.02.2022
Date of first issue : 27.03.2017
version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.