

RODENTICIDE PLACE PAC  
**PELLETS**



ACTIVE INGREDIENT:

Bromadiolone (CAS #28772-56-7): ..... 0.005%

OTHER INGREDIENTS\*: ..... 99.995%

\*Contains Denatonium Benzoate      TOTAL: ..... 100.000%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panels for First Aid and  
additional precautionary statements.

**CONTRAC®**

***RODENTICIDE READY-TO-USE PLACE PACS***

**NET WT:**  
**16 lbs (7.2 kg)**

**KILLS RATS & MICE**  
***Kills Warfarin Resistant Norway Rats***

Norway rats, roof rats, and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

#### FIRST AID

##### HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

##### IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494, or 1-800-858-7378\*\* immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

##### IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor, or 1-877-854-2494, or 1-800-858-7378\*\* immediately for treatment advice.

\*\* Also call this number for information on health concerns and pesticide incidents.

#### NOTE TO PHYSICIAN

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

#### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

#### NOTE TO VETERINARIAN

**Anticoagulant Bromadiolone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent exposure:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

**USE RESTRICTIONS:** This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial

# CONTRAC®

## RODENTICIDE READY-TO-USE PLACE PACS

## KILLS RATS & MICE

### Kills Warfarin Resistant Norway Rats

Norway rats, roof rats, and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

#### ACTIVE INGREDIENT:

Bromadiolone (CAS #28772-56-7): . . . . . 0.005%

OTHER INGREDIENTS\*: . . . . . 99.995%

\*Contains Denatonium Benzoate TOTAL: 100.000%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for First Aid and additional precautionary statements.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**Pesticide Disposal:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. [Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



**NET WEIGHT: 16 lbs (7.2 kg)**

**174 x 1.5 oz (43g) Place Pac Pellets**

EPA REG. NO. 12455-76

EPA EST. NO. 12455-WI-1

#### USE DIRECTIONS (continued from other panel)

buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with Contrac Rodenticide Ready To Use Place Pacs is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 16 pounds of bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats or house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rats and mice or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

#### APPLICATION DIRECTIONS:

**RATS:** Apply 2 to 10 Place Pacs (at intervals of 15 to 30 feet) per placement in infested areas. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease to appear.

**HOUSE MICE:** Place 1 Place Pac at 8 to 12 foot intervals in infested areas. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mice activity cease to appear.

**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

All handlers (including applicators) must wear shoes, socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

##### User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinseate.

042612/04-12

**TREATMENT FOR  
PET POISONING**

If animal eats bait, call  
veterinarian at once.

**NOTE TO VETERINARIAN**  
**Anticoagulant Bromadiolone:**

For animals ingesting bait and/or  
showing poisoning signs (bleeding  
or elevated prothrombin times),  
give Vitamin K<sub>1</sub>. If needed, check  
prothrombin times every 3 days  
until values return to normal (up  
to 30 days). In severe cases,  
blood transfusions may be needed.

**DIRECTIONS FOR USE**

It is a violation of Federal law to  
use this product in a manner  
inconsistent with its labeling.  
See outer package label for  
complete USE RESTRICTIONS  
and APPLICATION DIRECTIONS.  
It is illegal to sell this product  
unless it is accompanied by a  
complete set of its accepted  
labeling.

**SEE LABEL ON OUTER  
PACKAGING FOR  
ADDITIONAL  
PRECAUTIONARY  
INFORMATION**

**INDIVIDUAL  
SALE IS  
PROHIBITED  
BY LAW**

>2008-6

**CONTRAC®**  
**RODENTICIDE READY-TO-USE PLACE PAC**

**KILLS RATS & MICE**

**ACTIVE INGREDIENT:**

Bromadiolone (CAS #28772-56-7): . . . . . 0.005%

OTHER INGREDIENTS\*: . . . . . 99.995%

\*Contains Denatonium Benzoate TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panels for First Aid and  
additional precautionary statements.

**NET WT: 1.5 oz (43 g)**

EPA REG. NO.: 12455-76

EPA EST. NO.: 12455-WI-1

Manufactured by:



**Bell**  
LABORATORIES, INC.

3699 Kinsman Blvd.  
Madison, WI 53704 U.S.A.  
www.belllabs.com

**FIRST AID**

**HAVE LABEL WITH YOU WHEN  
OBTAINING TREATMENT ADVICE  
IF SWALLOWED:**

- Call a poison control center, doctor, or  
1-877-854-2494, or 1-800-858-7378\*\*  
immediately for treatment advice.
- Have person sip a glass of water if  
able to swallow.
- Do not induce vomiting unless told to do  
so by the poison control center or doctor.

**IF IN EYES:**

- Hold eye open and rinse slowly and  
gently with water for 15-20 minutes.
- Remove contact lenses, if present,  
after the first 5 minutes, then  
continue rinsing eye.
- Call a poison control center or  
doctor, or 1-877-854-2494, or  
1-800-858-7378\*\* immediately for  
treatment advice.

\*\* Also call this number for  
information on health concerns  
and pesticide incidents.

**NOTE TO PHYSICIAN**

If swallowed or absorbed through the  
skin, this material may reduce the  
clotting ability of the blood and cause  
bleeding. If ingested, administer  
Vitamin K<sub>1</sub> intramuscularly or orally.  
Repeat as necessary based on  
monitoring of prothrombin times.

012611