

1. SECTION: PRODUCT AND COMPANY IDENTIFICATION

Product name : 智優寶餐具預浸泡劑
SMARTPOWER PRESOAK CUTLERY / FLATWARE

Other means of identification : Not applicable

Recommended use : Presoak

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.23 % - 0.39 %

Company : Ecolab Limited
10F., No.172, Sec.4, Chengde Rd., Shilin Dist., Taipei, Taiwan 111
(02) 8978-1234

Emergency telephone : +1-651-222-5352 (United States)

Issuing date : 30.09.2016

2. SECTION: HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Acute toxicity (Oral) : Category 5
Serious eye damage/eye irritation : Category 2A
Acute aquatic toxicity : Category 3

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Warning

Hazard Statements : May be harmful if swallowed.
Causes serious eye irritation.
Harmful to aquatic life.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical advice/ attention.

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements

Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards : None known.

3. SECTION: COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Carbonate(soda)	497-19-8	30 - 60
Sodium sesquicarbonate	533-96-0	30 - 60
glycerin	56-81-5	1 - 5
alcohol ethoxylate	68551-12-2	1 - 5

Product AT USE DILUTION

No hazardous ingredients

4. SECTION: FIRST AID MEASURES

First aid measures for different exposure routes

Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

5. SECTION: FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Metal oxides
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

6. SECTION: ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

7. SECTION: HANDLING AND STORAGE

Product AS SOLD

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

- Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : -10 °C to 50 °C

Product AT USE DILUTION

- Advice on safe handling : Wash hands thoroughly after handling.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

8. SECTION: EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Hand protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Skin protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Respiratory protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection : No special protective equipment required.
- Skin protection : No special protective equipment required.
- Respiratory protection : No personal respiratory protective equipment normally required.

9. SECTION: PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

	Product AS SOLD	Product AT USE DILUTION
Appearance	: Extruded solid.	liquid
Color	: opaque, blue	light blue
Odor	: citrus	citrus
pH	: 10.08 - 10.58, 1 %	10.2 - 10.4
Flash point	: Not applicable, Does not sustain combustion.	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.7 - 2.1	
Water solubility	: slightly soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Molecular weight	: No data available	
VOC	: No data available	

10. SECTION: STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: No hazardous decomposition products are known.

11. SECTION: TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

Information on likely routes of exposure : Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : May be harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD Product

Acute oral toxicity : Acute toxicity estimate : 3,151 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

12. SECTION: ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : 96 h LC50: 66 mg/l

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Ingredients

Toxicity to daphnia and other aquatic invertebrates : Sodium Carbonate(soda)
48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Sodium sesquicarbonate
48 h EC50 Daphnia magna (Water flea): 4,100 mg/l

Persistence and degradability

Product AS SOLD
Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. SECTION: DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

The product should not be allowed to enter drains, water courses or the soil.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

14. SECTION: TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Not dangerous goods

Air transport (IATA)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

Special precautions for user : None

15. SECTION: REGULATORY INFORMATION

National regulatory information

Regulations on Labelling and Hazard Communication of Hazardous Chemicals

National regulatory information

Regulations on Occupational Safety and Health Facilities

National regulatory information

Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste

National regulatory information

Standards of Permissible Exposure Limits in Workplace

National regulatory information

Regulations on Labelling and Hazard Communication of Hazardous Chemicals

National regulatory information

Regulations on Occupational Safety and Health Facilities

National regulatory information

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

16. SECTION: OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered

EU HPVCs (High Production Volume Chemicals)

Issuing date	: 30.09.2016
Version	: 1.0
Prepared by	: Regulatory Affairs
Local contact	: Ecolab Limited
Address	: 10F., No.172, Sec.4, Chengde Rd., Shilin Dist., Taipei, Taiwan 111
Telephone	: (02) 8978-1234
Name	: Regulatory Specialist
Position	: Regulatory Specialist

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material

SAFETY DATA SHEET

SMARTPOWER PRESOAK CUTLERY / FLATWARE

designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.