



SAFETY DATA SHEET

SUPERSOAK POWDER

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SUPERSOAK POWDER

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.78 % - 5.2 %

Company :

Chile ECOLAB S.A., Avenida Pedro de Valdivia 3801, Santiago, Chile, (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600, sac.chile@ecolab.com

Ecolab Argentina S.R.L., Street 11 N° 978, Industrial Park Pilar - Pilar, Buenos Aires, Zip Code: B1629MXA, Telephone: 0230 467 1000

Ecolab Colombia S.A., Avenida Carrera 60 No. 22 – 75 Interior 7., Bogotá, Colômbia, Telephone: 01 8000-120020

ECOLAB Costa Rica SRL, BES Free Zone, El Coyol 7 km west Juan Santamaria Airport, Alajuela, Costa Rica, ZIP Code: Apdo109-4003

Ecolab Mexico, Avenida Industriales 28, Fraccionamiento Industrial - Cuamatla, Cuautitlán Izcalli, Mexico State, Zip Code: 54730, Telephone: (0155) 5864-1800

Quimiproduktos S. de R.L. de C.V., Carretera Miguel Alemán, 990, Colonia La Encarnación - Apodaca, Nuevo León, Mexico, Zip Code: 66633, Telephone: (0181) 47395900

Emergency telephone :

Argentina: Ciquime: 0800-222-2933/ 011 4613-1100, National Poison Control Center: 0800 333 0160

Chile: Poison Information Centre CITUC: (2) 3800 -2635

Colômbia: CISPROMQUIM® (24 hour service) Phone: 2886012 (Bogotá), Telephone: 018000916012 (Colombia), Telephone: 08001005012 (Venezuela), Telephone: 1800-59-3005 (Ecuador: solo Quito, La sierra, Centro and norte), Telephone: Ecolab USA and Canadá 1-651-222-5352

Costa Rica: For medical emergency information, call 911 and (506) 2436-3900 in Costa Rica.

National Poison Control Center in Costa Rica: (506)2223-1028

Mexico: Telephone: 01 800 837 2998 Please request assistance in spanish language

Mexico State: Telephone: 01 800 837 2998

Issuing date : 04.08.2015

SECTION 2. HAZARDS IDENTIFICATION

Product AS SOLD

Physical and chemical hazards : Not flammable or combustible.

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin : Causes skin irritation.

Ingestion : May be harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

SAFETY DATA SHEET

SUPERSOAK POWDER

Product AT USE DILUTION

Physical and chemical hazards : Not flammable or combustible.

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration (%)
Sodium Carbonate(soda)	497-19-8	30 - 60
sodium hydrogencarbonate	144-55-8	5 - 10
ethylenediamine tetraacetate	64-02-8	5 - 10
dodecylbenzene sulfonic acid and its salt	27176-87-0	1 - 5
Propylene glycol	57-55-6	1 - 5

Product AT USE DILUTION

Chemical Name	CAS-No.	Concentration (%)
Sodium Carbonate(soda)	497-19-8	1 - 5

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

SAFETY DATA SHEET

SUPERSOAK POWDER

In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed.
Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

SUPERSOAK POWDER

Product AS SOLD

Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SAFETY DATA SHEET

SUPERSOAK POWDER

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: powder	liquid
Color	: opaque, white	colorless
Odor	: slight	odorless
pH	: 10.1 - 11.1, 1 %	10.3 - 10.6
Flash point	: Not applicable, Sustains combustion	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 0.86 - 0.89	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Molecular weight	: No data available	
VOC	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx)

SAFETY DATA SHEET

SUPERSOAK POWDER

Sulfur oxides
Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye irritation.

Skin : Causes skin irritation.

Ingestion : May be harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Irritation

Skin contact : Redness, Irritation

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

SAFETY DATA SHEET

SUPERSOAK POWDER

Skin corrosion/irritation	: Skin irritation
Serious eye damage/eye irritation	: Eye irritation Method: OECD Test Guideline 437 Test substance: Product
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Ingredients

Acute oral toxicity	: Sodium Carbonate(soda) LD50 Rat: 2,800 mg/kg ethylenediamine tetraacetate LD50 Rat: 1,700 mg/kg dodecylbenzene sulfonic acid and its salt LD50 Rat: 890 mg/kg Propylene glycol LD50 Rat: 22,000 mg/kg
---------------------	--

Ingredients

Acute inhalation toxicity	: Propylene glycol 4 h LC50 Rat: > 158.5 mg/l
---------------------------	--

Ingredients

Acute dermal toxicity	: dodecylbenzene sulfonic acid and its salt LD50 Rabbit: 800 mg/kg
-----------------------	---

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects	: Harmful to aquatic life.
-----------------------	----------------------------

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Ingredients

Toxicity to fish	: Sodium Carbonate(soda) 96 h LC50 <i>Lepomis macrochirus</i> (Bluegill sunfish): 300 mg/l
------------------	---

SAFETY DATA SHEET

SUPERSOAK POWDER

ethylenediamine tetraacetate

96 h LC50 Fish: 121 mg/l

dodecylbenzene sulfonic acid and its salt

96 h LC50 Fish: 4.3 mg/l

Propylene glycol

96 h LC50: > 10,000 mg/l

Ingredients

Toxicity to daphnia and other aquatic invertebrates : Sodium Carbonate(soda)
48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Propylene glycol

48 h EC50: 18,340 mg/l

Ingredients

Toxicity to algae : Propylene glycol
96 h EC50: 19,000 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

SAFETY DATA SHEET

SUPERSOAK POWDER

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

Product AT USE DILUTION

Not intended for transport.


SECTION 15. REGULATORY INFORMATION

For Regulatory information please contact your Ecolab sales representative.

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:




HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 04.08.2015
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the MSDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance

SAFETY DATA SHEET

SUPERSOAK POWDER

for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.