

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : OASIS PRO GLASS

Other means of identification : Not applicable.

Recommended use : Glass Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab (PTY) LTD
1 Ampere Street
Chloorkop, Johannesburg South Africa 1620
+2711578 5000

Nalco Angola Limitada
Rua Tipografia Mama Tita, 22B Predio Soliel
Luanda, Angola
Tel: 244-222-395120
Fax: 244-222-394855

Ecolab Kenya
Tulip House, Mombasa Road
Next to Sameer Business Park
PO Box 63497-00619
Nairobi, Kenya
+254-20-354-0624/189/191
kenya.info@ecolab.com

Emergency telephone number : +32-(0)3-575-5555 Trans-European

Issuing date : 13.12.2021

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Skin irritation : Category 3
Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes mild skin irritation.
Causes serious eye irritation.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Wear eye protection/face

SAFETY DATA SHEET

OASIS PRO GLASS

protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/ attention.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethanol	64-17-5	5 - 10
Di(2-Ethylhexyl) Sodium Sulfosuccinate	577-11-7	1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapours accumulating to form explosive concentrations.
Vapours can accumulate in low areas.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Sulphur oxides
metal oxides

Special protective equipment : Use personal protective equipment.

SAFETY DATA SHEET

OASIS PRO GLASS

for firefighters

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA OEL-RL	1.000 ppm 1.900 mg/m ³	ZA OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m ³	KE OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m ³	NIOSH REL
		TWA	1.000 ppm 1.900 mg/m ³	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

SAFETY DATA SHEET

OASIS PRO GLASS

Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, blue
Odour	: odourized
pH	: 6,3 - 7,3, (100 %)
Flash point	: 43 °C closed cup, Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0,986 - 0,992
Water solubility	: soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

SAFETY DATA SHEET

OASIS PRO GLASS

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Sulphur oxides metal oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Causes mild skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: slight irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available

SAFETY DATA SHEET

OASIS PRO GLASS

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute inhalation toxicity : ethanol
4 h LC50 rat: 117 mg/l
Test atmosphere: vapour

Components

Acute dermal toxicity : ethanol
LD50 rabbit: 15.800 mg/kg

Di(2-Ethylhexyl) Sodium Sulfosuccinate
LD50 rabbit: > 10.000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : ethanol
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

Di(2-Ethylhexyl) Sodium Sulfosuccinate
96 h LC50 Danio rerio (zebra fish): 49 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : ethanol
48 h EC50 Aquatic Invertebrate: 857 mg/l

Di(2-Ethylhexyl) Sodium Sulfosuccinate
48 h EC50 Daphnia magna (Water flea): 6,6 mg/l

Components

Toxicity to algae : Di(2-Ethylhexyl) Sodium Sulfosuccinate
72 h EC50 Desmodesmus subspicatus (green algae): 82,5 mg/l

SAFETY DATA SHEET

OASIS PRO GLASS

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ZA DG)

Not dangerous goods

Air transport (IATA)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

Section: 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

United States TSCA Inventory :

not determined

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

SAFETY DATA SHEET

OASIS PRO GLASS

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
not determined

China Inventory of Existing Chemical Substances :
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :
On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

Issuing date : 13.12.2021
version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.