

Section 1. Chemical product and company identification

Chinese name : 濃縮玻璃清潔劑
Product name English : QUIK FILL 520
Supplier : Ecolab Limited
 15/F, Lu Plaza
 2 Wing Yip Street, Kwun Tong, Kowloon, HONG KONG
 Tel: +852-2341 4202
Emergency telephone number : 852-2341-4202
Product type : Glass Cleaner
Date of issue : 2010 . 6 . 28

Section 2. Hazards identification

Hazard classification : Not regulated.
Routes of entry : Skin contact, Eye contact, Inhalation, Ingestion
Human health hazards
Inhalation : Moderately irritating to the respiratory system. High vapor concentrations can cause headaches, dizziness, drowsiness and nausea and may lead to unconsciousness.
Ingestion : May be harmful if swallowed. Aspiration hazard if swallowed. Can enter lungs and cause damage. Ingestion may cause nausea, weakness and central nervous system effects.
Skin : Moderately irritating to the skin.
Eyes : Moderately irritating to eyes.
Environmental hazards : No known significant effects or critical hazards.
Fire/explosion hazards : Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Section 3. Composition/information on ingredients

Mixture

Chemical name	Concentration	CAS No.
2-propanol, 1-propoxy-	10 - 30	1569-01-3
2-aminoethanol	1 - 10	141-43-5
sulfuric acid, mono-c10-16-alkyl esters, sodium salts	1 - 10	68585-47-7

Section 4. First aid measures

Inhalation : If inhaled, remove to fresh air.
Ingestion : If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.
Skin contact : Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Remove contaminated clothing and shoes. Clean shoes thoroughly before reuse. Get medical attention if irritation persists. Wash clothing before reuse.
Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Section 5. Fire-fighting measures

Extinguishing media

Suitable	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Not suitable	: Do not use water jet.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Materials to avoid	None identified.

Section 6. Accidental release measures

Personal precautions	: Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dike spilled material or otherwise contain it to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7. Handling and storage

Handling	: Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Keep container closed. Keep away from heat, sparks and flame. To avoid fire, eliminate ignition sources. Wash thoroughly after handling.
Storage	: Keep out of reach of children. Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Store between the following temperatures: 10 and 50°C

Section 8. Exposure controls/personal protection

Chemical name	Exposure limits
2-aminoethanol	GBZ-2 (China, 4/2007). PC-STEL: 15 mg/m ³ 15 minute(s). PC-TWA: 8 mg/m ³ 8 hour(s).
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Occupational exposure controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection**Personal protection**

Respiratory	Avoid breathing vapors, spray or mists.
Hands	: For prolonged or repeated handling, use the following type of gloves: Impervious gloves.
Eyes	: Eye protection recommended.
Skin	: No protective equipment is needed under normal use conditions.

Section 9. Physical and chemical properties

Physical state	: Liquid. [Liquid.]
Color	: Blue. [Light]
Odor	: Fragrance-like.
pH	: 10.6 to 11.8 [Conc. (% w/w): 100%]
Boiling point	: 100°C (212°F)
Flash point	: 66.6667 °C (Closed cup) Product does not support combustion.
Specific gravity	: 1.001
Solubility	: Easily soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

Stability and reactivity	: The product is stable.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not swallow.
Materials to avoid	: None identified.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information**Acute toxicity**

Inhalation	: Moderately irritating to the respiratory system. High vapor concentrations can cause headaches, dizziness, drowsiness and nausea and may lead to unconsciousness.
Ingestion	: May be harmful if swallowed. Aspiration hazard if swallowed. Can enter lungs and cause damage. Ingestion may cause nausea, weakness and central nervous system effects.
Skin	: Moderately irritating to the skin.
Eyes	: Moderately irritating to eyes.

Potential chronic health effects

Chronic effects	: Contains material that can cause target organ damage.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Section 12. Ecological information**Aquatic ecotoxicity**

Product/ingredient name	Result	Species	Exposure
2-aminoethanol	Acute LC50 2070 mg/L	Fish	96 hours
	Acute LC50 329.16 mg/L	Fish	96 hours
	Acute LC50 300 mg/L	Fish	96 hours
	Acute LC50 >300 mg/L	Fish	96 hours
	Acute LC50 >200 mg/L	Fish	96 hours
	Acute LC50 150 mg/L	Fish	96 hours
Other adverse effects	: No known significant effects or critical hazards.		
Environmental effects	: No known significant effects or critical hazards.		

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Consult your local or regional authorities.**Section 14. Transport information**

UN number : Not regulated.
Proper shipping name : -
Package mark : Not regulated.
Packing group : -

Section 15. Regulatory information

China inventory (IECSC) : All components are listed or exempted.
Authored with regard to:
 - "Classification and Mark for commonly used dangerous chemicals" (GB13690-1992)
 - "General rules for preparation of a Chemical Safety Data Sheet" (GB16483-2000)
 - "The principle of classification of transport packaging groups of dangerous goods" (GB/T15098-94)
 - "Classification and code of dangerous goods" (GB6944-2005)

Section 16. Other information

Validation date : 2010 . 6 . 28
Prepared by : Regulatory Affairs
Date of previous issue : 2009 . 3 . 5
 ▣ Indicates information that has changed from previously issued version.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.