

SAFETY DATA SHEET

1. Identification

Product identifier: 99200 Doktor Doom Professional Quality Insecticide 1% Pyrethrin Spray

Other means of identification

PCP Act # 30805

Recommended restrictions

Product Use: Pesticide

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: 753146 Alberta Ltd. o/a Ultrasol Industries,
Address: 10755 69th Ave NW Edmonton, AB T6H 2C9

Telephone: 1-800-452-0023

Fax: 780-436-6646

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Aspiration Hazard Category 1

Environmental Hazards

Acute hazards to the aquatic environment Category 2

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
May be fatal if swallowed and enters airways.
Toxic to aquatic life.

Precautionary

Statements

Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.
Response:	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
Storage:	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light		64742-47-8	45 - 70%
Propane		74-98-6	10 - 30%
Propane, 2-methyl-		75-28-5	5 - 10%
2-Propanol		67-63-0	1 - 5%
n-Octyl Bicycloheptane Dicarboximide		113-48-4	1 - 5%
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-		51-03-6	1 - 5%
Pyrethrins		8003-34-7	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air.
Skin Contact:	Wash skin thoroughly with soap and water. Call a POISON CENTER/doctor if you feel unwell.
Eye contact:	Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities:

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbons	8 HR ACL	200 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	250 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Distillates (petroleum), hydrotreated light	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (12 2007)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWA	200 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane, 2-methyl-	STEL	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)
Propane, 2-methyl-	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)

Propane, 2-methyl-	STEL	1,000 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2018)
Propane, 2-methyl-	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
2-Propanol	STEL	400 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	200 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Propanol	TWA	200 ppm 492 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
2-Propanol	15 MIN ACL	400 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
2-Propanol	STEL	400 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	STEL	400 ppm 984 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	8 HR ACL	200 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	TWA	200 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
2-Propanol	STEL	400 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWA	200 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
2-Propanol	STEL	500 ppm 1,230 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	TWA	400 ppm 983 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
2-Propanol	STEL	400 ppm	US. ACGIH Threshold Limit Values (2008)
	TWA	200 ppm	US. ACGIH Threshold Limit Values (2008)
Pyrethrins	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (12 2007)
Pyrethrins	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Pyrethrins	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Pyrethrins	TWA	5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Pyrethrins	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Pyrethrins	TWA	5 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Pyrethrins	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (2008)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

Eye/face protection:

Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Avoid contact with skin. Observe good industrial hygiene practices. When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol

Color: No data available.

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure: No data available.

Vapor density: No data available.

Density: No data available.

Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity: No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	ATEmix: 36,499.95 mg/kg
Dermal	
Product:	ATEmix: 10,965.58 mg/kg
Inhalation	
Product:	Not classified for acute toxicity based on available data.
Specified substance(s):	
Distillates (petroleum), hydrotreated light	LC 50: > 5 mg/l LC 50: > 20 mg/l
Propane	LC 50 (Mouse): 1,237 mg/l
2-Propanol	LC 50: > 5 mg/l LC 50: > 20 mg/l
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	LC 50 (Rat): > 5.9 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): ≥ 24 mg/m ³ Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, ≥ 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, ≥ 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Propane, 2-methyl-	NOAEL (Rat(Female, Male), Inhalation, ≥ 42 d): 16,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation): 21,394 mg/m ³ Inhalation Experimental result, Key study
2-Propanol	NOAEL (Rat, Inhalation, ≥ 104 Weeks): 5,000 ppm(m) Inhalation Experimental result, Key study
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	NOAEL (Dog(Female, Male), Oral, 1 yr): 600 ppm(m) Oral Experimental result, Key study LOAEL (Rat(Female, Male), Oral, 28 - 31 d): 250 mg/kg Oral Experimental result, Supporting study NOAEL (Rat(Female, Male), Oral, 28 - 31 d): 125 mg/kg Oral Experimental result, Supporting study NOAEL (Rabbit(Female, Male), Dermal): $> 1,000$ mg/kg Dermal Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation): ≥ 512 mg/m ³ Inhalation Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
2-Propanol	in vivo (Rabbit): Not Classified Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating
2-Propanol	Rabbit, 1 d: Irritating.

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising
2-Propanol	Skin sensitization:, in vivo (Guinea pig): Non sensitising
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH Carcinogen List:
No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light

May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light

LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 2.9 mg/l Mortality
NOAEL (Oncorhynchus mykiss, 96 h): 2 mg/l Experimental result, Key study

Propane

LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

2-Propanol

LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key study

n-Octyl Bicycloheptane Dicarboximide	LC 50 (Rainbow Trout, 96 h): 1.4 mg/l
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	LC 50 (Oncorhynchus mykiss, 96 h): 6.12 mg/l Experimental result, Key study NOAEL (96 h): 0.625 mg/l Experimental result, Key study
Pyrethrins	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.013 - 0.0306 mg/l Mortality LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.02 - 0.03 mg/l Mortality

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	EC 50 (Daphnia magna, 24 h): 4.6 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.3 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 1.4 mg/l Experimental result, Key study
2-Propanol	LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study
n-Octyl Bicycloheptane Dicarboximide	EC 50 (Daphnia magna, 48 h): 2.3 mg/l
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	EC 50 (Daphnia magna, 48 h): 510 µg/l Experimental result, Key study
Pyrethrins	EC 50 (Water flea (Daphnia), 48 h): 0.018 - 0.032 mg/l Intoxication

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	NOAEL (Pimephales promelas): 0.18 mg/l Experimental result, Key study LOAEL (Pimephales promelas): 0.42 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	NOAEL (Daphnia magna): 1.2 mg/l Experimental result, Key study EC 50 (Daphnia magna): 0.81 mg/l Experimental result, Key study
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	LOAEL (Daphnia magna): 47 µg/l Experimental result, Key study NOAEL (Daphnia magna): 30 µg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	61 % Detected in water. Experimental result, Supporting study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Propane, 2-methyl-	100 % Detected in water. QSAR, Weight of Evidence study
2-Propanol	53 % (5 d) Detected in water. Experimental result, Key study
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	24 - 48 % (28 d) Detected in water. Experimental result, Supporting study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	Bioconcentration Factor (BCF): 39.06 Aquatic sediment QSAR, Key study
--	---

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	Log Kow: 4.8 - 5 20 - 25 °C
--	-----------------------------

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Distillates (petroleum), hydrotreated light	No data available.
Propane	No data available.
Propane, 2-methyl-	No data available.
2-Propanol	No data available.
n-Octyl Bicycloheptane Dicarboximide	No data available.
1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-	No data available.
Pyrethrins	No data available.

Other adverse effects: Toxic to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

TDG

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2.1
Label(s): –
EmS No.:
Packing Group: –
Environmental Hazards No
Marine Pollutant Yes
Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es)
Class: 2
Label(s): –
EmS No.: F-D, S-U
Packing Group: –
Environmental Hazards No
Marine Pollutant Yes
Special precautions for user: Not regulated.

IATA

UN Number: UN 1950
Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es):
Class: 2.1
Label(s): –
Packing Group: –
Environmental Hazards No
Marine Pollutant Yes
Special precautions for user: Not regulated.

15. Regulatory information

Canada Federal Regulations
List of Toxic Substances (CEPA, Schedule 1)
Not Regulated

Export Control List (CEPA 1999, Schedule 3)
Not Regulated

National Pollutant Release Inventory (NPRI)
Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements
NPRI PT5 Distillates (petroleum),
 hydrotreated
 lightPropanePropane, 2-
 methyl-2-Propanol

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)
NPRI 2-Propanol

Greenhouse Gases
Not Regulated

Controlled Drugs and Substances Act
CA CDSI Not Regulated
CA CDSII Not Regulated
CA CDSIII Not Regulated
CA CDSIV Not Regulated
CA CDSV Not Regulated
CA CDSVII Not Regulated
CA CDSVIII Not Regulated

Precursor Control Regulations
Not Regulated

International regulations

Montreal protocol
Not applicable

Stockholm convention
Not applicable

Rotterdam convention
Not applicable

Kyoto protocol
Not applicable

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision

Issue Date: 05/14/2019

Revision Date: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.