

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ECO-STAR ANTI-CHLOR S-55

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0,05 % - 0,3 %

0,5 - 3 mL/kg roupa

Company : ECOLAB Química Ltda.
Avenida Gupe, 10933
Jd. Belval - Barueri – SP, Brazil Cep.: 06422-120
0800 704 1409
sac.brasil@ecolab.com

Emergency telephone : 0800 701 0450 (Planitox) – Medical Emergency.
0800 110 8270 (ABIQUIM / PROQUIMICA)

Issuing date : 08.02.2021

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Acute toxicity (Oral) : Category 4

Product AT USE DILUTION

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Harmful if swallowed.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
Response:
IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
Rinse mouth.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements : **Prevention:**

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards

: The head space of containers containing this product may accumulate Sulphur Dioxide (SO₂). SO₂ is a toxic and irritating gas that can be hazardous if inhaled.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name

sodium bisulfite

CAS-No.

7631-90-5

Concentration (%)

30 - 60

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Heating or fire can release toxic gas. May evolve oxides of sulfur (SO _x) under fire conditions.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed.
Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling	: Do not ingest. Wash hands thoroughly after handling. Containers should be opened cautiously and only in well ventilated areas.
Conditions for safe storage	: Keep out of reach of children. Store in a well-ventilated place. Store in suitable labeled containers. Do not store at elevated temperature.
Storage temperature	: 5 °C to 45 °C

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium bisulfite	7631-90-5	TWA	5 mg/m ³	ACGIH
		TWA	5 mg/m ³	NIOSH REL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: light yellow	
Odor	: No data available	
pH	: 3,5 - 4,5, (100 %)	4,5 - 6,0
Flash point	: Not applicable, Does not sustain combustion.	

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1,24 - 1,34
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Evolves SO ₂ when open to atmosphere. The rate of SO ₂ evolution increases with temperature and/or transfer of product.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Keep away from heat and sources of ignition.
Incompatible materials	: Bases Oxidizing agents SO ₂ may react with vapors from neutralizing amines and may produce a visible cloud of amine salt particles.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Harmful if swallowed.

Inhalation : May release toxic, irritating and/or corrosive gases.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No information available.

Inhalation : No symptoms known or expected.

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity : Acute toxicity estimate : 1.250 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Skin corrosion/irritation : No data available

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Serious eye damage/eye irritation : No data available

Respiratory or skin sensitization : No data available

Carcinogenicity : No data available

Reproductive effects : No data available

Germ cell mutagenicity : No data available

Teratogenicity : No data available

STOT-single exposure : No data available

STOT-repeated exposure : No data available

Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Components

Toxicity to fish : sodium bisulfite
96 h LC50 Fish: 177,8 mg/l

Persistence and degradability

Product AS SOLD

Not applicable - inorganic

Product AT USE DILUTION

Not applicable - inorganic

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose.

Product AT USE DILUTION

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ANTT 5.232)

UN number : 2693
Description of the goods : BISULPHITES, AQUEOUS SOLUTION, N.O.S.
()
Class : 8
Packing group : III
Risk Number : 80
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 2693
Description of the goods : BISULPHITES, AQUEOUS SOLUTION, N.O.S.
(sodium bisulfite)
Class : 8
Packing group : III
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

NATIONAL REGULATIONS, BRAZIL

Brazil: Our FISPQ complies with the Brazilian Rule ABNT NBR 14725.


SECTION 16. OTHER INFORMATION

Product AS SOLD

SAFETY DATA SHEET

ECO-STAR ANTI-CHLOR S-55

NFPA:




HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 08.02.2021
Version : 1.6
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.