

Section 1. Chemical product and company identification

Chinese name : 地板清潔劑
Product name English : MAXX DUAL ACTION FLOOR CLEANER-BRIGHT SPEED
Supplier : Ecolab Limited
 15/F, Lu Plaza
 2 Wing Yip Street, Kwun Tong, Kowloon, HONG KONG
 +852-2372 7768
Emergency telephone number : +852-2372 7768
Product type : Floor Cleaner
Date of issue : 2013 . 6 . 10

Section 2. Hazards identification

Hazard classification : Class 8 Corrosive substances
Routes of entry : Skin contact, Eye contact, Inhalation, Ingestion
Human health hazards
Inhalation : Moderately irritating to the respiratory system.
Ingestion : Causes burns to mouth, throat and stomach.
Skin : Corrosive to the skin.
Eyes : Corrosive to eyes.
Environmental hazards : No known significant effects or critical hazards.
Fire/explosion hazards : In a fire or if heated, a pressure increase will occur and the container may burst.

Section 3. Composition/information on ingredients

Mixture

Chemical name	Concentration	CAS No.
2-aminoethanol	10 - 30	141-43-5
sodium xylenesulphonate	1 - 10	1300-72-7
silicic acid, sodium salt	1 - 10	1344-09-8
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	1 - 10	160875-66-1
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	1 - 10	64-02-8

Section 4. First-aid measures

Inhalation : If inhaled, remove to fresh air.
Ingestion : If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Clean shoes thoroughly before reuse. Get medical attention immediately. Wash clothing before reuse.
Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention immediately.

Section 5. Fire-fighting measures

Extinguishing media

Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Materials to avoid	acids

Section 6. Accidental release measures

Personal precautions	: Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralise liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labelled container. Use a water rinse for final clean-up.

Section 7. Handling and storage

Handling	: Do not ingest. Do not get in eyes or on skin or clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Keep container closed. Wash thoroughly after handling.
Storage	: Keep out of reach of children. Keep container tightly closed. Keep container in a cool, well-ventilated area. Store between the following temperatures: 10 and 45°C

Section 8. Exposure controls/personal protection

Chemical name	Exposure limits
2-aminoethanol	GBZ-2 (China, 4/2007). PC-STEL: 15 mg/m ³ 15 minutes. PC-TWA: 8 mg/m ³ 8 hours.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Occupational exposure controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory	Avoid breathing vapours, spray or mists.
--------------------	--

Section 8. Exposure controls/personal protection

Hands	: Use chemical-resistant, impervious gloves.
Eyes	: Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.
Skin	: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Section 9. Physical and chemical properties

Physical state	: Liquid. [Liquid.]
Colour	: Green [Dark]
Odour	: Fragrance-like
pH	: 12.5 to 14 [Conc. (% w/w): 100%]
Flash point	: > 100°C
Specific gravity	: 1.073

Section 10. Stability and reactivity

Stability and reactivity	: The product is stable.
Conditions to avoid	: No specific data.
Materials to avoid	: acids
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Acute toxicity

Inhalation	: Moderately irritating to the respiratory system.
Ingestion	: Causes burns to mouth, throat and stomach.
Skin	: Corrosive to the skin.
Eyes	: Corrosive to eyes.

Potential chronic health effects

Chronic effects	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Section 12. Ecological information

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
silicic acid, sodium salt	Acute LC50 210 mg/l	Fish	96 hours
sodium xylenesulphonate	Acute EC50 230 mg/l	Aquatic plants	96 hours
2-aminoethanol	Acute EC50 65 mg/l	Daphnia	48 hours
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	Acute LC50 121 mg/l	Daphnia	48 hours
		Fish	96 hours

Bioaccumulative potential

Product/ingredient name	LogP_{ow}	BCF	Potential
Ethanolamines	-1.31	-	low
ethylenediamine tetraacetate	5.01	-	high

Other adverse effects	: No known significant effects or critical hazards.
------------------------------	---

Section 12. Ecological information

Environmental effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Consult your local or regional authorities.

Section 14. Transport information

UN number : UN3267
Proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-aminoethanol)
Package mark : Corrosive substances
Packing group : II

Section 15. Regulatory information

Authored with regard to:

- "Classification and Mark for commonly used dangerous chemicals" (GB13690-1992)
- "General rules for preparation of a Chemical Safety Data Sheet" (GB16483-2000)
- "The principle of classification of transport packaging groups of dangerous goods" (GB/T15098-94)
- "Classification and code of dangerous goods" (GB6944-2005)

Section 16. Other information

Date of issue : 2013 . 6 . 10
Prepared by : Regulatory Affairs
Date of previous issue : No previous validation

☑ Indicates information that has changed from previously issued version.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.