



# Talon<sup>®</sup> Soft

## Rodenticide



### FOR TRAINED PROFESSIONALS ONLY

Active ingredient: Brodifacoum 0.005% w/w (0.05 g/kg)  
AUTHORISATION NUMBER: UK-2015-0910 / IE/BPA 70595

A READY TO USE PASTE BAIT, CONTAINING BRODIFACOUM (0.005%W/W), FOR USE AS A RODENTICIDE BY TRAINED PROFESSIONALS FOR THE CONTROL OF RATS AND MICE, INDOORS AND OUTDOORS AROUND BUILDINGS FOR THE PROTECTION OF PUBLIC HEALTH, STORED PRODUCTS AND MATERIALS.

**Use Biocides Safely and Sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on this label. Not for sale to the general public. Read product label and leaflet before use. Retain packaging for information.**

#### Danger

May damage the unborn child.  
May cause damage to organs (blood) through prolonged or repeated exposure.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
If exposed or concerned: Get medical advice/attention.  
Get medical advice/attention if you feel unwell.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.



## Contents: 300 g e

Batch No.:/Expiry date:

Label No.: CLP18-199a



### PARTICULARS OF LIKELY DIRECT OR INDIRECT EFFECTS, FIRST AID INSTRUCTIONS AND EMERGENCY MEASURES TO PROTECT THE ENVIRONMENT:

This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces and urine.

Antidote: Vitamin K1 administered by medical/ veterinary personnel only. In case of: Dermal exposure, wash skin with water and then with water and soap. Eye exposure, rinse eyes with eye-rinse liquid or water, keep eye lids open for at least 10 minutes. Oral exposure, rinse mouth carefully with water. Never give anything by mouth to an unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product container or label. UK medical professionals should contact the National Poisons Information Service ([www.npis.org](http://www.npis.org)) for further advice. Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-809 2166), retain the label for reference. Contact a veterinary surgeon in case of ingestion by a pet. Hazardous to wildlife. Bait stations must be labelled with the following information: "Product name or authorisation number", "Active substance(s)", "Contains a rodenticide", "Do not move or open" and "In case of incident, call the National Poisons Information Centre."

**INSTRUCTIONS FOR SAFE DISPOSAL OF THE PRODUCT AND ITS PACKAGING:** At the end of the treatment, dispose of uneaten bait and the packaging in accordance with local requirements. Use of gloves is recommended. For information on disposal in the UK contact the Environment Agency (<http://www.environment-agency.gov.uk>) or SEPA (<http://www.sepa.org.uk>) In Ireland, disposal should be in accordance with EPA requirements for the disposal of hazardous waste.

### CONDITIONS OF STORAGE AND SHELF LIFE OF PRODUCT UNDER NORMAL CONDITIONS OF

**STORAGE:** Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight. Store in places prevented from access by children, birds, pets and farm animals. Shelf life: 12 months.

**APPROVAL HOLDER:** Rentokil Initial 1927 plc, Global Science Centre, 7&8 Foundry Court, Foundry Lane, Horsham, RH13 5PY, UK. Product Advice Line: +44 (0) 151 548 5050  
Emergency Line: +44 (0) 1342 833 022