

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : MAXX DURABLE FLOOR FINISH PART A - PHAZER

Other means of identification : Not applicable.

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 94.7% PART A WITH 5.3% PART B

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 02/01/2021

**Section: 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Not a hazardous substance or mixture.

**Product AT USE DILUTION**

Eye irritation : Category 2B

Skin sensitization : Sub-category 1B

**GHS Label element**
**Product AS SOLD**

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.

**Product AT USE DILUTION**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes eye irritation.  
May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace.  
**Response:**

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention.

#### Product AS SOLD

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Product AS SOLD

Pure substance/mixture : Mixture

| Chemical Name | CAS-No.  | Concentration: (%) |
|---------------|----------|--------------------|
| triethylamine | 121-44-8 | 0.1 - 1            |

#### Product AT USE DILUTION

| Chemical Name                          | CAS-No.    | Concentration: (%) |
|----------------------------------------|------------|--------------------|
| triethylamine                          | 121-44-8   | 0.1 - 1            |
| hexane, 1,6-diisocyanato-, homopolymer | 28182-81-2 | 1 - 5              |

### Section: 4. FIRST AID MEASURES

#### Product AS SOLD

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Get medical attention. Thoroughly clean shoes before reuse.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

### Section: 5. FIREFIGHTING MEASURES

#### Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

|                                                               |                                                                                                                     |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Unsuitable extinguishing media                                | : None known.                                                                                                       |
| Specific hazards during firefighting                          | : Not flammable or combustible.                                                                                     |
| Hazardous combustion products                                 | : Decomposition products may include the following materials:<br>Carbon oxides<br>nitrogen oxides (NOx)             |
| Special protective equipment and precautions for firefighters | : Use personal protective equipment.                                                                                |
| Specific extinguishing methods                                | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Risk of explosion.                                            | : Not available.                                                                                                    |

#### Section: 6. ACCIDENTAL RELEASE MEASURES

##### Product AS SOLD

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8.                                                                                                                                                                                                                                                                                                                      |
| Environmental precautions                                           | : No special environmental precautions required.                                                                                                                                                                                                                                                                                                                                |
| Methods and materials for containment and cleaning up               | : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |

##### Product AT USE DILUTION

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.                                                                                                                                                                                                                                                              |
| Environmental precautions                                           | : Do not allow contact with soil, surface or ground water.                                                                                                                                                                                                                                                                                                                      |
| Methods and materials for containment and cleaning up               | : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |

#### Section: 7. HANDLING AND STORAGE

##### Product AS SOLD

|                             |                                                                                                                                                                                                          |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8. |
| Conditions for safe storage | : Keep out of reach of children. Store in suitable labeled containers.                                                                                                                                   |

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Storage temperature : 5 °C to 40 °C

#### Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). Do not get in eyes, on skin, or on clothing.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Components with workplace control parameters

| Components    | CAS-No.  | Form of exposure | Permissible concentration        | Basis      |
|---------------|----------|------------------|----------------------------------|------------|
| triethylamine | 121-44-8 | TWA              | 1 ppm<br>4.1 mg/m <sup>3</sup>   | CAD AB OEL |
|               |          | STEL             | 3 ppm<br>12 mg/m <sup>3</sup>    | CAD AB OEL |
|               |          | TWA              | 0.5 ppm                          | CAD BC OEL |
|               |          | STEL             | 1 ppm                            | CAD BC OEL |
|               |          | STEV             | 15 ppm<br>61.5 mg/m <sup>3</sup> | OEL (QUE)  |
|               |          | VME              | 5 ppm<br>20.5 mg/m <sup>3</sup>  | OEL (QUE)  |
| triethylamine | 121-44-8 | TWA              | 0.5 ppm                          | ACGIH      |
|               |          | STEL             | 1 ppm                            | ACGIH      |
|               |          | TWA              | 25 ppm<br>100 mg/m <sup>3</sup>  | OSHA Z1    |

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

#### Product AT USE DILUTION

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         | Product AS SOLD                                 | Product AT USE DILUTION |
|-----------------------------------------|-------------------------------------------------|-------------------------|
| Appearance                              | : liquid                                        | liquid                  |
| Colour                                  | : opaque, white                                 | white                   |
| Odour                                   | : ammoniacal                                    | ammoniacal              |
| pH                                      | : 7.0 - 8.5, (100 %)                            | 7.0 - 8.5               |
| Flash point                             | : Not applicable., Does not sustain combustion. |                         |
| Odour Threshold                         | : no data available                             |                         |
| Melting point/freezing point            | : no data available                             |                         |
| Initial boiling point and boiling range | : 100 °C                                        |                         |
| Evaporation rate                        | : no data available                             |                         |
| Flammability (solid, gas)               | : Not applicable.                               |                         |
| Upper explosion limit                   | : no data available                             |                         |
| Lower explosion limit                   | : no data available                             |                         |
| Vapour pressure                         | : no data available                             |                         |
| Relative vapour density                 | : no data available                             |                         |
| Relative density                        | : 1.012 - 1.034                                 |                         |
| Water solubility                        | : no data available                             |                         |
| Solubility in other solvents            | : no data available                             |                         |
| Partition coefficient: n-octanol/water  | : no data available                             |                         |
| Auto-ignition temperature               | : no data available                             |                         |
| Thermal decomposition                   | : no data available                             |                         |
| Viscosity, kinematic                    | : 6.855 mm <sup>2</sup> /s (40 °C)              |                         |
| Explosive properties                    | : no data available                             |                         |
| Oxidizing properties                    | : no data available                             |                         |
| Molecular weight                        | : no data available                             |                         |
| VOC                                     | : no data available                             |                         |

#### Section: 10. STABILITY AND REACTIVITY

##### Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

|                                    |                                                                                                                       |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                                         |
| Conditions to avoid                | : None known.                                                                                                         |
| Incompatible materials             | : None known.                                                                                                         |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>nitrogen oxides (NOx) |

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

###### Product AS SOLD

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Health injuries are not known or expected under normal use. |
| Skin             | : Health injuries are not known or expected under normal use. |
| Ingestion        | : Health injuries are not known or expected under normal use. |
| Inhalation       | : Health injuries are not known or expected under normal use. |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

###### Product AT USE DILUTION

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Causes eye irritation.                                      |
| Skin             | : May cause allergic skin reaction.                           |
| Ingestion        | : Health injuries are not known or expected under normal use. |
| Inhalation       | : Health injuries are not known or expected under normal use. |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

##### Experience with human exposure

###### Product AS SOLD

|              |                                  |
|--------------|----------------------------------|
| Eye contact  | : No symptoms known or expected. |
| Skin contact | : No symptoms known or expected. |
| Ingestion    | : No symptoms known or expected. |
| Inhalation   | : No symptoms known or expected. |

###### Product AT USE DILUTION

|              |                                           |
|--------------|-------------------------------------------|
| Eye contact  | : Redness, Irritation                     |
| Skin contact | : Redness, Irritation, Allergic reactions |
| Ingestion    | : No symptoms known or expected.          |

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD Product

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available  
Respiratory or skin sensitization : no data available  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

##### Components

Acute inhalation toxicity : triethylamine  
4 h rat: 7.23 mg/l Test atmosphere: vapour

##### Components

Acute dermal toxicity : triethylamine  
LD50 rabbit: 410 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

##### Product AS SOLD Toxicity

Environmental Effects : Harmful to aquatic life.

##### Product

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

##### Components

Toxicity to fish : triethylamine  
96 h EC50: 17 mg/l

##### Persistence and degradability

Product AS SOLD  
Poorly biodegradable

##### Product AT USE DILUTION

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Poorly biodegradable

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

#### Product AT USE DILUTION

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (TDG)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:



## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

**Switzerland. New notified substances and declared preparations :**  
not determined

**United States TSCA Inventory :**  
All substances listed as active on the TSCA inventory

**Canadian Domestic Substances List (DSL) :**  
This product contains one or several components listed in the Canadian NDSL.

**Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :**  
not determined

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**  
not determined

**Japan. ENCS - Existing and New Chemical Substances Inventory :**  
not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**  
not determined

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
not determined


**China Inventory of Existing Chemical Substances :**  
not determined

**Taiwan Chemical Substance Inventory :**  
not determined

### Section: 16. OTHER INFORMATION

#### Product AS SOLD

##### NFPA:



##### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 0 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |


0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

#### NFPA:



#### HMIS III:

|                        |           |
|------------------------|-----------|
| <b>HEALTH</b>          | <b>2*</b> |
| <b>FLAMMABILITY</b>    | <b>0</b>  |
| <b>PHYSICAL HAZARD</b> | <b>0</b>  |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 02/01/2021  
Version : 4.0  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.