

**SAFETY DATA SHEET****LAUNDRY IRON CONTROL SOUR 520****SECTION 1. GENERAL INFORMATION**

Issuing date : 17.06.2016

Revision Date : 17.06.2016

Prepared by : Regulatory Affairs

Company : Ecolab, S. DE R.L DE C.V.
Industrial Avenue #28
Industrial Fractionation, Cuamatla, Cuautitlan Izcalli, Mexico State
Mexico 54730
+52 800 ECO 2000 (+52 800 326 2000)

Emergency telephone : +52 800 837 2998 (Request Assistance in Spanish)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Product name : LAUNDRY IRON CONTROL SOUR 520

Other means of identification : Not applicable

Recommended use : Machine Warewashing Detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

SECTION 3. HAZARDS IDENTIFICATION

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Phosphoric acid	7664-38-2	10 - 30
ethanedioic acid, dihydrate	6153-56-6	5 - 10

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		STEL	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520


ethanedioic acid, dihydrate	6153-56-6	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	2 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	2 mg/m3	NOM-010-STPS-2014
ethanedioic acid, dihydrate	6153-56-6	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	2 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	2 mg/m3	NOM-010-STPS-2014
ethanedioic acid, dihydrate	6153-56-6	TWA	1 mg/m3	NIOSH REL
		STEL	2 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
		TWA	1 mg/m3	ACGIH
		STEL	2 mg/m3	ACGIH
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		STEL	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
ethanedioic acid, dihydrate	6153-56-6	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	2 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	2 mg/m3	NOM-010-STPS-2014
ethanedioic acid, dihydrate	6153-56-6	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	2 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	2 mg/m3	NOM-010-STPS-2014
ethanedioic acid, dihydrate	6153-56-6	TWA	1 mg/m3	NIOSH REL
		STEL	2 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
		TWA	1 mg/m3	ACGIH
		STEL	2 mg/m3	ACGIH
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	3 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	3 mg/m3	NOM-010-STPS-2014
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		STEL	3 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
ethanedioic acid, dihydrate	6153-56-6	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	2 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	2 mg/m3	NOM-010-STPS-2014
ethanedioic acid, dihydrate	6153-56-6	LMPE-PPT	1 mg/m3	MX OEL
		LMPE-CT	2 mg/m3	MX OEL
		VLE-PPT	1 mg/m3	NOM-010-STPS-2014
		VLE-CT	2 mg/m3	NOM-010-STPS-2014
ethanedioic acid, dihydrate	6153-56-6	TWA	1 mg/m3	NIOSH REL
		STEL	2 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
		TWA	1 mg/m3	ACGIH
		STEL	2 mg/m3	ACGIH

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

SECTION 4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: fluorescent, colorless
Odor	: odorless
pH	: 0.1 - 1.0, 100 %
Flash point	: Not applicable

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.11 - 1.12
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. STABILITY AND REACTIVITY

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: None known.
Incompatible materials	: Bases Metals
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 7. FIRST AID MEASURES

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity	: No data available
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Ingredients

Acute oral toxicity	: Phosphoric acid LD50 Rat: > 2,600 mg/kg
	ethanedioic acid, dihydrate LD50 Rat: 375 mg/kg

Ingredients

Acute inhalation toxicity	: Phosphoric acid 4 h LC50 Rat: 0.962 mg/l
---------------------------	---

Ingredients

Acute dermal toxicity	: Phosphoric acid LD50 Rabbit: > 2,000 mg/kg
	ethanedioic acid, dihydrate LD50 Rat: 1,500 mg/kg

First aid

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately. Apply calcium gluconate gel, if available, or milk of magnesia to affected area.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately. If available, take several calcium antacid tablets (eg Tums) or several tablespoons of milk of magnesia.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

SECTION 8. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Disposal methods	: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 9. PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
----------------------	--

Personal protective equipment

Eye protection	: Safety goggles Face-shield
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

and body in case of contact or splash hazard.

SECTION 10. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (MX_DG)

UN number : 1805
Description of the goods : PHOSPHORIC ACID, LIQUID
Class : 8
Packing group : III
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 1805
Description of the goods : PHOSPHORIC ACID SOLUTION
Class : 8
Packing group : III
Marine pollutant : no

SECTION 11. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available
Toxicity to daphnia and other aquatic invertebrates : No data available
Toxicity to algae : No data available

Ingredients

Toxicity to daphnia and other aquatic invertebrates : Phosphoric acid
48 h EC50 Daphnia magna (Water flea): > 100 mg/l
ethanedioic acid, dihydrate
48 h EC50 Daphnia: 137 mg/l

Ingredients

Toxicity to algae : Phosphoric acid
72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 12. SPECIAL PRECAUTIONS

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.
- Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 50 °C

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory

Issuing date : 17.06.2016
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the MSDS.

SAFETY DATA SHEET

LAUNDRY IRON CONTROL SOUR 520

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.