

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TOPMATIC PLUS

Other means of identification : Not applicable.

Recommended use : Machine Warewashing Detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company

Ecolab Gulf FZE  
P.O. Box 17063  
Jebel Ali Free Zone Area, Near Container Terminal 3 - North Zone  
Dubai  
UAE  
00971 4 8014444 Customer Services, 00971 48146800 00971 4  
8014000 Reception phone numbers

Nalco Egypt Trading  
5th Settlement, South 90th St.  
The Address Building No 67th – 1st floor  
New Cairo, Cairo, Egypt11835  
0020 2 25 37 1195,

Ecolab Maroc S.A.R.L.  
Batiment, Lot. Mounir 1, Parc Industriel  
Attawfik  
Route 1029  
Sidi Maarouf, Casablanca, Morocco  
00212 22 58 25 30 - 35,

Emergency telephone number : +32-(0)3-575-5555 Trans-European

Issuing date : 19.02.2020

**Section: 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Corrosive to metals : Category 1  
Skin corrosion : Category 1  
Serious eye damage : Category 1

**GHS Label element**

Hazard pictograms :



Signal Word : Danger

## SAFETY DATA SHEET

### TOPMATIC PLUS

- Hazard Statements : May be corrosive to metals.  
Causes severe skin burns and eye damage.
- Precautionary Statements : **Prevention:**  
Keep only in original container. Wash skin thoroughly after handling.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.  
**Storage:**  
Store locked up. Store in corrosive resistant container with a resistant inner liner.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.
- Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical Name                              | CAS-No.    | Concentration: (%) |
|--------------------------------------------|------------|--------------------|
| sodium hydroxide                           | 1310-73-2  | 10 - 30            |
| sodium hypochlorite                        | 7681-52-9  | 1 - 5              |
| 2-Phosphono-1,2,4-Butanetricarboxylic Acid | 37971-36-1 | 1 - 5              |

### Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

# SAFETY DATA SHEET

## TOPMATIC PLUS

### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Oxides of phosphorus  
Hydrogen chloride  
metal oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep only in original packaging. Absorb spillage to prevent material damage.
- Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.

## SAFETY DATA SHEET

### TOPMATIC PLUS

Storage temperature : 0 °C to 40 °C

Packaging material : Suitable material: Plastic material  
Unsuitable material: Aluminium, Mild steel

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

| Components       | CAS-No.   | Form of exposure | Permissible concentration | Basis   |
|------------------|-----------|------------------|---------------------------|---------|
| sodium hydroxide | 1310-73-2 | STEL OEL-RL      | 2 mg/m <sup>3</sup>       | ZA OEL  |
| sodium hydroxide | 1310-73-2 | CLV              | 2 mg/m <sup>3</sup>       | BH OEL  |
| sodium hydroxide | 1310-73-2 | Ceiling limit    | 2 mg/m <sup>3</sup>       | ARE OEL |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Recommended preventive skin protection  
Gloves  
Nitrile rubber  
butyl-rubber  
Breakthrough time: 1 – 4 hours  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : Chlorine

pH : 13.5 - 13.8, (100 %)

Flash point : Not applicable.

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

## SAFETY DATA SHEET

### TOPMATIC PLUS

|                                        |                     |
|----------------------------------------|---------------------|
| Evaporation rate                       | : no data available |
| Flammability (solid, gas)              | : Not applicable.   |
| Upper explosion limit                  | : no data available |
| Lower explosion limit                  | : no data available |
| Vapour pressure                        | : no data available |
| Relative vapour density                | : no data available |
| Relative density                       | : 1.21 - 1.215      |
| Water solubility                       | : soluble           |
| Solubility in other solvents           | : no data available |
| Partition coefficient: n-octanol/water | : no data available |
| Auto-ignition temperature              | : no data available |
| Thermal decomposition                  | : no data available |
| Viscosity, kinematic                   | : no data available |
| Explosive properties                   | : no data available |
| Oxidizing properties                   | : Yes               |
| Molecular weight                       | : no data available |
| VOC                                    | : no data available |

### Section: 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                                                           |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                                                                             |
| Chemical stability                 | : Stable under normal conditions.                                                                                                                         |
| Possibility of hazardous reactions | : Mixing this product with acid or ammonia releases chlorine gas.                                                                                         |
| Conditions to avoid                | : None known.                                                                                                                                             |
| Incompatible materials             | : Acids<br><br>Aluminium<br>Mild steel                                                                                                                    |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>Oxides of phosphorus<br>Hydrogen chloride<br>metal oxides |

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes : Causes serious eye damage.

## SAFETY DATA SHEET

### TOPMATIC PLUS

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Skin             | : Causes severe skin burns.                                   |
| Ingestion        | : Causes digestive tract burns.                               |
| Inhalation       | : May cause nose, throat, and lung irritation.                |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

#### Experience with human exposure

|              |                                 |
|--------------|---------------------------------|
| Eye contact  | : Redness, Pain, Corrosion      |
| Skin contact | : Redness, Pain, Corrosion      |
| Ingestion    | : Corrosion, Abdominal pain     |
| Inhalation   | : Respiratory irritation, Cough |

#### Toxicity

##### Product

|                                   |                     |
|-----------------------------------|---------------------|
| Acute oral toxicity               | : no data available |
| Acute inhalation toxicity         | : no data available |
| Acute dermal toxicity             | : no data available |
| Skin corrosion/irritation         | : no data available |
| Serious eye damage/eye irritation | : no data available |
| Respiratory or skin sensitization | : no data available |
| Carcinogenicity                   | : no data available |
| Reproductive effects              | : no data available |
| Germ cell mutagenicity            | : no data available |
| Teratogenicity                    | : no data available |
| STOT - single exposure            | : no data available |
| STOT - repeated exposure          | : no data available |
| Aspiration toxicity               | : no data available |

##### Components

|                     |                                                                       |
|---------------------|-----------------------------------------------------------------------|
| Acute oral toxicity | : sodium hypochlorite<br>LD50 rat: 5,230 mg/kg                        |
|                     | 2-Phosphono-1,2,4-Butanetricarboxylic Acid<br>LD50 rat: > 6,500 mg/kg |

##### Components

|                       |                                                      |
|-----------------------|------------------------------------------------------|
| Acute dermal toxicity | : sodium hypochlorite<br>LD50 rabbit: > 10,000 mg/kg |
|-----------------------|------------------------------------------------------|

## Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

## SAFETY DATA SHEET

### TOPMATIC PLUS

Environmental Effects : Toxic to aquatic life.

#### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Components

Toxicity to fish : sodium hypochlorite  
96 h EC50: 0.14 mg/l

2-Phosphono-1,2,4-Butanetricarboxylic Acid  
96 h LC50 Brachydanio rerio (zebrafish): > 1,042 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : sodium hydroxide  
48 h EC50: 40 mg/l

sodium hypochlorite  
48 h EC50: 0.071 mg/l

2-Phosphono-1,2,4-Butanetricarboxylic Acid  
48 h EC50 Daphnia magna (Water flea): > 1,071 mg/l

#### Components

Toxicity to algae : 2-Phosphono-1,2,4-Butanetricarboxylic Acid  
72 h EC50 Desmodesmus subspicatus (green algae): 140 mg/l

#### Persistence and degradability

Poorly biodegradable

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

# SAFETY DATA SHEET

## TOPMATIC PLUS

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

UN number : 3266  
UN proper shipping name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
(sodium hydroxide, sodium hypochlorite)  
Transport hazard class(es) : 8  
Packing group : II  
Environmental hazards : No  
Special precautions for user : None

#### Air transport (IATA)

UN number : 3266  
Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.  
(sodium hydroxide, sodium hypochlorite)  
Class : 8  
Packing group : II  
Environmentally hazardous : No

#### Sea transport (IMDG/IMO)


UN number : 3266  
Description of the goods : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
(sodium hydroxide, sodium hypochlorite)  
Class : 8  
Packing group : II  
Marine pollutant : No

### Section: 15. REGULATORY INFORMATION

For Regulatory information please contact your Ecolab sales representative.

### Section: 16. OTHER INFORMATION

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 19.02.2020  
Version : 1.4  
Prepared by : Regulatory Affairs



## SAFETY DATA SHEET

### TOPMATIC PLUS

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.