

Manodes TR El Dezenfeksiyon mendili**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Manodes TR El Dezenfeksiyon mendili

Other means of identification : Not applicable.

Recommended use : Hand Sanitizer

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company

Ecolab Gulf FZE
P.O. Box 17063
Jebel Ali Free Zone Area, Near Container Terminal 3 - North Zone
Dubai
UAE
00971 4 8014444 Customer Services, 00971 48146800 00971 4
8014000 Reception phone numbers

Nalco Egypt Trading
5th Settlement, South 90th St.
The Address Building No 67th – 1st floor
New Cairo, Cairo, Egypt11835
0020 2 25 37 1195,

Ecolab Maroc S.A.R.L.
Batiment, Lot. Mounir 1, Parc Industriel
Attawfik
Route 1029
Sidi Maarouf, Casablanca, Morocco
00212 22 58 25 30 - 35,

Emergency telephone number : +32-(0)3-575-5555 Trans-European

Issuing date : 03.11.2020

Section: 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 2
Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapour.

SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

Causes serious eye irritation.

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Response:
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethanol	64-17-5	60 - 100
Isopropyl Alcohol	67-63-0	1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing : Use water spray to cool unopened containers. Fire residues and

SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

methods : contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Do not get in eyes.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 30 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA OEL-RL	1,000 ppm 1,900 mg/m ³	ZA OEL
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	ARE OEL
Isopropyl Alcohol	67-63-0	STEL OEL-RL	500 ppm 1,225 mg/m ³	ZA OEL
		TWA OEL-RL	400 ppm 960 mg/m ³	ZA OEL
Isopropyl Alcohol	67-63-0	TWA	400 ppm 983 mg/m ³	BH OEL
		STEL	500 ppm 1,230 mg/m ³	BH OEL
Isopropyl Alcohol	67-63-0	TWA	200 ppm 492 mg/m ³	ARE OEL
		STEL	400 ppm 984 mg/m ³	ARE OEL

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
-----------	---------	--------------------	---------------------	---------------	---------------------------	-------

Engineering measures : Good general ventilation should be sufficient to control worker

SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

exposure to airborne contaminants.

Personal protective equipment

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.
Hygiene measures	: No specific measures identified.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: absorbed liquid (wipes, pads, ...)
Colour	: clear, colourless
Odour	: alcohol-like
pH	: 5.5 - 8.5, (100 %)
Flash point	: 21 °C closed cup
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 35 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.83 - 0.89
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : Heat, flames and sparks.
Incompatible materials : None known.
Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye irritation.
Skin : Health injuries are not known or expected under normal use.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Inhalation may cause central nervous system effects.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Irritation
Skin contact : No symptoms known or expected.
Ingestion : No symptoms known or expected.
Inhalation : Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : no data available
Acute inhalation toxicity : 4 h Acute toxicity estimate : > 200 mg/l
Test atmosphere: vapour
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available

SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute oral toxicity : ethanol
LD50 rat: 10,470 mg/kg

Isopropyl Alcohol
LD50 rat: 5,840 mg/kg

Components

Acute dermal toxicity : ethanol
LD50 rabbit: 15,800 mg/kg

Isopropyl Alcohol
LD50 rabbit: 12,870 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : ethanol
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

Isopropyl Alcohol
96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : ethanol
48 h EC50 Aquatic Invertebrate: 857 mg/l

Isopropyl Alcohol
LC50 Daphnia magna (Water flea): > 10,000 mg/l

SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

- UN number : 3175
- UN proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(Ethanol)
- Transport hazard class(es) : 4.1
- Packing group : II
- Environmental hazards : No
- Special precautions for user : None

Air transport (IATA)

- UN number : 3175
- Description of the goods : Solids containing flammable liquid, n.o.s.
(Ethanol)
- Class : 4.1
- Packing group : II
- Environmentally hazardous : No

Sea transport (IMDG/IMO)

- UN number : 3175
- Description of the goods : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(Ethanol)
- Class : 4.1
- Packing group : II
- Marine pollutant : No

Section: 15. REGULATORY INFORMATION


SAFETY DATA SHEET

Manodes TR El Dezenfeksiyon mendili

For Regulatory information please contact your Ecolab sales representative.

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 03.11.2020
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.