

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

#### Section: 1. IDENTIFICATION

Product name : CAT-FLOC 8799 PLUS

Other means of identification : Not applicable.

Recommended use : COAGULANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Canada ULC  
1055 Truman Street  
Burlington, Ontario L7R 3Y9  
Canada  
TEL: (905) 633-1000

Emergency telephone number : (800) 463-3216 (24 Hours)

Issuing date : 2019/11/20

#### Section: 2. HAZARDS IDENTIFICATION

##### GHS Classification

Not a hazardous substance or mixture.

##### GHS Label element

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations. Protect product from freezing.

Other hazards : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

No hazardous ingredients

#### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

|                                                             |                                                                                                                                                                                                  |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : Get medical attention if symptoms occur.                                                                                                                                                       |
| Protection of first-aiders                                  | : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required. |
| Notes to physician                                          | : Treat symptomatically.                                                                                                                                                                         |
| Most important symptoms and effects, both acute and delayed | : no data available                                                                                                                                                                              |

#### Section: 5. FIREFIGHTING MEASURES

|                                                               |                                                                                                                     |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                                  | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.           |
| Unsuitable extinguishing media                                | : None known.                                                                                                       |
| Specific hazards during firefighting                          | : Not flammable or combustible.                                                                                     |
| Hazardous combustion products                                 | : Decomposition products may include the following materials: Carbon oxides<br>Sulphur oxides                       |
| Special protective equipment and precautions for firefighters | : Use personal protective equipment.                                                                                |
| Specific extinguishing methods                                | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

#### Section: 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8.                                                                                                                                                                                                                                                                                                                                                    |
| Environmental precautions                                           | : No special environmental precautions required.                                                                                                                                                                                                                                                                                                                                                              |
| Methods and materials for containment and cleaning up               | : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water. |

#### Section: 7. HANDLING AND STORAGE

|                             |                                                                                                                                       |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : For personal protection see section 8. Wash hands after handling.                                                                   |
| Conditions for safe storage | : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers. Protect product from freezing. |

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Stainless Steel 304, Stainless Steel 316L, Neoprene, Buna-N, Polypropylene, Polyethylene, Polyurethane, PVC, EPDM, Epoxy phenolic resin, Chlorosulfonated polyethylene rubber, Fluoroelastomer
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Mild steel

#### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

##### Personal protective equipment

- Eye protection : Safety glasses
- Hand protection : Wear protective gloves.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Wear suitable protective clothing.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.

##### Human Exposure Characterization :

Based on our recommended product application and personal protective equipment, the potential human exposure is: Low  
Low

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Viscous liquid
- Colour : yellow
- Odour : odourless
- Flash point : > 93.3 °C, Method: ASTM D 56, Tag closed cup
- pH : 5.0 - 8.0,(100 %), (25 °C)
- Odour Threshold : no data available
- Melting point/freezing point : Freezing Point: , No data available.
- Initial boiling point and boiling range : no data available
- Evaporation rate : no data available
- Flammability (solid, gas) : Not applicable.

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

|                                        |                         |
|----------------------------------------|-------------------------|
| Upper explosion limit                  | : no data available     |
| Lower explosion limit                  | : no data available     |
| Vapour pressure                        | : similar to water      |
| Relative vapour density                | : Same as water         |
| Relative density                       | : 1.07 - 1.11, (25 °C), |
| Density                                | : 8.9 - 9.25 lb/gal     |
| Water solubility                       | : completely soluble    |
| Solubility in other solvents           | : no data available     |
| Partition coefficient: n-octanol/water | : no data available     |
| Auto-ignition temperature              | : no data available     |
| Thermal decomposition                  | : no data available     |
| Viscosity, dynamic                     | : < 3,200 mPa.s (25 °C) |
| Viscosity, kinematic                   | : no data available     |
| Molecular weight                       | : no data available     |
| VOC                                    | : 0 %                   |

#### Section: 10. STABILITY AND REACTIVITY

|                                    |                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.                                    |
| Chemical stability                 | : Stable under normal conditions.                                                                |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                    |
| Conditions to avoid                | : Extremes of temperature                                                                        |
| Incompatible materials             | : Strong oxidizing agents                                                                        |
| Hazardous decomposition products   | : Decomposition products may include the following materials:<br>Carbon oxides<br>Sulphur oxides |

#### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

##### Potential Health Effects

|           |                                                               |
|-----------|---------------------------------------------------------------|
| Eyes      | : Health injuries are not known or expected under normal use. |
| Skin      | : Health injuries are not known or expected under normal use. |
| Ingestion | : Health injuries are not known or expected under normal use. |

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### Toxicity

##### Product

Acute oral toxicity : LD50 rat: 14,600 mg/kg  
Test substance: 20% Active Ingredient

Acute inhalation toxicity : no data available

Acute dermal toxicity : LD50 rabbit: > 20,000 mg/kg  
Test substance: Product

Skin corrosion/irritation : Species: Rabbit  
Result: 1.0  
Method: Draize Test  
Test substance: 40% Active Ingredient

Serious eye damage/eye irritation : Species: rabbit  
Result: 8.0  
Method: Draize Test  
Test substance: 40% Active Ingredient

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Further information : no data available

#### Human Hazard Characterization

Based on our hazard characterization, the potential human hazard is: Low

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

Environmental Effects : Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

#### Product

Toxicity to fish : LC50 Zebra Danio: 10 - 100 mg/l  
Exposure time: 96 hrs  
Test substance: Representative polymer tested in water with DOC

LC50 Fathead Minnow: 1.02 mg/l  
Exposure time: 48 hrs  
Test substance: Product tested in clean water

LC50 Bluegill Sunfish: 3.8 mg/l  
Exposure time: 96 hrs  
Test substance: Product tested in clean water

LC50 Rainbow Trout: 2.2 mg/l  
Exposure time: 96 hrs  
Test substance: Product tested in clean water

Toxicity to daphnia and other aquatic invertebrates : LC50 Daphnia magna (Water flea): 0.9 mg/l  
Exposure time: 48 hrs  
Test substance: Similar product tested in clean water

LC50 Daphnia magna (Water flea): 10 - 100 mg/l  
Exposure time: 48 hrs  
Test substance: Representative polymer tested in water with DOC

Toxicity to algae : no data available

#### Persistence and degradability

The organic portion of this preparation is expected to be poorly biodegradable.

Chemical Oxygen Demand (COD): 460,000 mg/l

Biochemical Oxygen Demand (BOD):

| Incubation Period | Value   | Test Descriptor |
|-------------------|---------|-----------------|
| 5 d               | 60 mg/l | Product         |

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%

## SAFETY DATA SHEET

### CAT-FLOC 8799 PLUS

Water : 10 - 30%  
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

#### Other information

The hazard characterization is based on the tests or potential hazard in the clean water.

#### ENVIRONMENTAL HAZARD AND EXPOSURE CHARACTERIZATION

Based on our hazard characterization, the potential environmental hazard is: Moderate

Based on our recommended product application and the product's characteristics, the potential environmental exposure is: Moderate Low

### Section: 13. DISPOSAL CONSIDERATIONS

In Ontario, the waste class under Regulation 347 is: 233L

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (TDG)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

## SAFETY DATA SHEET


### CAT-FLOC 8799 PLUS

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) :

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

#### Section: 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 0 |
| FLAMMABILITY    | 1 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Due to our commitment to Product Stewardship, we have evaluated the human and environmental hazards and exposures of this product. Based on our recommended use of this product, we have characterized the product's general risk. This information should provide assistance for your own risk management practices. We have evaluated our product's risk as follows:

\* The human risk is: Low Low

\* The environmental risk is: Moderate Low

Any use inconsistent with our recommendations may affect the risk characterization. Our sales representative will assist you to determine if your product application is consistent with our recommendations. Together we can implement an appropriate risk management process.

Revision Date : 2019/11/20  
Version Number : 1.1  
Prepared By : Regulatory Affairs (905) 633-1000

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.