

**SECTION 1. IDENTIFICATION OF THE CHEMICAL AND COMPANY**

Product name : TOPAX PRO-5301C

Other means of identification : Not applicable

Recommended use : Cleaning product

Product dilution information : 2,0 % - 4,0 %

Company : Chile ECOLAB S.A.  
 Avenida Pedro de Valdivia 3801  
 Santiago, Santiago Chile  
 (2)-22413300, Telephone: (2)-22381603, Telephone: SAC: 600 241 6600  
 sac.chile@ecolab.com

Emergency telephone : (+56-2) 2635-3600 (CITUC) EMERGENCY PHONE

Toxicological Emergency Phone : CITUC (+56-2) 2635-3800 (24 hours) Toxicological Emergencies

**SECTION 2. HAZARDS IDENTIFICATION**

Classification according to NCH 382 : Class: Class 8 Corrosives

Distintivo según NCh 2190 :


**GHS Classification**
**Product AS SOLD**

Acute toxicity (Inhalation) : Category 4  
 Skin corrosion : Category 1A  
 Serious eye damage : Category 1  
 Short-term (acute) aquatic hazard : Category 3

**Product AT USE DILUTION**

Skin irritation : Category 3  
 Eye irritation : Category 2A

**GHS label elements**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

## SAFETY DATA SHEET

### TOPAX PRO-5301C

Hazard Statements : Causes severe skin burns and eye damage.  
Harmful if inhaled.  
Harmful to aquatic life.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

#### Product AT USE DILUTION

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes mild skin irritation.  
Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear eye protection/ face protection.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

#### Product AS SOLD

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

#### Product AT USE DILUTION

Other hazards : Do not mix with bleach or other chlorinated products – will cause chlorine gas.

## SECTION 3. COMPOSITION/INFORMATION OF INGREDIENTS

#### Product AS SOLD

Pure substance/mixture : Mixture

| Chemical name                | CAS-No.    | Concentration (%) |
|------------------------------|------------|-------------------|
| Phosphoric acid              | 7664-38-2  | 30 - 60           |
| dodecylbenzene sulfonic acid | 27176-87-0 | 1 - 5             |
| Sodium Xylenesulfonate       | 1300-72-7  | 1 - 5             |

# SAFETY DATA SHEET

## TOPAX PRO-5301C

### Product AT USE DILUTION

**Chemical name**

Phosphoric acid

**CAS-No.**

7664-38-2

**Concentration (%)**

1 - 5

### SECTION 4. FIRST AID MEASURES

**Product AS SOLD**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

**Product AT USE DILUTION**

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

**Product AS SOLD****Expected acute effects**

- Eyes : Causes serious eye damage.
- Skin : Causes severe skin burns.
- Ingestion : Causes digestive tract burns.
- Inhalation : Harmful if inhaled. May cause nose, throat, and lung irritation.

**Expected chronic effects**

- Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION****Expected acute effects**

- Eyes : Causes serious eye irritation.
- Skin : Causes mild skin irritation.
- Ingestion : Health injuries are not known or expected under normal use.
- Inhalation : Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### TOPAX PRO-5301C

#### Expected chronic effects

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Most important symptoms / effects

##### Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

##### Product AT USE DILUTION

Eye contact : Redness, Pain, Irritation

Skin contact : slight irritation

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

## SECTION 5. FIREFIGHTING MEASURES

##### Product AS SOLD

Extinguishing Agents : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing agents : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Products generated in combustion and thermal degradation : Decomposition products may include the following materials:  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Oxides of phosphorus

Precautions for Emergency Personnel and / or Firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## SECTION 6. MEASURES IN CASE OF ACCIDENTAL SPILLAGE

##### Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

## SAFETY DATA SHEET

### TOPAX PRO-5301C

listed.

- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

##### Handling

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

##### Storage

- Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Recommended and unsuitable packaging by supplier : Use high density plastic containers.
- Storage temperature : 0 °C to 50 °C

#### Product AT USE DILUTION

##### Handling

- Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

##### Storage

- Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Store in suitable labeled containers.
- Recommended and : Use high density plastic containers.

## SAFETY DATA SHEET

### TOPAX PRO-5301C

unsuitable packaging by  
supplier

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Product AS SOLD

##### Ingredients with workplace control parameters

| Components      | CAS-No.   | Form of exposure | Permissible concentration | Basis             |
|-----------------|-----------|------------------|---------------------------|-------------------|
| Phosphoric acid | 7664-38-2 | CMP              | 1 mg/m <sup>3</sup>       | AR OEL            |
|                 |           | CMP - CPT        | 3 mg/m <sup>3</sup>       | AR OEL            |
| Phosphoric acid | 7664-38-2 | TWA              | 1 mg/m <sup>3</sup>       | PE OEL            |
|                 |           | STEL             | 3 mg/m <sup>3</sup>       | PE OEL            |
| Phosphoric acid | 7664-38-2 | L-8/40           | 1 mg/m <sup>3</sup>       | VE OEL            |
|                 |           | LB               | 3 mg/m <sup>3</sup>       | VE OEL            |
| Phosphoric acid | 7664-38-2 | VLE-PPT          | 1 mg/m <sup>3</sup>       | NOM-010-STPS-2014 |
|                 |           | VLE-CT           | 3 mg/m <sup>3</sup>       | NOM-010-STPS-2014 |
| Phosphoric acid | 7664-38-2 | TWA              | 1 mg/m <sup>3</sup>       | ACGIH             |
|                 |           | STEL             | 3 mg/m <sup>3</sup>       | ACGIH             |
|                 |           | TWA              | 1 mg/m <sup>3</sup>       | NIOSH REL         |
|                 |           | STEL             | 3 mg/m <sup>3</sup>       | NIOSH REL         |
|                 |           | TWA              | 1 mg/m <sup>3</sup>       | OSHA Z1           |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Impervious gloves, resistant to chemicals.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing  
  
Wear closed shoes.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.  
Wash face, hands and any exposed skin thoroughly after handling.  
Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

##### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

##### Personal protective equipment

## SAFETY DATA SHEET

### TOPAX PRO-5301C

|                        |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Eye protection         | : Safety glasses with side-shields                                |
| Hand protection        | : No special protective equipment required.                       |
| Skin protection        | : No special protective equipment required.                       |
| Respiratory protection | : No personal respiratory protective equipment normally required. |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         | Product AS SOLD     | Product AT USE DILUTION |
|-----------------------------------------|---------------------|-------------------------|
| Appearance                              | : liquid            | liquid                  |
| Color                                   | : opaque, violet    | light pink              |
| Odor                                    | : pungent           | odorless                |
| pH                                      | : 1,5, (100 %)      | 2,0                     |
| Flash point                             | : Not applicable    |                         |
| Odor Threshold                          | : No data available |                         |
| Melting point/freezing point            | : No data available |                         |
| Initial boiling point and boiling range | : No data available |                         |
| Evaporation rate                        | : No data available |                         |
| Flammability (solid, gas)               | : Not applicable    |                         |
| Upper explosion limit                   | : No data available |                         |
| Lower explosion limit                   | : No data available |                         |
| Vapor pressure                          | : No data available |                         |
| Relative vapor density                  | : No data available |                         |
| Relative density                        | : 1,2 - 1,3         |                         |
| Water solubility                        | : soluble           |                         |
| Solubility in other solvents            | : No data available |                         |
| Partition coefficient: n-octanol/water  | : No data available |                         |
| Autoignition temperature                | : No data available |                         |
| Thermal decomposition                   | : No data available |                         |
| Viscosity, kinematic                    | : No data available |                         |
| Explosive properties                    | : No data available |                         |
| Oxidizing properties                    | : No data available |                         |
| Molecular weight                        | : No data available |                         |
| VOC                                     | : No data available |                         |

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

|                    |                                                               |
|--------------------|---------------------------------------------------------------|
| Reactivity         | : No dangerous reaction known under conditions of normal use. |
| Chemical stability | : Stable under normal conditions.                             |

## SAFETY DATA SHEET

### TOPAX PRO-5301C

|                                    |                                                                                                                                                                |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Possibility of hazardous reactions | : Do not mix with bleach or other chlorinated products – will cause chlorine gas.                                                                              |
| Conditions to avoid                | : None known.                                                                                                                                                  |
| Incompatible materials             | : Bases<br>Metals<br>Organic materials                                                                                                                         |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>Nitrogen oxides (NOx)<br>Sulfur oxides<br>Oxides of phosphorus |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Toxicity

##### Product AS SOLD Product

|                                   |                                                                         |
|-----------------------------------|-------------------------------------------------------------------------|
| Acute oral toxicity               | : Acute toxicity estimate : > 5.000 mg/kg                               |
| Acute inhalation toxicity         | : 4 h Acute toxicity estimate : 2,57 mg/l<br>Test atmosphere: dust/mist |
| Acute dermal toxicity             | : Acute toxicity estimate : > 5.000 mg/kg                               |
| Skin corrosion/irritation         | : Corrosive                                                             |
| Serious eye damage/eye irritation | : No data available                                                     |
| Respiratory or skin sensitization | : No data available                                                     |
| Carcinogenicity                   | : No data available                                                     |
| Reproductive effects              | : No data available                                                     |
| Germ cell mutagenicity            | : No data available                                                     |
| Teratogenicity                    | : No data available                                                     |
| STOT-single exposure              | : No data available                                                     |
| STOT-repeated exposure            | : No data available                                                     |
| Aspiration toxicity               | : No data available                                                     |

### SECTION 12. ECOLOGICAL INFORMATION

##### Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life.

##### Product

Toxicity to fish : No data available



## SAFETY DATA SHEET

### TOPAX PRO-5301C

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Components

Toxicity to fish : dodecylbenzene sulfonic acid  
96 h LC50: 4,3 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : Phosphoric acid  
48 h EC50 Daphnia magna (Water flea): > 100 mg/l

#### Components

Toxicity to algae : Phosphoric acid  
72 h EC50 Desmodesmus subspicatus (green algae): > 100 mg/l  
  
Sodium Xylenesulfonate  
96 h EC50: 230 mg/l

#### Persistence and degradability

##### Product AS SOLD

Biodegradable

##### Product AT USE DILUTION

Biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. INFORMATION OF DISPOSAL

#### Product AS SOLD

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

#### Product AT USE DILUTION

Disposal of contaminated packaging : In accordance with what is described by Supreme Decree No. 148, the packaging of the product is considered hazardous waste and must be disposed of through companies authorized to receive and / or treat such waste, which must be issued and final disposal certificate waste.

### SECTION 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## SAFETY DATA SHEET

**TOPAX PRO-5301C**

### Land transport

#### Official transport classification of the United Nations

|                           |   |                         |
|---------------------------|---|-------------------------|
| UN number                 | : | 1805                    |
| Description of the goods  | : | PHOSPHORIC ACID, LIQUID |
| Class                     | : | 8                       |
| Packing group             | : | III                     |
| Environmentally hazardous | : | no                      |

### Air transport (IATA)

#### Official transport classification of the United Nations

Contact Regulatory for air freight eligibility

### Sea transport (IMDG/IMO)

#### Official transport classification of the United Nations

|                                                                          |   |                          |
|--------------------------------------------------------------------------|---|--------------------------|
| UN number                                                                | : | 1805                     |
| Description of the goods                                                 | : | PHOSPHORIC ACID SOLUTION |
| Class                                                                    | : | 8                        |
| Packing group                                                            | : | III                      |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | : | Not applicable           |
| Marine pollutant                                                         | : | no                       |

## SECTION 15. REGULATORY INFORMATION

### Registrations and Certifications

Chile: Our HDS meets Chilean Normative: NCH 2245: 2015 (Safety Data Sheet for chemical products - Content and order of sections)

The receiver should pay attention to the possible existence of local regulations.

NCh 1411: Prevention of risks, IV identification of risks of materials

NCh 2190: Transportation of Hazardous Substances - Pictograms for hazard identification

NCh 382: Dangerous Good - Classification

D.S. No. 594: Minimum basic conditions in the workplace

D.S. No. 148: Hazardous waste disposal

D.S. No. 72: Mining Safety Regulations

D. S. No. 43: reports on the storage of hazardous substances

D. S. No. 40: Reporting on exposure hazards


## SECTION 16. OTHER INFORMATION

**Product AS SOLD**

# SAFETY DATA SHEET

## TOPAX PRO-5301C

### NFPA:




### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 3 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### Product AT USE DILUTION

#### NFPA:



#### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 2 |
| FLAMMABILITY    | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 29.01.2021  
Version : 1.0  
Prepared by : Regulatory Affairs

While there is no change in the formula or hazard classifications, this SDS remains valid.

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.