



SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

SECTION 1. PRODUCT IDENTIFICATION

Product name : STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Other means of identification : Not applicable

Recommended use : Laundry product

Product dilution information : 0,53 % - 0,63 %

Company : Manufactured or Distributed in Costa Rica by:
ECOLAB Costa Rica SRL, Zona Franca BES, El Coyol 7 Km al Oeste
Aeropuerto Juan Santamaría,
Alajuela, Costa Rica, Código Postal: Apdo109-4003.

Product Distributed in Honduras by:
ECOLAB Ofibodega Premier, bodega No.8 en el Boulervar del este a
30 mts de la caseta de peaje, San Pedro Sula, Honduras

Product Distributed in Panama by:
ECOLAB ALBROOK COMERCIAL PARK, L. D14, CALLE RUBEN
DARIO, CURUNDU, PANAMÁ

Product Distributed in El Salvador by:
ECOLAB, S.A, de C.V. 12 Calle Poniente y 23 Avenida Sur #700 San
Salvador, El Salvador Colonia Cucumayan.

Product Distributed in Guatemala by:
ECOLAB S.A. ECOLAB 42 CALLE 23-00 ZONA 12, BODEGA 8

Product Distributed in Nicaragua by:
ECOLAB C.C.R.L . ECOLAB KM. 16.7 CARRETERA A
TICUANTEPE, 200 MTS A COMUNIDAD SAN PEDRO,
TICUANTEPE. - MANAGUA, NICARAGUA

Emergency telephone : Costa Rica: For medical emergency information, call 911 and (506)
2436-3900 in Costa Rica. National Center of Intoxication in Costa
Rica: (506) 2223-1028
El Salvador: National Center of Intoxication in EL SALVADOR TEL.
(503) 22319262
Guatemala: TOXICOLOGICAL INFORMATION CENTER OF
GUATEMALA CIAT (502) 2230 0807
Nicaragua: National Center of Intoxication in NICARAGUA Nº Tel
(505) 2897150
Honduras: HOSPITAL ESCUELA DE TEGUCIGALPA HONDURAS
(504) 2232-2322
Panama: SYSTEM OF EMERGENCY MANAGEMENT OF THE
REPUBLIC OF PANAMA (SUME) - TEL. 911

Issuing date : 30.07.2019

SECTION 2. HAZARD OR HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Acute toxicity (Oral), Category 4

H302

Skin corrosion/irritation, Sub-category 1A

H314

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Serious eye damage/eye irritation, Category 1
Short-term (acute) aquatic hazard, Category 2

H318
H401

Product AT USE DILUTION

Skin corrosion/irritation, Sub-category 1A
Serious eye damage/eye irritation, Category 1

H314
H318

GHS label elements

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H401 Toxic to aquatic life.

Precautionary Statements : **Prevention:**
P260 Do not breathe dusts or mists.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Precautionary Statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse.
		Storage: P405 Store locked up.
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

SECTION 3. COMPOSITION / INFORMATION OF HAZARDOUS INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Carbonate	497-19-8	30 - 50
ethylenediamine tetraacetate	64-02-8	10 - 30
disodium metasilicate	6834-92-0	10 - 30
Sodium dichloro-s-triazinetrihydrate	51580-86-0	5 - 10
Fattyalcohol ethoxylates > C15 and ≤/ 5EO	160875-66-1	1 - 5
alcohols, c12-16, ethoxylated	68551-12-2	1 - 5
silicic acid, aluminum sodium salt	1344-00-9	1 - 5
Secondary Alkanesulphonates	5324-84-5	1 - 5
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides
Oxides of phosphorus
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

Product AS SOLD

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 50 °C

Product AT USE DILUTION

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
silicic acid, aluminum sodium salt	1344-00-9	TWA (Respirable fraction)	1 mg/m ³ (Aluminum)	ACGIH

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Safety goggles
Face-shield
- Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: powder	liquid
Color	: opalescent, white	colorless
Odor	: Floral	Chlorine
pH	: 10,5 - 12,0, (1 %)	10,5 - 11,5
Flash point	: Not applicable	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: No data available	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: yes	

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Molecular weight : No data available
VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Mixing this product with acid or ammonia releases chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Acids
Metals
Organic materials

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides
Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product AS SOLD Product

Acute oral toxicity : Acute toxicity estimate : 1.794 mg/kg

Acute inhalation toxicity : No data available

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects	: Toxic to aquatic life.
-----------------------	--------------------------

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: Sodium Carbonate 96 h LC50 <i>Lepomis macrochirus</i> (Bluegill sunfish): 300 mg/l
	ethylenediamine tetraacetate 96 h LC50 Fish: 121 mg/l
	disodium metasilicate 96 h LC50 Fish: 210 mg/l
	alcohols, c12-16, ethoxylated LC50: 1,5 mg/l
	silicic acid, aluminum sodium salt 96 h LC50 Fish: 1.800 mg/l
	Dodecylbenzenesulfonic acid, sodium salt 96 h LC50 Fish: 3,2 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates	: Sodium Carbonate 48 h EC50 <i>Ceriodaphnia</i> (water flea): 213,5 mg/l
	Sodium dichloro-s-triazinetriene dihydrate 48 h EC50 <i>Daphnia</i> : 0,196 mg/l

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Fattyalcohol ethoxylates > C15 and ≤ 5EO
48 h Daphnia magna (Water flea): > 1 mg/l

Secondary Alkanesulphonates
48 h EC50 Daphnia: 3.200 mg/l

Persistence and degradability

Product AS SOLD

Poorly biodegradable

Product AT USE DILUTION

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. INFORMATION REGARDING THE DISPOSAL OF PRODUCTS

Product AS SOLD

Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

Product AT USE DILUTION

Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

UN number : 3262
Description of the goods : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
(sodium metasilicate, sodium carbonate, troclosene sodium, dihydrate)
Class : 8
Packing group : II
Environmentally hazardous : yes

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 3262
Description of the goods : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
(sodium metasilicate, sodium carbonate, troclosene sodium, dihydrate)
Class : 8
Packing group : II
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable
Marine pollutant : yes


SECTION 15. REGULATORY INFORMATION

Our Safety Data Sheet (SDS) complies with Decree n ° 40705-S

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0


0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 30.07.2019
Version : 1.0
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.