

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : RADIANCE

Other means of identification : Not applicable

Recommended use : Furniture Polish

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab S. de RL. De CV
 AVENUE INDUSTRIALES 28
 SUBURB: INDUSTRIAL CUAMATLA,
 MPIO: CUAUTITLAN IZCALLI,
 EDO DE MEXICO, Mexico
 CP. 54700
 (55) 5864 1800

Emergency telephone : 800 837 2998 Please request assistance in Spanish language

Issuing date : 14.12.2021

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification

Aerosols, Category 2 H223
 Specific target organ toxicity - single exposure, Category 3, Central nervous system H336

GHS label elements

Hazard pictograms :




Signal Word : Warning

Hazard Statements : H223 Flammable aerosol.
 H229 Pressurised container: May burst if heated.
 H336 May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P261 Avoid breathing mist.
 P271 Use only outdoors or in a well-ventilated area.
 Intentional misuse by deliberate inhalation may be harmful or fatal.

Response:
 P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

SAFETY DATA SHEET

RADIANCE

Storage:

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P410 + P412

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

P501

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
distillates (petroleum), hydrotreated light	64742-47-8	10 - 20
Butane	106-97-8	5 - 10
propane	74-98-6	5 - 10
distillates (petroleum), hydrotreated light	64742-47-8	10 - 20
Butane	106-97-8	5 - 10
propane	74-98-6	5 - 10

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Pressurised container: May burst if heated.
Flammable aerosolsHazardous combustion products : Decomposition products may include the following materials:
Carbon oxides

Special protective equipment : Use personal protective equipment.

SAFETY DATA SHEET

RADIANCE

for fire-fighters

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2.000 mg/m ³	OSHA Z1
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA Z1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		STEL (Mist)	10 mg/m ³	NIOSH REL
Butane	106-97-8	VLE-PPT	1.000 ppm	NOM-010-STPS-2014
Butane	106-97-8	TWA	800 ppm 1.900 mg/m ³	NIOSH REL
		STEL	1.000 ppm	ACGIH
propane	74-98-6	VLE-PPT	1.000 ppm	NOM-010-STPS-2014
propane	74-98-6	TWA	1.000 ppm 1.800 mg/m ³	NIOSH REL
		TWA	1.000 ppm 1.800 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

SAFETY DATA SHEET

RADIANCE

Personal protective equipment

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: aerosol
Color	: clear, off-white
Odor	: citrus
pH	: 7,0, (100 %)
Flash point	: Not applicable, Sustains combustion
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0,8714 - 0,8716
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 3900,000 mm ² /s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
VOC	: No data available

SAFETY DATA SHEET

RADIANCE

Heat of combustion : 10,49 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact

Skin contact

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Inhalation may cause central nervous system effects. Intentional misuse by deliberate inhalation may be harmful or fatal.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

SAFETY DATA SHEET

RADIANCE

Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects. May cause drowsiness or dizziness.
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute oral toxicity	: distillates (petroleum), hydrotreated light LD50 Rat: > 5.000 mg/kg
	distillates (petroleum), hydrotreated light LD50 Rat: > 5.000 mg/kg

Components

Acute inhalation toxicity	: Butane 4 h LC50 Rat: 280000 ppmTest atmosphere: gas
	Butane 4 h LC50 Rat: 280000 ppmTest atmosphere: gas

Components

Acute dermal toxicity	: distillates (petroleum), hydrotreated light LD50 Rabbit: > 5.000 mg/kg
	distillates (petroleum), hydrotreated light LD50 Rabbit: > 5.000 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
-----------------------	---

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: distillates (petroleum), hydrotreated light 96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1.000 mg/l
------------------	--

SAFETY DATA SHEET

RADIANCE

Butane
96 h LC50 Fish: 22,03 mg/l

distillates (petroleum), hydrotreated light
96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1.000 mg/l

Butane
96 h LC50 Fish: 22,03 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : distillates (petroleum), hydrotreated light
48 h EC50 Daphnia magna (Water flea): > 1.000 mg/l

distillates (petroleum), hydrotreated light
48 h EC50 Daphnia magna (Water flea): > 1.000 mg/l

Components

Toxicity to algae : distillates (petroleum), hydrotreated light
72 h EC50 Pseudokirchneriella subcapitata (green algae): > 1.000 mg/l

distillates (petroleum), hydrotreated light
72 h EC50 Pseudokirchneriella subcapitata (green algae): > 1.000 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport: generally applicable for transport in Mexico.

UN number : 1950

Description of the goods : AEROSOLS

SAFETY DATA SHEET

RADIANCE

Class : 2.1
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)


UN number : 1950
Proper shipping name : AEROSOLS
Class : 2.1
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Mexico: Our SDS meets the requirements established by the Official Mexican Regulation NOM-018-STPS-2015, Harmonized System for the identification and communication of hazards and risks by dangerous chemical substances in work centers.

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 14.12.2021
Version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the MSDS.

The information provided in this Material Safety Data Sheet is considered correct but is not thorough and is intended for guidance only, which is based on current knowledge of the substance or mixture and is applicable to the appropriate safety precautions for the product.