

DANGER
KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PROFESSIONAL PEST CONTROL USE ONLY

PyGar[®]
NATURAL INSECTICIDE

ACTIVE INGREDIENT: 14g/L PYRETHRINS IN THE
FORM OF AN EMULSIFIABLE CONCENTRATE
ALSO CONTAINS 56.5g/L PIPERONYL BUTOXIDE

SPECIALLY DEVELOPED FOR NEW ZEALAND

**FAST ACTING NATURAL INSECTICIDE FOR THE CONTROL OF INSECT PESTS.
FOR THE USE IN URBAN & INDUSTRIAL PEST CONTROL.**

NET CONTENTS

5L

www.pelgar.co.uk



PelGar International (NZ) Ltd. PO Box 11825, Ellerslie, Auckland. New Zealand

READ LABEL COMPLETELY BEFORE USING

PyGar

General Information:-

PyGar is a fast acting natural insecticide for the control of insect pests for urban and industrial pest control.

DANGER: Keep out of reach of children. Avoid contact with skin and inhalation of spray mist. Do not eat drink or smoke while using. Wash hands and exposed skin thoroughly before meals and after work.

Toxic to bees: Do not use when bees are foraging in the area to be sprayed.

Toxic to fish: Avoid contamination of any water supply with chemical or empty container.

WARNING: Combustible liquid. May be harmful if swallowed and enters airways. Causes serious eye damage. Mild skin irritant and may cause an allergic skin reaction. Facial contact may result in temporary facial numbness. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause harm to breast fed children. May cause damage to organs through prolonged or repeated exposure. Harmful to terrestrial vertebrates.

PRECAUTIONS: Keep away from heat, flames, hot surfaces. Wear protective gloves and eye protection. Avoid contact with skin and inhalation of spray mist. In case of inadequate ventilation, wear self contained breathing apparatus. **DO NOT** apply onto or into water.

FIRST AID

Swallowed: Do not induce vomiting. Immediately call the National Poisons Centre 0800 POISON (0800 764 766) or a doctor for treatment advice.

Eye: Immediately hold the eyes open and wash continuously for at least 15 minutes with fresh running water. Ensure irrigation under eyelids by occasionally lifting the upper and lower lids. Transport to hospital or doctor without delay. Skilled personnel should only undertake removal of contact lenses after an eye injury.

Skin: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash affected areas thoroughly with water (and soap if available) for at least 15 minutes. Get medical advice. **Inhaled:** Remove to fresh air. Lay patient down. Keep warm and rested. If breathing is shallow or has stopped, ensure clear airway and apply resuscitation. Transport to hospital or doctor without delay.

ADVISE TO DOCTOR: Treat symptomatically.

Approved pursuant to the HSN0 Act 1996
No HSR101120

Hazard Classification 3.1D, 6.1E (aspiration), 6.3B, 6.5A, 6.5B, 6.9B (inhalation), 8.3A, 9.1A, 9.3C, 9.4B

See www.epa.govt.nz for approval conditions.

PelGar International (NZ) Ltd
Po Box 11825, Ellerslie, Auckland 1542
Ph: + 64 21 670 105
www.pelgar.co.uk



Active Ingredient: 14g/L pyrethrins in the form of an emulsifiable concentrate. Also contains 56.5g/L piperonyl butoxide.

MIXING

Add **PyGar** to water at the recommended rate and mix well before spraying. Maintain agitation or agitate frequently whilst spraying.

DIRECTIONS FOR USE

For the control of flying and crawling insects in dairy food preparation areas, meat packing, pack houses, animal slaughtering premises, factories and residential housing.

PEST	APPLICATION	RATE	COMMENTS
Flying & Crawling Insects	Space spraying using ULV (Ultra Low Volume) mister (cold fogger) or motorised knapsack.	Dilute 200ml of PyGar with 2.0L of water for every 1000m ³ treated	Mix PyGar in sufficient water to obtain coverage. Apply at least 2.0L of mixed diluent per 1000m ³
	Thermal fogging with fogging agent.	100ml of PyGar plus 200ml of fogging agent	Apply at least 200ml of mixed PyGar and fogging agent per 1000m ³
Mosquitoes & Flies OUTDOOR USE	Space spraying using ULV (Ultra Low Volume) mister (cold fogger) or motorised knapsack.	Apply 1ml PyGar per 100m ² in sufficient water to get coverage	ULV (Ultra Low Volume) application is 300ml to 500ml per 100m ²
	Thermal fogging with fogging agent.	300ml of PyGar plus 200ml of fogging agent plus 500ml of water	35ml of diluted solution per 100m ²

SPILLAGE, DISPOSAL & FIRE FIGHTING

Contain and collect spillage for disposal in landfill. Triple rinse empty containers using washings to make up spray. Dispose of clean empty containers to Agrecovery recycling or to suitable landfill. In case of fire extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials. **DO NOT** use water jet as an extinguisher, as this will spread the fire.

STORAGE

Store in a well ventilated cool dry place away from direct sunlight and heat. Contact your supplier for further information.

CONDITIONS OF SUPPLY

This product as supplied is of high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and / or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions imposed by legislation.

BATCH NO:

DATE OF MANUFACTURE:

BARCODE