

SAFETY DATA SHEET



MAXX DUAL ACTION FLOOR CLEANER-BRIGHT SPEED

1. Chemical product and company identification

Chinese name : 地板清潔劑
Product name : MAXX DUAL ACTION FLOOR CLEANER-BRIGHT SPEED
Other names : None.
Product code : 910682-05
Recommended use and restrictions : Floor Cleaner
Use only for the purpose on the product label.
Manufacturer/Supplier : Ecolab Limited
Address/Telephone : 6F, No. 13, Sec. 2, Peitou Rd., Peitou Dist.,
Taipei, 112, Taiwan, R.O.C.
(02) 2898-4800
Emergency telephone number : 1-651-222-5352 (in USA)

2. Hazards identification

GHS Classification : CORROSIVE TO METALS - Category 1
SKIN CORROSION/IRRITATION - Category 1
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3
AQUATIC TOXICITY (ACUTE) - Category 3

GHS label elements

Symbol :



Signal word : Danger

Hazard statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
Harmful to aquatic life.

Precautionary statements

Prevention : Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep only in original container. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Avoid breathing vapor. Wash hands thoroughly after handling.

Response : Absorb spillage to prevent material damage. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Other hazards : None known.

3. Composition/information on ingredients

Nature of material : Mixture
Chemical properties : Floor Cleaner

Hazardous ingredients	Concentration Range (%)	CAS number
2-aminoethanol	5 - 20	141-43-5
Benzenesulfonic acid, dimethyl-, sodium salt (1:1)	1 - 5	1300-72-7
silicic acid, sodium salt	1 - 5	1344-09-8
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	1 - 5	160875-66-1
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	1 - 5	64-02-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

First aid measures

- Eye contact** : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- Skin contact** : Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
- Ingestion** : Get medical attention immediately. Rinse mouth. Do not induce vomiting.

Most important symptoms/effects, acute and delayed

- Eye contact** : Causes serious eye damage.
- Skin contact** : Causes severe burns.
- Inhalation** : May cause respiratory irritation.
- Ingestion** : May cause burns to mouth, throat and stomach.

- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See toxicological information (Section 11)

5. Fire-fighting measures

- Suitable fire extinguishing media** : Use water spray, fog or foam.
- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
metal oxide/oxides
- Specific fire-fighting methods** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

- Personal precautions** : Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.
- Environmental precautions** : Avoid contact of spilled material and runoff with soil and surface waterways.
- Methods for cleaning up** : Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

7. Handling and storage

- Handling** : Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.
- Storage** : Keep out of reach of children. Keep container tightly closed.

Store between the following temperatures: 10 and 45°C

8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
2-aminoethanol	Taiwan Council of Labor Affairs (Taiwan, 1/2010). STEL: 15 mg/m ³ 15 minutes. STEL: 6 ppm 15 minutes. TWA: 7.5 mg/m ³ 8 hours. TWA: 3 ppm 8 hours.

- Biological indicator** : Not available.
- Appropriate engineering controls** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
- Eye protection** : Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.
- Hand protection** : Use chemical-resistant, impervious gloves.
- Skin protection** : Use synthetic apron, other protective equipment as necessary to prevent skin contact.
- Respiratory protection** : A respirator is not needed under normal and intended conditions of product use.

9. Physical and chemical properties

Appearance

- Physical state** : Liquid.
- Color** : Green [Dark]
- Odor** : Fragrance-like
- pH** : 12.5 to 14 (100%)
- Melting point** : Not available.
- Boiling point** : Not available.

9. Physical and chemical properties

Evaporation rate (butyl acetate = 1)	: Not available.
Flammability (solid, gas)	: Not available.
Explosion limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.073 (Water = 1)
Solubility	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.

10. Stability and reactivity

Stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Materials to avoid	: Highly reactive or incompatible with the following materials: acids. Slightly reactive or incompatible with the following materials: metals.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Route of exposure	: Skin contact, Eye contact, Inhalation, Ingestion
-------------------	--

Symptoms

Eye contact	: Adverse symptoms may include the following: pain watering redness
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Inhalation	: Adverse symptoms may include the following: coughing Respiratory tract irritation
Ingestion	: Adverse symptoms may include the following: stomach pains

Acute toxicity

Eye contact	: Causes serious eye damage.
Skin contact	: Causes severe burns.
Inhalation	: May cause respiratory irritation.
Ingestion	: May cause burns to mouth, throat and stomach.

Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
-------------------------	--------	---------	------	----------

11. Toxicological information

2-aminoethanol	LD50 Dermal	Rabbit	1025 mg/kg	-
	LD50 Oral	Rat	1089 mg/kg	-
Benzenesulfonic acid, dimethyl-, sodium salt (1:1)	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>7000 mg/kg	-
	LC50 Inhalation	Rat	>6.2 mg/l	4 hours
	Dusts and mists			
silicic acid, sodium salt	LD50 Oral	Rat	>2000 mg/kg	-
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	LD50 Oral	Rat	>2000 mg/kg	-
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	LD50 Oral	Rat	1700 mg/kg	-
	LD50 Dermal	Rabbit	3674.96 mg/kg	-
	LD50 Oral	Rat	2791.75 mg/kg	-

Chronic toxicity

Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

12. Ecological information

Ecotoxicity : This material is harmful to aquatic life.

Aquatic and terrestrial toxicity

Product/ingredient name	Test	Result	Species	Exposure
2-aminoethanol	-	Acute EC50 65 mg/l	Daphnia	48 hours
Benzenesulfonic acid, dimethyl-, sodium salt (1:1)	-	Acute EC50 230 mg/l	Aquatic plants	96 hours
silicic acid, sodium salt	-	Acute LC50 210 mg/l	Fish	96 hours
poly(oxy-1,2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-	-	Acute EC50 10 mg/l	Daphnia	48 hours
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	-	Acute LC50 121 mg/l	Fish	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Not available.				

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Not available.			

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-aminoethanol	-1.31	-	low
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	5.01	-	high

Mobility in soil : Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when

13. Disposal considerations

containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number : UN3267

Proper shipping name : CORROSIVE LIQUID, BASIC,
ORGANIC, N.O.S. (2-aminoethanol)

Class : 8

Packing group : II

Marine pollutant (Yes / No) : Not a pollutant.

Specific precautionary
transport measures and
conditions : -

See shipping documents for specific transportation information.

15. Regulatory information

TCSCA List of toxic chemicals

<u>Listed no.</u>	<u>Series no.</u>	<u>Product name</u>	<u>RQ</u>	<u>Class</u>
Not available.				

List of chemicals for which
manufacturing or handling
is defined as "work
specially hazardous to
health" : Not available.

List of chemicals reputed to
be a "threat of imminent
danger" : This product contains substances considered to be a "Threat of imminent danger":
2-aminoethanol, sodium hydroxide.

LSHL Article 21 : Not available.

Safety, health and
environmental regulations
specific for the product : Not available.

References : -Regulation of Labeling and Hazard Communication of Dangerous and Harmful Materials.
-Labor Safety and Health Act.

16. Other information

History

Date of issue : 2013 . 8 . 26

Date of previous issue : No previous validation

Organization that prepared
the SDS : ECOLAB

Person who prepared the
SDS : Regulatory Affairs

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.