

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SILEX 400-66

Other means of identification : Not applicable

Recommended use : Bleach

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : ECOLAB VIETNAM CO., LTD.  
UNIT 8.2 - ETOWN 2 Building, 364 Cong Hoa Street  
Tan Binh District, Ho Chi Minh City, Vietnam  
+84 28 35285100

Emergency telephone : +(84)-444581938

Issuing date : 30.11.2020

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Chronic aquatic toxicity : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be harmful if swallowed.  
Causes mild skin irritation.  
Causes serious eye damage.  
Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/ attention. Collect spillage.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

# SAFETY DATA SHEET

**SILEX 400-66**

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical name                        | CAS-No.   | Concentration (%) |
|--------------------------------------|-----------|-------------------|
| troclosene sodium                    | 2893-78-9 | 15 - 30           |
| triphosphoric acid, pentasodium salt | 7758-29-4 | 10 - 13           |

## SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Sulfur oxides  
Oxides of phosphorus

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : Ensure adequate ventilation. Keep people away from and upwind of

## SAFETY DATA SHEET

### SILEX 400-66

|                                               |                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| protective equipment and emergency procedures | spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8. |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                           |                                                            |
|---------------------------|------------------------------------------------------------|
| Environmental precautions | : Do not allow contact with soil, surface or ground water. |
|---------------------------|------------------------------------------------------------|

|                                                       |                                                              |
|-------------------------------------------------------|--------------------------------------------------------------|
| Methods and materials for containment and cleaning up | : Sweep up and shovel into suitable containers for disposal. |
|-------------------------------------------------------|--------------------------------------------------------------|

### SECTION 7. HANDLING AND STORAGE

|                         |                                                                                                                                                                                                                          |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling | : Do not ingest. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Mixing this product with acid or ammonia releases chlorine gas. |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                             |                                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------------------------|
| Conditions for safe storage | : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. |
|-----------------------------|-------------------------------------------------------------------------------------------------------|

|                     |                 |
|---------------------|-----------------|
| Storage temperature | : 0 °C to 50 °C |
|---------------------|-----------------|

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

|                      |                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------|
| Engineering measures | : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards. |
|----------------------|------------------------------------------------------------------------------------------------------------|

#### Personal protective equipment

|                |                                 |
|----------------|---------------------------------|
| Eye protection | : Safety goggles<br>Face-shield |
|----------------|---------------------------------|

|                 |                                                                                                                                                                                                                 |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection | : Wear the following personal protective equipment:<br>Standard glove type.<br>Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.<br>Impervious gloves |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                 |                                             |
|-----------------|---------------------------------------------|
| Skin protection | : No special protective equipment required. |
|-----------------|---------------------------------------------|

|                        |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Respiratory protection | : No personal respiratory protective equipment normally required. |
|------------------------|-------------------------------------------------------------------|

|                  |                                                                                                                                                                                                                                                                                                                      |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|            |          |
|------------|----------|
| Appearance | : powder |
| Color      | : white  |

## SAFETY DATA SHEET

### SILEX 400-66

|                                         |                     |
|-----------------------------------------|---------------------|
| Odor                                    | : Chlorine          |
| pH                                      | : 8.0 - 8.3, 1 %    |
| Flash point                             | : Not applicable    |
| Odor Threshold                          | : No data available |
| Melting point/freezing point            | : No data available |
| Initial boiling point and boiling range | : No data available |
| Evaporation rate                        | : No data available |
| Flammability (solid, gas)               | : No data available |
| Upper explosion limit                   | : No data available |
| Lower explosion limit                   | : No data available |
| Vapor pressure                          | : No data available |
| Relative vapor density                  | : No data available |
| Relative density                        | : No data available |
| Water solubility                        | : soluble           |
| Solubility in other solvents            | : No data available |
| Partition coefficient: n-octanol/water  | : No data available |
| Autoignition temperature                | : No data available |
| Thermal decomposition                   | : No data available |
| Viscosity, kinematic                    | : No data available |
| Explosive properties                    | : No data available |
| Oxidizing properties                    | : No data available |
| Molecular weight                        | : No data available |
| VOC                                     | : No data available |

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                         |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Chemical stability                 | : Stable under normal conditions.                                                                                       |
| Possibility of hazardous reactions | : Mixing this product with acid or ammonia releases chlorine gas.                                                       |
| Conditions to avoid                | : None known.                                                                                                           |
| Incompatible materials             | : Acids<br>Metals<br>Organic materials<br>Bases                                                                         |
| Hazardous decomposition products   | : Decomposition products may include the following materials:<br>Carbon oxides<br>Sulfur oxides<br>Oxides of phosphorus |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

## SAFETY DATA SHEET

### SILEX 400-66

exposure

#### Potential Health Effects

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Causes serious eye damage.                                  |
| Skin             | : Causes mild skin irritation.                                |
| Ingestion        | : May be harmful if swallowed.                                |
| Inhalation       | : Health injuries are not known or expected under normal use. |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

#### Experience with human exposure

|              |                                  |
|--------------|----------------------------------|
| Eye contact  | : Redness, Pain, Corrosion       |
| Skin contact | : slight irritation              |
| Ingestion    | : Abdominal pain                 |
| Inhalation   | : No symptoms known or expected. |

#### Toxicity

##### Product

|                                   |                                         |
|-----------------------------------|-----------------------------------------|
| Acute oral toxicity               | : Acute toxicity estimate : 4,409 mg/kg |
| Acute inhalation toxicity         | : No data available                     |
| Acute dermal toxicity             | : No data available                     |
| Skin corrosion/irritation         | : No data available                     |
| Serious eye damage/eye irritation | : No data available                     |
| Respiratory or skin sensitization | : No data available                     |
| Carcinogenicity                   | : No data available                     |
| Reproductive effects              | : No data available                     |
| Germ cell mutagenicity            | : No data available                     |
| Teratogenicity                    | : No data available                     |
| STOT-single exposure              | : No data available                     |
| STOT-repeated exposure            | : No data available                     |
| Aspiration toxicity               | : No data available                     |

#### Ingredients

|                       |                                                    |
|-----------------------|----------------------------------------------------|
| Acute dermal toxicity | : troclosene sodium<br>LD50 Rabbit: > 10,000 mg/kg |
|-----------------------|----------------------------------------------------|

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

|                       |                                                         |
|-----------------------|---------------------------------------------------------|
| Environmental Effects | : Very toxic to aquatic life with long lasting effects. |
|-----------------------|---------------------------------------------------------|

## SAFETY DATA SHEET

### SILEX 400-66

#### Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Ingredients

Toxicity to daphnia and other aquatic invertebrates : triphosphoric acid, pentasodium salt  
48 h EC50 Daphnia: > 100 mg/l

#### Persistence and degradability

Poorly biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

The product should not be allowed to enter drains, water courses or the soil.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport

UN number : 3077

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(trolosene sodium)

Class : 9

Packing group : III

Hazchem Code :

Environmentally hazardous : yes

#### Sea transport (IMDG/IMO)

UN number : 3077

## SAFETY DATA SHEET

### SILEX 400-66

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(trolosene sodium)  
Class : 9  
Packing group : III  
Marine pollutant : yes

#### SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

**United States TSCA Inventory :**

On TSCA Inventory

**Canadian Domestic Substances List (DSL) :**

All components of this product are on the Canadian DSL

**Australia Inventory of Chemical Substances (AICS) :**

On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemical Substances :**

On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

On the inventory, or in compliance with the inventory

**Japan. ISHL - Inventory of Chemical Substances (METI) :**

On the inventory, or in compliance with the inventory

**Korea. Korean Existing Chemicals Inventory (KECI) :**

On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

On the inventory, or in compliance with the inventory

**China. Inventory of Existing Chemical Substances in China (IECSC) :**

On the inventory, or in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

Issuing date : 30.11.2020  
Version : 1.0A  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.