

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H & R SOLVENT

Other means of identification : Not applicable.

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB PTY LTD
2 Drake Avenue
Macquarie Park, NSW Australia 2113
1 800 022 002

Emergency telephone number : 1800 205 506, +64 7 958 2372

Issuing date : 23.04.2021

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central Nervous System)

GHS Label element

Hazard pictograms :




Signal Word : Warning

Hazard Statements : Flammable liquid and vapour.
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. Use only outdoors or in a well-ventilated area.
Response:

SAFETY DATA SHEET

H & R SOLVENT

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
naphtha (petroleum), hydrodesulfurized heavy	64742-82-1	30 - 60
Xylene	1330-20-7	5 - 10
1,2,4-trimethylbenzene	95-63-6	5 - 10
mesitylene	108-67-8	5 - 10
Petroleum waxes / paraffins	8012-95-1	1 - 5
white mineral oil, petroleum	8042-47-5	1 - 5
2-butoxyethanol	111-76-2	1 - 5

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
- If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New Zealand 0800 764 766).

Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

SAFETY DATA SHEET

H & R SOLVENT

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapours accumulating to form explosive concentrations.
Vapours can accumulate in low areas.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Sulphur oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
- Hazchem Code : ●3Y

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

SAFETY DATA SHEET

H & R SOLVENT

containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
naphtha (petroleum), hydrodesulfurized heavy	64742-82-1	TWA	900 mg/m ³	AU OEL
Xylene	1330-20-7	TWA	80 ppm 350 mg/m ³	AU OEL
		VLE	150 ppm 655 mg/m ³	AU OEL
1,2,4-trimethylbenzene	95-63-6	TWA	25 ppm 123 mg/m ³	AU OEL
mesitylene	108-67-8	TWA	25 ppm 123 mg/m ³	AU OEL
Petroleum waxes / paraffins	8012-95-1	TWA (Mist)	5 mg/m ³	AU OEL
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m ³	AU OEL
2-butoxyethanol	111-76-2	TWA	20 ppm 96.9 mg/m ³	AU OEL
		VLE	50 ppm 242 mg/m ³	AU OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles
Face-shield

Hand protection : Wear the following personal protective equipment:
Standard glove type.
butyl-rubber
Nitrile
Neoprene gloves
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and maintenance of respiratory protective equipment as applicable.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
The cartridges to be used will be for organic vapors.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

H & R SOLVENT

Appearance	: liquid
Colour	: clear, amber
Odour	: hydrocarbon-like
pH	: Not applicable.
Flash point	: 30 °C closed cup, Sustains combustion
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.78 - 0.8
Water solubility	: insoluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: 63.400 mm ² /s (40 °C)
Explosive properties	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Sulphur oxides

SAFETY DATA SHEET

H & R SOLVENT

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin : Causes skin irritation.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : May cause respiratory tract irritation. Inhalation may cause central nervous system effects.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Irritation

Skin contact : Redness, Irritation, Pain

Ingestion : No symptoms known or expected.

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 20 mg/l
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate : > 2,000 mg/kg

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

SAFETY DATA SHEET

H & R SOLVENT

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : naphtha (petroleum), hydrodesulfurized heavy
96 h LC50 Fish: 24 mg/l

1,2,4-trimethylbenzene
96 h LC50 Pimephales promelas (fathead minnow): 7.72 mg/l

white mineral oil, petroleum
96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l

2-butoxyethanol
96 h LC50: 1,474 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : naphtha (petroleum), hydrodesulfurized heavy
48 h EC50: 16 mg/l

1,2,4-trimethylbenzene
48 h LC50 Daphnia magna (Water flea): 3.6 mg/l

2-butoxyethanol
48 h EC50: 690 mg/l

Components

Toxicity to algae : naphtha (petroleum), hydrodesulfurized heavy
72 h EC50: 33 mg/l

2-butoxyethanol
72 h EC50: 911 mg/l

Persistence and degradability

Poorly biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

SAFETY DATA SHEET

H & R SOLVENT

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(white mineral oil, petroleum)
Class : 3
Packing group : III
Hazchem Code : ●3Y

Sea transport (IMDG/IMO)

UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(white mineral oil, petroleum)
Class : 3
Packing group : III
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

National regulatory information

Standard for the Uniform : Schedule 5
Scheduling of Medicines and
Poisons

The components of this product are reported in the following inventories:

United States TSCA Inventory :
not determined

Canadian Domestic Substances List (DSL) :
This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :
not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

SAFETY DATA SHEET

H & R SOLVENT

not determined

China Inventory of Existing Chemical Substances :

not determined

Taiwan Chemical Substance Inventory :

not determined

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date	: 23.04.2021
Date of first issue	: 23.11.2016
Version	: 1.1
Prepared by	: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.