

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : セクマティック FR
SEKUMATIC FR

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab G.K.
1-8-11 Harumi, Chuo-ku, Tokyo 104-6137

0120-103-144 (Institutional Division)

0120-103-145 (Food & Beverage Division)

Emergency telephone number : 0120-756-005 (Toll Free)

Issuing date : 2021.10.12

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Corrosive to metals : Category 1
Skin corrosion/irritation : Sub-category 1A
Serious eye damage/eye irritation : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
Keep only in original packaging. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

SAFETY DATA SHEET

SEKUMATIC FR

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in a corrosion resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
potassium hydroxide	1310-58-3	10

Section: 4. FIRST AID MEASURES

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Exposure to decomposition products may be a hazard to health.

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

SAFETY DATA SHEET

SEKUMATIC FR

and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : Refer to product label or ask your local Sales Representative.
- Packaging material : Suitable material: Plastic material
Unsuitable material: Mild steel, Aluminium

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
potassium hydroxide	1310-58-3	OEL-C	2 mg/m ³	JP OEL JSOH

Engineering measures

Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

SAFETY DATA SHEET

SEKUMATIC FR

Eye protection	: Safety goggles Face-shield
Hand protection	: Wear the following personal protective equipment: Standard glove type. Neoprene/natural rubber blend Nitrile Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: odourless
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: no data available
Flammability	: (solid, gas): Not applicable. (liquid): no data available
Lower and upper explosion limit/flammability limit	: no data available
Flash point	: Not applicable.
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
pH	: 14.0, (100 %)
Viscosity, kinematic	: no data available
Solubility	: soluble (water)
Partition coefficient: n-octanol/water	: no data available
Vapour pressure	: no data available
Relative density	: 1.35
Relative vapour density	: no data available
Particle characteristics	: no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

SEKUMATIC FR

reactions

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

SAFETY DATA SHEET

SEKUMATIC FR

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Persistence and degradability

Not applicable - inorganic

Bioaccumulative potential

no data available

Mobility in soil

no data available

Hazard to the ozone layer

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Information on safe and environmentally desirable disposal or recycling of the chemical (waste from residues), contaminated containers and packaging to which the chemicals are attached

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport

UN number : 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

Class : 8

Packing group : II

Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 1814

Proper shipping name : POTASSIUM HYDROXIDE SOLUTION

Class : 8

SAFETY DATA SHEET

SEKUMATIC FR

Packing group : II
Marine pollutant : Not applicable

Regulatory information in case there are domestic regulations:
Land transportation: Follow the transportation methods stipulated in the Fire Service Law, Poisonous and Deleterious Substances Control Law, Industrial Safety and Health Law, etc.
Sea transportation: Follow the transportation method stipulated in the Ship Safety Law.
Air transportation: Follow the transportation method stipulated in the Aviation Law.

Section: 15. REGULATORY INFORMATION

National regulatory information

Industrial Safety and Health Law

Publication of Technical Guidelines Article 28 (3)
Not applicable.

Mutagenic existing chemical substances
Not applicable.

Mutagenic new chemical substances
Not applicable.

Hazardous Substances Requiring Notification SDS Table 9

Article 57-2 (Enforcement Order Table 9)

Chemical Name	Concentration: (%)
potassium hydroxide	< 10

Hazardous Substances Subject to Labeling Requirements

Article 57 (Enforcement Order Article 18)

Chemical Name
potassium hydroxide

Ordinance on Prevention of Specified Chemical Substances Hazards
Not applicable.

Ordinance on Prevention of Organic Solvent Poisoning
Not applicable.

Enforcement Order of the Industrial Safety and Health Law: Dangerous Substances
Not applicable.

Poisonous and Deleterious Substances Control Law

Chemical Name	Classification	Concentration: (%)
potassium hydroxide	Deleterious substance	10

Law concerning Pollutant Release and Transfer Register (PRTR Law)
Not applicable.

Information of the other applicable regulations name and regulations based on its regulation.

SAFETY DATA SHEET

SEKUMATIC FR

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Water Pollution Control Law

Designated substance (Law Art. 2-4, Enforcement Order Art. 3-3)

Chemical Name
potassium hydroxide

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet
Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
IARC: (International Agency for Research on Cancer)
US. National Toxicology Program (NTP) Report on Carcinogens
ECHA List of Publishable Substances Registered
EU HPVCs (High Production Volume Chemicals)

Issuing date : 2021.10.12
version : 1.6
Prepared by : Regulatory Affairs

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.