

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SANIGIZER PLUS

Other means of identification : Not applicable

Recommended use : Skin antiseptic

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : ECOLAB ECUADOR CIA LTDA
S. Moreno OE1-195 y Francisco Garcia
Quito, Pichincha, Ecuador
TEL: 593-2500 1073

Emergency telephone : CISPROQUIM® (24 horas) Teléfono: 1800-59-3005 (Ecuador)

Issuing date : 18.01.2021

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids : Category 3

Eye irritation : Category 2B

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

GHS label elements

Hazard pictograms :




Signal Word : Warning

Hazard Statements : Flammable liquid and vapor.
Causes eye irritation.
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Keep container tightly closed. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Response:
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
Store in a well-ventilated place. Keep container tightly closed.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SAFETY DATA SHEET

SANIGIZER PLUS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
ethanol	64-17-5	60
Isopropanol	67-63-0	8

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with water.

In case of skin contact : Rinse with water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically.

Toxicological emergency telephone contact : 1800 VENENO, 1800 836366 A NIVEL NACIONAL EN ECUADOR

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapors accumulating to form explosive concentrations.
Vapors can accumulate in low areas.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.

SAFETY DATA SHEET

SANIGIZER PLUS

- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Open drum carefully as content may be under pressure.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 25 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	CMP	1.000 ppm	AR OEL
ethanol	64-17-5	LT	780 ppm 1.480 mg/m3	BR OEL
ethanol	64-17-5	LPP	875 ppm 1.645 mg/m3	CL OEL
ethanol	64-17-5	TWA	1.000 ppm 1.884 mg/m3	PE OEL
ethanol	64-17-5	L-8/40	1.000 ppm	VE OEL
ethanol	64-17-5	LMPE-PPT	1.000 ppm 1.900 mg/m3	MX OEL
ethanol	64-17-5	TWA	1.000 ppm 1.900 mg/m3	NIOSH REL
		TWA	1.000 ppm 1.900 mg/m3	OSHA Z1
Isopropanol	67-63-0	CMP	400 ppm	AR OEL
		CMP - CPT	500 ppm	AR OEL
Isopropanol	67-63-0	LT	310 ppm 765 mg/m3	BR OEL
Isopropanol	67-63-0	LPP	350 ppm 858 mg/m3	CL OEL
		LPT	500 ppm 1.230 mg/m3	CL OEL
Isopropanol	67-63-0	TWA	200 ppm 491 mg/m3	PE OEL
		STEL	400 ppm 983 mg/m3	PE OEL

SAFETY DATA SHEET

SANIGIZER PLUS

Isopropanol	67-63-0	L-8/40	200 ppm	VE OEL
		LB	400 ppm	VE OEL
Isopropanol	67-63-0	VLE-PPT	200 ppm	NOM-010-STPS-2014
		VLE-CT	400 ppm	NOM-010-STPS-2014
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1.225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : No specific measures identified.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: gel
Color	: clear, colorless
Odor	: alcohol-like
pH	: 7,0, (100 %)
Flash point	: 27 °C closed cup, Sustains combustion
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0,84 - 0,94
Water solubility	: No data available
Solubility in other solvents	: No data available

SAFETY DATA SHEET

SANIGIZER PLUS

Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: 3658,259 mm ² /s (40 °C)
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
--	---

Potential Health Effects

Eyes	: Causes eye irritation.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Inhalation may cause central nervous system effects.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Irritation
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: Dizziness, Drowsiness

SAFETY DATA SHEET

SANIGIZER PLUS

Toxicity

Product

Acute oral toxicity	: No data available
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 40 mg/l Test atmosphere: vapor
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute oral toxicity	: ethanol LD50 Rat: 10.470 mg/kg
	Isopropanol LD50 Rat: 5.840 mg/kg

Components

Acute dermal toxicity	: ethanol LD50 Rabbit: 15.800 mg/kg
	Isopropanol LD50 Rabbit: 12.870 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects	: This product has no known ecotoxicological effects.
-----------------------	---

Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

Components

Toxicity to fish	: ethanol 96 h LC50 Pimephales promelas: > 100 mg/l
------------------	--

SAFETY DATA SHEET

SANIGIZER PLUS

Isopropanol
96 h LC50 Pimephales promelas: 9.640 mg/l

Components

Toxicity to daphnia and other : ethanol
aquatic invertebrates 48 h EC50 Aquatic Invertebrate: 857 mg/l

Isopropanol
LC50 Daphnia magna (Water flea): > 10.000 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport: generally applicable for transport in Ecuador.

UN number : 1170
Description of the goods : Ethanol solutions
Class : 3
Packing group : III
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 1170
Description of the goods : ETHANOL SOLUTION
Class : 3
Packing group : III

SAFETY DATA SHEET

SANIGIZER PLUS


Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Ecuador: Our MSDS complies with the requirements established by Ecuadorian Technical Regulation INEN 2266:2013

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 18.01.2021
Version : 1.3
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.