

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Luboklar HH

Other means of identification : Not applicable

Recommended use : Lubricant

Product dilution information : 0,3 % - 0,5 %

Company : ECOLAB Química Ltda.
Avenida Gupe, 10933
Jd. Belval - Barueri – SP, Brazil Cep.: 06422-120
0800 704 1409
sac.brasil@ecolab.com

Emergency telephone : 0800 701 0450 (Planitox) – Medical Emergency.
0800 118270 (ABIQUIM / PROQUIMICA)

Issuing date : 08.02.2018

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 5

Skin corrosion : Category 1B

Serious eye damage : Category 1

Specific target organ systemic toxicity - repeated exposure (Oral) : Category 2 (Blood)

Specific target organ systemic toxicity - repeated exposure (Dermal) : Category 2 (Kidney)

Acute aquatic toxicity : Category 3

Product AT USE DILUTION

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Flammable liquid and vapor.
May be harmful if swallowed.
Causes severe skin burns and eye damage.
May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.
May cause damage to organs (Kidney) through prolonged or repeated exposure in contact with skin.

SAFETY DATA SHEET

Luboklar HH

Harmful to aquatic life.

Precautionary Statements : **Prevention:**
Obtain special instructions before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Product AT USE DILUTION

Precautionary Statements : **Prevention:**
Wash hands thoroughly after handling.
Response:
Get medical advice/ attention if you feel unwell.
Storage:
Store in accordance with local regulations.

Product AS SOLD

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
ethylenediamine tetraacetate	64-02-8	10 - 30
9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)	2272-11-9	10 - 30
triethanolamine	102-71-6	5 - 10
Isopropyl Alcohol	67-63-0	5 - 10
monoethanolamine	141-43-5	1 - 5
Linear Alkylbenzenesulphonates	26545-53-9	1 - 5
2,2'-iminodiethanol	111-42-2	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

SAFETY DATA SHEET

Luboklar HH

If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

SAFETY DATA SHEET

Luboklar HH

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

- Advice on safe handling : Do not ingest. Avoid contact with skin and eyes. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : -20 °C to 50 °C

Product AT USE DILUTION

- Advice on safe handling : Wash hands after handling. For personal protection see section 8.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

SAFETY DATA SHEET

Luboklar HH

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
triethanolamine	102-71-6	TWA	5 mg/m3	ACGIH
Isopropanol	67-63-0	LT	310 ppm 765 mg/m3	BR OEL
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1.225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1
2,2'-iminodiethanol	111-42-2	TWA (Inhalable fraction and vapor)	1 mg/m3	ACGIH
		TWA	3 ppm 15 mg/m3	NIOSH REL
triethanolamine	102-71-6	TWA	5 mg/m3	ACGIH
Isopropanol	67-63-0	LT	310 ppm 765 mg/m3	BR OEL
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1.225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1
2,2'-iminodiethanol	111-42-2	TWA (Inhalable fraction and vapor)	1 mg/m3	ACGIH
		TWA	3 ppm 15 mg/m3	NIOSH REL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

SAFETY DATA SHEET

Luboklar HH

Eye protection	: Safety goggles Face-shield
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
----------------------	--

Personal protective equipment

Eye protection	: No special protective equipment required.
Hand protection	: No special protective equipment required.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, yellow	colorless
Odor	: characteristic	odorless
pH	: 9,77 - 10,8, (1 %)	9,5 - 10,8
Flash point	: 26 °C	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	

SAFETY DATA SHEET

Luboklar HH

Relative vapor density	: No data available
Relative density	: 1,08 - 1,2
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns. Causes skin irritation.
Ingestion	: May be harmful if swallowed. Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: May cause damage to organs through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Suspected of causing cancer.

SAFETY DATA SHEET

Luboklar HH

Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Irritation, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Product AS SOLD

Product

Acute oral toxicity	: Acute toxicity estimate : 3.949 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : > 40 mg/l Test atmosphere: vapor
Acute dermal toxicity	: Acute toxicity estimate : > 5.000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SAFETY DATA SHEET

Luboklar HH

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

Ingredients

Toxicity to fish : ethylenediamine tetraacetate
96 h LC50 Fish: 121 mg/l

9-octadecenoic acid (z)-, compd. with 2-aminoethanol (1:1)
96 h LC50 Fish: 7,44 mg/l

triethanolamine
96 h LC50: 11.800 mg/l

Isopropyl Alcohol
96 h LC50 Pimephales promelas: 9.640 mg/l

Ingredients

Toxicity to daphnia and other aquatic invertebrates : triethanolamine
48 h EC50: 609,88 mg/l

Isopropyl Alcohol
LC50 Daphnia magna (Water flea): > 10.000 mg/l

monoethanolamine
48 h EC50 Daphnia: 65 mg/l

2,2'-iminodiethanol
48 h EC50 Daphnia: 65,5 mg/l

Ingredients

Toxicity to algae : triethanolamine
72 h EC50: > 100 mg/l

Persistence and degradability

Product AS SOLD

Poorly biodegradable

Product AT USE DILUTION

Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

SAFETY DATA SHEET

Luboklar HH

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose.

Product AT USE DILUTION

Disposal methods : Dispose of product, waste product and product packaging should follow the Federal, State, Municipal and local current regulation. Consult the environmental official organ if necessary. The classification of waste should be determined according to Brazilian Normative 10004 "Solid waste - Classification." The transport and disposal should be performed by a properly licensed company. Do not reuse container for any purpose.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ANTT 5.232)

UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
()
Class : 3
Packing group : III
Risk Number : 30
Environmentally hazardous : no

Air transport (IATA)

Contact Regulatory for air freight eligibility

Sea transport (IMDG/IMO)

UN number : 1993
Description of the goods : FLAMMABLE LIQUID, N.O.S.
(Isopropanol)
Class : 3
Packing group : III
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

SAFETY DATA SHEET

Luboklar HH


NATIONAL REGULATIONS, BRAZIL

Brazil: Our FISPQ complies with the Brazilian Rule ABNT NBR 14725.

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:




HMIS III:

HEALTH	3*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 08.02.2018
Version : 1.1
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.