



## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

#### SECTION 1. PRODUCT IDENTIFICATION

Product name : QSR HYGIENIC HAND RUB

Other means of identification : Not applicable

Recommended use : Skin-care

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Manufactured OR Distributed in the United States by:  
Kay Chemical Company, 8300 Capital Drive, Greensboro, NC USA  
27409  
1-800-529-5458

Manufactured OR Distributed in Costa Rica by:  
ECOLAB Costa Rica SRL, Zona Franca BES, El Coyol 5 Km al Oeste  
Aeropuerto Juan Santamaría,  
Alajuela, Costa Rica, Código Postal: Apdo109-4003.

Product Distributed in Honduras by:  
ECOLAB Ofibodega Premier, bodega No.8 en el Boulervar del este a  
30 mts de la caseta de peaje, San Pedro Sula, Honduras

Product Distributed in Panama by:  
ECOLAB ALBROOK COMERCIAL PARK, L. D14, CALLE RUBEN  
DARIO, CURUNDU, PANAMÁ

Product Distributed in El Salvador by:  
ECOLAB, S.A, de C.V. 12 Calle Poniente y 23 Avenida Sur #700 San  
Salvador, El Salvador Colonia Cucumayan.

Product Distributed in Guatemala by:  
ECOLAB S.A. ECOLAB 42 CALLE 23-00 ZONA 12, BODEGA 8

Product Distributed in Nicaragua by:  
ECOLAB C.C.R.L . ECOLAB KM. 16.7 CARRETERA A  
TICUANTEPE, 200 MTS A COMUNIDAD SAN PEDRO,  
TICUANTEPE. - MANAGUA, NICARAGUA

Emergency telephone : Costa Rica: For medical emergency information, call 911 and (506)  
2436-3900 in Costa Rica. National Center of Intoxication in Costa  
Rica: (506) 2223-1028  
El Salvador: National Center of Intoxication in EL SALVADOR TEL.  
(503) 22319262  
Guatemala: TOXICOLOGICAL INFORMATION CENTER OF  
GUATEMALA CIAT (502) 2230 0807  
Nicaragua: National Center of Intoxication in NICARAGUA N° Tel  
(505) 2897150  
Honduras: HOSPITAL ESCUELA DE TEGUCIGALPA HONDURAS  
(504) 2232-2322  
Panama: SYSTEM OF EMERGENCY MANAGEMENT OF THE  
REPUBLIC OF PANAMA (SUME) - TEL. 911

Issuing date : 20.07.2021

# SAFETY DATA SHEET

## QSR HYGIENIC HAND RUB

### SECTION 2. HAZARD OR HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids, Category 3

H226

Serious eye damage/eye irritation, Category 2B

H320

#### GHS label elements

Hazard pictograms

:



Signal Word

: Warning

Hazard Statements

: H226  
H320

Flammable liquid and vapor.  
Causes eye irritation.

Precautionary Statements

: **Prevention:**

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.

P233

**Response:**

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235

Store in a well-ventilated place. Keep cool.

**Disposal:**

P501

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

: None known.

### SECTION 3. COMPOSITION / INFORMATION OF HAZARDOUS INGREDIENTS

Pure substance/mixture

: Mixture

#### Chemical name

ethanol

#### CAS-No.

64-17-5

#### Concentration (%)

50 - 70

Isopropanol

67-63-0

5 - 10

### SECTION 4. FIRST AID MEASURES

In case of eye contact

: Rinse with water.

In case of skin contact

: Rinse with plenty of water.

If swallowed

: Rinse mouth. Get medical attention if symptoms occur.

If inhaled

: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

|                                                             |                                                                                |
|-------------------------------------------------------------|--------------------------------------------------------------------------------|
| Notes to physician                                          | : Treat symptomatically.                                                       |
| Most important symptoms and effects, both acute and delayed | : See Section 11 for more detailed information on health effects and symptoms. |

#### Potential Health Effects

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| Eyes             | : Causes eye irritation.                                      |
| Skin             | : Health injuries are not known or expected under normal use. |
| Ingestion        | : Health injuries are not known or expected under normal use. |
| Inhalation       | : Health injuries are not known or expected under normal use. |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

### SECTION 5. FIRE-FIGHTING MEASURES

|                                                |                                                                                                                                                                                                                            |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                  |
| Unsuitable extinguishing media                 | : High volume water jet                                                                                                                                                                                                    |
| Specific hazards during fire fighting          | : Fire Hazard<br>Keep away from heat and sources of ignition.<br>Flash back possible over considerable distance.<br>Beware of vapors accumulating to form explosive concentrations.<br>Vapors can accumulate in low areas. |
| Hazardous combustion products                  | : Decomposition products may include the following materials:<br>Carbon oxides                                                                                                                                             |
| Special protective equipment for fire-fighters | : Use personal protective equipment.                                                                                                                                                                                       |
| Specific extinguishing methods                 | : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.                                                           |

### SECTION 6. MEASURES TO BE TAKEN IN CASE OF ACCIDENTAL SPILLAGE

|                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed.                                                                                                                                                                                                                                                                                                   |
| Environmental precautions                                           | : Do not allow contact with soil, surface or ground water.                                                                                                                                                                                                                                                                                                                                                                       |
| Methods and materials for containment and cleaning up               | : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. |

## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

#### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 25 °C

#### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Ingredients with workplace control parameters

| Components  | CAS-No. | Form of exposure | Permissible concentration            | Basis     |
|-------------|---------|------------------|--------------------------------------|-----------|
| ethanol     | 64-17-5 | STEL             | 1.000 ppm                            | CR OEL    |
| ethanol     | 64-17-5 | TLV-TWA          | 1.000 ppm                            | DO OEL    |
| ethanol     | 64-17-5 | CPT              | 1.000 ppm<br>1.900 mg/m <sup>3</sup> | PA OEL    |
| ethanol     | 64-17-5 | TWA              | 1.000 ppm<br>1.900 mg/m <sup>3</sup> | NIOSH REL |
|             |         | TWA              | 1.000 ppm<br>1.900 mg/m <sup>3</sup> | OSHA Z1   |
| Isopropanol | 67-63-0 | TWA              | 200 ppm                              | CR OEL    |
|             |         | STEL             | 400 ppm                              | CR OEL    |
| Isopropanol | 67-63-0 | CPT              | 400 ppm<br>960 mg/m <sup>3</sup>     | PA OEL    |
|             |         | CCT              | 500 ppm<br>1.225 mg/m <sup>3</sup>   | PA OEL    |
| Isopropanol | 67-63-0 | TWA              | 200 ppm                              | ACGIH     |
|             |         | STEL             | 400 ppm                              | ACGIH     |
|             |         | TWA              | 400 ppm<br>980 mg/m <sup>3</sup>     | NIOSH REL |
|             |         | STEL             | 500 ppm<br>1.225 mg/m <sup>3</sup>   | NIOSH REL |
|             |         | TWA              | 400 ppm<br>980 mg/m <sup>3</sup>     | OSHA Z1   |

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection : No special protective equipment required.

## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

|                        |                                                                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Skin protection        | : No special protective equipment required.                                                                                               |
| Respiratory protection | : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.                        |
| Hygiene measures       | : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                         |                                                            |
|-----------------------------------------|------------------------------------------------------------|
| Physical State                          | : liquid                                                   |
| Color                                   | : clear, colorless                                         |
| Odor                                    | : alcohol-like                                             |
| pH                                      | : 7,0, (100 %)                                             |
| Flash point                             | : 27 °C closed cup, Sustains combustion                    |
| Odor Threshold                          | : No data available                                        |
| Melting point/freezing point            | : No data available                                        |
| Initial boiling point and boiling range | : No data available                                        |
| Evaporation rate                        | : No data available                                        |
| Flammability (solid, gas)               | : Not applicable                                           |
| Upper explosion limit                   | : No data available                                        |
| Lower explosion limit                   | : No data available                                        |
| Vapor pressure                          | : No data available                                        |
| Relative vapor density                  | : No data available                                        |
| Relative density                        | : 0,84 - 0,94                                              |
| Water solubility                        | : No data available                                        |
| Solubility in other solvents            | : No data available                                        |
| Partition coefficient: n-octanol/water  | : No data available                                        |
| Autoignition temperature                | : No data available                                        |
| Thermal decomposition                   | : No data available                                        |
| Viscosity, kinematic                    | : 3658,259 mm <sup>2</sup> /s (40 °C)                      |
| Explosive properties                    | : No data available                                        |
| Oxidizing properties                    | : The substance or mixture is not classified as oxidizing. |
| Molecular weight                        | : No data available                                        |
| VOC                                     | : No data available                                        |

### SECTION 10. STABILITY AND REACTIVITY

|                    |                                                               |
|--------------------|---------------------------------------------------------------|
| Reactivity         | : No dangerous reaction known under conditions of normal use. |
| Chemical stability | : Stable under normal conditions.                             |

## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

|                                    |                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------|
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.                                |
| Conditions to avoid                | : Heat, flames and sparks.                                                                   |
| Incompatible materials             | : None known.                                                                                |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Experience with human exposure

|              |                                  |
|--------------|----------------------------------|
| Eye contact  | : Redness, Irritation            |
| Skin contact | : No symptoms known or expected. |
| Ingestion    | : No symptoms known or expected. |
| Inhalation   | : No symptoms known or expected. |

#### Toxicity

##### Product

|                                   |                                                                                                    |
|-----------------------------------|----------------------------------------------------------------------------------------------------|
| Acute oral toxicity               | : No data available                                                                                |
| Acute inhalation toxicity         | : 4 h Acute toxicity estimate : > 40 mg/l<br>Test atmosphere: vapor                                |
| Acute dermal toxicity             | : No data available                                                                                |
| Skin corrosion/irritation         | : No data available                                                                                |
| Serious eye damage/eye irritation | : Mild eye irritation                                                                              |
| Respiratory or skin sensitization | : No data available                                                                                |
| Carcinogenicity                   | : No data available                                                                                |
| Reproductive effects              | : No toxicity to reproduction                                                                      |
| Germ cell mutagenicity            | : Animal testing did not show any mutagenic effects.                                               |
| Teratogenicity                    | : No data available                                                                                |
| STOT-single exposure              | : The substance or mixture is not classified as specific target organ toxicant, single exposure.   |
| STOT-repeated exposure            | : The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
| Aspiration toxicity               | : No data available                                                                                |

##### Components

|                     |                                     |
|---------------------|-------------------------------------|
| Acute oral toxicity | : ethanol<br>LD50 Rat: 10.470 mg/kg |
|---------------------|-------------------------------------|

## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

Isopropanol  
LD50 Rat: 5.840 mg/kg

#### Components

Acute dermal toxicity : ethanol  
LD50 Rabbit: 15.800 mg/kg

Isopropanol  
LD50 Rabbit: 12.870 mg/kg

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Components

Toxicity to fish : ethanol  
96 h LC50 Pimephales promelas: > 100 mg/l

Isopropanol  
96 h LC50 Pimephales promelas: 9.640 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : ethanol  
48 h EC50 Aquatic Invertebrate: 857 mg/l

Isopropanol  
LC50 Daphnia magna (Water flea): > 10.000 mg/l

#### Persistence and degradability

Readily biodegradable.

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. INFORMATION REGARDING THE DISPOSAL OF PRODUCTS

Disposal methods : Avoid that the product entering in the body of water, drains, pipes, or the earth (grounds). Where possible, recycling is preferable to disposal or incineration in accordance with local legislation. If you can't recycle, dispose according to local regulations. Elimination of waste in approved waste disposal plants.

## SAFETY DATA SHEET

### QSR HYGIENIC HAND RUB

Disposal considerations : Dispose of in accordance with local, state, and federal regulations. Remove as unused products. Empty containers should be brought to local recycling or waste disposal according to local legislation. Do not reuse empty containers.

#### SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport

UN number : 1170  
Description of the goods : ETHANOL SOLUTION  
Class : 3  
Packing group : III  
Environmentally hazardous : no

##### Sea transport (IMDG/IMO)


UN number : 1170  
Proper shipping name : ETHANOL SOLUTION  
Class : 3  
Packing group : III  
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable  
Marine pollutant : no

#### SECTION 15. REGULATORY INFORMATION

Our Safety Data Sheet (SDS) complies with Decree n ° 40705-S

#### SECTION 16. OTHER INFORMATION

##### NFPA:



##### HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 1 |
| FLAMMABILITY    | 3 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 20.07.2021  
Version : 1.1  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.



## **SAFETY DATA SHEET**

### **QSR HYGIENIC HAND RUB**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.