

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Racumin® Rat and Mouse Blocks
Product code (UVP) 04236661

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Rodenticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Pty Ltd.
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888
Telefax (03) 9248 6800
Responsible Department 1800 804 479 Technical Information Service
Website www.es.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4
H302 Harmful if swallowed.

2.2 Label elements

Labelling according to specific Australian legislation

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Coumatetralyl

Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

Precautionary statements

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
P330 Rinse mouth.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Coumatetralyl 0,0375 %
Block bait (BB)

Chemical name	CAS-No.	Concentration [%]
Coumatetralyl	5836-29-3	0.0375
Talc	14807-96-6	>= 1.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice Move out of dangerous area. When symptoms develop and persist, seek medical advice. Place and transport victim in stable position (lying sideways).

Inhalation Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Call a physician or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts are ingested, the following symptoms may occur:
Internal and external bleeding, shock possible



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.
Treatment	Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. Necessity and efficacy have to be assessed by INR. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Monitor: blood picture.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
--	---

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---

6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water.
--------------------------------------	--

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
--------------------------------	---

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Do not store at a temperature above 40 °C.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Coumatetralyl	5836-29-3	0.01 mg/m ³ (TWA)		OES BCS*
Talc	14807-96-6	2.5 mg/m ³ (TWA)	12 2011	AU NOEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment - End user

Hand protection Protective gloves

Engineering Controls

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	pieces or block
Colour	blue-grey
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/range	No data available
Boiling Point	No data available
Flash point	No data available
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	No data available
Water solubility	No data available
Partition coefficient: n-octanol/water	Coumatetralyl: log Pow: 1.5 (20 °C) (pH 7) Coumatetralyl: log Pow: 1.5 (20 °C) (pH 7)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No data available
Explosivity	No data available

SECTION 10. STABILITY AND REACTIVITY

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) 1,000 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing. (Mouse) Test conducted with a similar formulation.

Assessment mutagenicity

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Coumatetralyl is not considered carcinogenic.

Assessment toxicity to reproduction

Coumatetralyl is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Coumatetralyl: May damage the unborn child.

Assessment STOT Specific target organ toxicity – single exposure

Coumatetralyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation not likely., May be harmful if inhaled.

No skin irritation

No eye irritation

Ingestion of large amounts may be harmful (see Signs and Symptoms).

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 53 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient.

Chronic toxicity to fish

Oncorhynchus mykiss (rainbow trout)
NOEC: 5 µg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 14 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient.

Chronic toxicity to aquatic invertebrates

NOEC (Daphnia magna (Water flea)): 0.1 mg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient.

Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) > 18 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient.

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

12.2 Persistence and degradability

Biodegradability Coumatetralyl: < 60 %,
Not readily biodegradable.
Coumatetralyl: < 60 %,
Not readily biodegradable.

Koc Coumatetralyl: Koc: 258
Coumatetralyl: Koc: 258

12.3 Bioaccumulative potential

Bioaccumulation Coumatetralyl: Bioconcentration factor (BCF) 11.4
Does not bioaccumulate.
Coumatetralyl: Bioconcentration factor (BCF) 11.4
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Coumatetralyl: Moderately mobile in soils
Coumatetralyl: Moderately mobile in soils

12.5 Other adverse effects

Additional ecological information No data available
No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Shake empty container onto baiting site. Do not dispose of undiluted chemicals on-site. Break, crush or puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations not classified as dangerous goods.

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 52098

SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

Trademark information Racumin® is a Registered Trademark of the Bayer Group.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitizer
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and

Safety Data Sheet



Racumin® Rat and Mouse Blocks

Version 1 / AUS
102000011797

Revision Date: 07.06.2021
Print Date: 07.06.2021

how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--